

LIGHT AND  
COLOUR 12  
THEORIES

JOSEPH W. LOVIBOND.

9/10/1

200  
+ 156



Bertrand Smith  
Agent of Books  
12, 13 & 14 Ave  
Long Beach, Cal.

so very, very  
true, and so  
very, very  
pretty.

Just as  
pictured.

RESEARCH LIBRARY  
THE GETTY RESEARCH INSTITUTE

JOHN MOORE ANDREAS COLOR CHEMISTRY LIBRARY FOUNDATION




Digitized by the Internet Archive  
in 2016




W. B. Hurston

JOHN M. ANDERSON




see p 10 for "standard light"





## LIGHT AND COLOUR THEORIES



TINTOMETER.

Form of Instrument for Opaque Observation.

Reproductions of some Medals awarded to  
 JOSEPH W. LOVIBOND'S METHOD OF COLOUR ANALYSIS  
 FOR  
 SCIENTIFIC AND COMMERCIAL PURPOSES.




# LIGHT AND COLOUR THEORIES

and their Relation to Light and  
Colour Standardization

By

JOSEPH W. LOVIBOND

ILLUSTRATED BY 11 PLATES COLOURED BY HAND



**London**

E. & F. N. SPON, LIMITED, 57 HAYMARKET

**New York**

SPON & CHAMBERLAIN, 123 LIBERTY STREET

1915



THE GETTY RESEARCH  
INSTITUTE LIBRARY

# CONTENTS

	PAGE
LIST OF PLATES . . . . .	vii
PURPOSE . . . . .	ix
CHAPTER I.	
INTRODUCTION . . . . .	I
CHAPTER II.	
EVOLUTION OF THE METHOD . . . . .	5
CHAPTER III.	
EVOLUTION OF THE UNIT . . . . .	9
CHAPTER IV.	
DERIVATION OF COLOUR FROM WHITE LIGHT . . . . .	11
CHAPTER V.	
STANDARD WHITE LIGHT . . . . .	14
CHAPTER VI.	
QUALITATIVE COLOUR NOMENCLATURE . . . . .	17
CHAPTER VII.	
QUANTITATIVE COLOUR NOMENCLATURE . . . . .	20

	PAGE
CHAPTER VIII.	
THE COLOUR SCALES . . . . .	28
CHAPTER IX.	
COLOUR CHARTS . . . . .	31
CHAPTER X.	
REPRESENTATIONS OF COLOUR IN SPACE OF THREE DIMENSIONS . . . . .	34
CHAPTER XI.	
THE SPECTRUM IN RELATION TO COLOUR STANDARDIZATION	36
CHAPTER XII.	
THE PHYSIOLOGICAL LIGHT UNIT . . . . .	45
APPENDIX I.	
COLOUR EDUCATION . . . . .	59
APPENDIX II.	
THE POSSIBILITIES OF A STANDARD LIGHT AND COLOUR UNIT . . . . .	69
APPENDIX III.	
DR. DUDLEY CORBETT'S RADIOMETER . . . . .	83
INDEX . . . . .	89

## ERRATA.

---

PLATE I. NEWTON'S THEORY. The Indigo line is erroneously placed between the Violet and the Red ; it should be between the Blue and the Violet.

PAGE 40.—*Fifth line from the bottom, for Fraunhofer read Fraunhofer.*

*To face p. vi., Lovibond, Light and Colour Theories.]*

[P.R. 1317]





# LIST OF PLATES

		TO FACE PAGE
PLATE	I. SIX COLOUR THEORIES . . . . .	4
„	II. CIRCLES ILLUSTRATING ABSORPTION OF WHITE LIGHT . . . . .	II
„	III. DIAGRAM ILLUSTRATING ANALYSIS OF WHITE LIGHT . . . . .	13
„	IV. FIRST SYSTEM OF CHARTING COLOUR . . . . .	3I
„	V. SECOND SYSTEM OF CHARTING COLOUR . . . . .	33
„	VI. SIX TINTOMETRICAL COLOUR CHARTS . . . . .	39
„	VII. TWO CIRCLES . . . . .	40
„	VIII. ABSORPTION CURVES OF DYES . . . . .	76
„	IX. FADING CURVES OF DYES . . . . .	78
„	X. COMPARISON CURVES OF HEALTHY AND DISEASED BLOOD . . . . .	80
„	XI. SPECIFIC COLOUR CURVES OF HEALTHY AND DISEASED HUMAN BLOOD . . . . .	82



## PURPOSE

THE purpose of this work is to demonstrate that colour is a determinable property of matter, and to make generally known methods of colour analysis and synthesis which have proved of great practical value in establishing standards of purity in some industries.

The purpose is also to show that the methods are thoroughly scientific in theory and practice, and that the results are not likely to be changed by further discoveries. Also that out of the work done a new law has been developed, which the writer calls the Law of Specific Colour Development, meaning that every substance has its own rate of colour development for regularly increasing thicknesses.

## THE THEORY.

Of the six colours in white light—red, orange, yellow, green, blue and violet; Red, Yellow and Blue are regarded as dominants, because they visually hold the associated colours orange, green and violet in subjection.

An equivalent unit of pure red, pure yellow and pure blue is adopted, and incorporated into glass. The unit is multiplied to obtain greater intensities, and divided to obtain lesser intensities.

The coloured glasses are called absorbents. The red absorbent transmits violet, red and orange, but the red ray alone is visible as colour, until the other absorbents are superimposed, and the character of the group of rays changed. In the same way yellow transmits orange and green, and blue transmits green and violet, whilst the yellow and blue alone are visible as colour. Orange, green and violet are here called subordinates, which may be developed as follows :—

$$\text{Or.} = \text{R.} + \text{Y.} \quad \text{Gr.} = \text{Y.} + \text{B.} \quad \text{Vi.} = \text{B.} + \text{R.}$$

Twenty-five years' experience in the application of the theory and the method to the requirements of practical work, have given no reason for change. Following will be found a list of awards from International Juries and Scientific Societies, also a list of industries in which the writer's method is giving entire satisfaction.

#### Awards by International Juries.

St. Louis.	.	.	.	1	Silver Medal.
				2	Bronze Medals.
Brussels	.	.	.	1	Gold Medal.
				3	Silver Medals.
Turin	.	.	.		Diploma of Honour.
				1	Gold Medal.
				1	Silver Medal.

#### Awards by Scientific Societies.

Sanitary Institute of Great Britain—

*Bronze* Medal for Colourometrical Water Analysis.

Royal Sanitary Institute—

*Bronze* Medal for Measuring Smoke Densities.

International Congress on School Hygiene—

*Bronze* Medal for Colour Educator.

Royal Sanitary Institute—

*Silver* Medal for Colour Educator.

Smoke Abatement Society, Sheffield—

*Diploma* for System of Colour Measurement.

Royal Sanitary Institute—

*Bronze* Medal for Quantitative Estimation of Colour Blindness.

Franco-British Exhibition—

*Gold* Medal for Colour Educator.

International Medical Congress—

*Bronze* Medal for Tintometer as Medical requisite.

Royal Sanitary Institute—

*Silver* Medal for recent developments.

Royal Sanitary Institute—

*Silver* Medal Corbett's Radiometer.

#### **Formal Adoption of Tintometer Standards by—**

The Petroleum Industry.

The Massachusetts Board of Health.

The International Association of Leather Trades Chemists.

The Inter-states Cotton Seed Oil Association.

The Bureau of Engraving and Printing, China.

#### **In general use by the following Industries—**

Brewing and Malting.

Tanning.

Wine and Spirit Merchants.

Dyeing and Printing.

Paint, Oil and Varnish Merchants.

Millers.

Water Works Chemists.

Ceramic Works.

For estimating per cent. of Carbon in Steel.

For estimating per cent. of Ammonia.

For estimating Colours for Anthropological Classifications.

For estimating Smoke Densities.

For estimating Haemoglobin in the Blood.

For estimating Colour of Whale Oil, etc., etc.



## THE METHOD.

The colour composition of any object may be measured by superimposing units of different colours until the colour of the object is matched. A convenient apparatus is furnished for this purpose. The composition of the colour is learned by merely reading the markings on the glasses.

It is of course necessary that in the isolation of colour rays, some unit for measuring the intensity of both light and colour be established. As will be explained later, all such units are necessarily arbitrary. In this method the unit has been established by taking the smallest amount of colour easily perceptible to the ordinary vision. This unit or "one" is divided into tenths in the darker shades, and hundredths in the lighter scale. One one-hundredth is the smallest amount of colour measurable by a normal trained vision.

When equivalent units in the three colours are superimposed, their equivalent value (not their aggregate value) represents so much white light absorbed. For instance, 2 R. + 2 Y. + 2 B. absorbs two units of white light.

When the absorptive power of the colour standards is less than the intensity of the light, associated white light remains.

JOSEPH W. LOVIBOND.

THE COLOUR LABORATORIES,

SALISBURY.

*December, 1914.*

# Light and Colour Theories

---

## CHAPTER I.

### Introduction.

**I**T may at first appear strange that colour, one of the most important indices of value in the Arts, Manufactures, and Natural Products, should have no common nomenclature or reliable standard for reference, the reproduction of a given colour depending for exactitude on the memory of a sensation ; whereas this branch of science requires a physical means of recording a colour, with a power of recovery. It remains to be shown that this power of record and recovery is possible, and depends only on the observance of a few simple natural laws easy of application.

The study of colour is carried on by two principal methods : the spectroscopic, where the colours are partially separated as a continuous band by a regular variation in their indices of refraction, the colours gradually merging into each other by overlapping in opposite directions ; or by absorption, where a colour is developed by absorbing its complementary, and is isolated as a single or complex colour. This latter is nature's own method.

It is necessary to touch on some theoretical differences which exist between Scientists and Artists, as to which are Primary colours, as confusion of this

character retards investigation. Scientists adopt Red, Green, and Violet as Primaries, regarding all other colours as mixtures of these ; whilst Artists and Colourists adopt Red, Yellow and Blue as the Primaries, and all other colours as made from them.

The theory of the Scientists is based on the phenomena developed by mixing coloured lights taken from different parts of the spectrum. This is a method of synthesis, each added colour being a progressive stage towards the complexity of white light. In this case the colour developed is that of the preponderating ray of a complex beam. The theory of the Artists is based on the phenomena developed by mixed pigments. This is a method of analysis, tending towards ray simplicity, each added pigment reducing the complexity of the colour developed by its power of selective absorption.

The theoretical differences between the two schools appear to have arisen from supposing that a given colour developed by the two methods should correspond ; but considering the differences in their ray composition, this would be impossible, for although both may be describable by one general colour term, as for instance a Red, they would be of two varieties. It remains to be shown that one theory may cover both sets of phenomena.

The Red, Green, and Violet theory appears to be based on two principal assumptions : first that there are only three fundamental colours ; and second that the rays taken from different colour areas are pure colours. Both assumptions are open to question. In regard to the first, there is no difficulty in isolating six colours ; and as to the second,

it can be demonstrated that the colours do overlap in every part, with a double overlapping in the middle colours, and are therefore not simple but complex.

## PAST THEORIES.

In a work of this nature it is unnecessary to deal minutely with the theories which have been adopted from time to time since Newton's discovery of the continuous spectrum. It will, however, be useful to touch on the principal points where theorists are agreed, and also on some of their points of difference, the latter in order to find, if possible, the causes of their difference.

TABLE I.

	No. of Rays.	Primary Colours.			
Newton (later). . .	7	Red, Orange, Yellow, Green, Blue, Indigo, Violet			
Werner . . . . .	6	Red, Orange, Yellow, Green, Blue, Violet			
Newton and Helmholtz (early) . .	5	Red,	Yellow, Green, Blue,		Violet
Hering . . . . .	4	Red,	Yellow, Green, Blue		
Chevieul, Brewster, Hay, Redgrave, Field . . . . .	3	Red,	Yellow,	Blue	
Young, Helmholtz (later) . . . . .	3	Red,	Green,		Violet

## NOTE TO PLATE I.

The respective positions of the primaries of each theory in regard to the whole cycle of distinguishable colours are illustrated above, and the primaries of each theory are shown in their several spectrum positions, the spectrum being shown as bent in circular form.

The six principal theories of primary colours are

given in Table I, and illustrated on Plate I, with the names of the primaries of each theory opposite the names of some of their principal advocates. It should not be forgotten when comparing these wide divergences, that each theory has been the result of experimental evidence, in what was, at the time, and remains up to the present, a new and progressive branch of science.


They agree that the spectrum colours are purer than the pigmentary colours, and that by reason of their being referable to wave length positions, they are most adaptable as standards of colour. There has also been common agreement that certain colours are primaries, and that all other colours are mixtures of these, but there has been wide divergence as to their number and even the colours themselves.



# PLATE I


ILLUSTRATING THE POSITION OF THE PRIMARIES  
IN RELATION TO THE COLOURS REQUIRED TO BE PRODUCED BY THE THEORETICAL MIXTURES  
AND ALSO IN RELATION TO THE CHROMATIC CIRCLE.

A SEVEN RAY THEORY.




NEWTON.

A SIX RAY THEORY.




WERNER.

A FIVE RAY THEORY.




NEWTON (early). HELMHOLTZ (early).

A FOUR RAY THEORY.




HERING.

A THREE RAY THEORY.



CHEVREUL. BREWSTER. HAY.  
REDGRAVE. FIELD

A THREE RAY THEORY.



YOUNG - HELMHOLTZ.



## CHAPTER II.

### Evolution of the Method.

THE writer was formerly a brewer, and this work had its origin in an observation that the finest flavour in beer was always associated with a colour technically called "golden amber," and that, as the flavour deteriorated, so the colour assumed a reddish hue. It was these variations in tint that suggested the idea of colour standards as a reliable means of reference.

The first experiments were made with coloured liquids in test tubes of equal diameter, and by these means some useful information was obtained ; but as the liquids soon changed colour, frequent renewals were necessary, and there was always a difficulty and uncertainty in their exact reproduction.

To obviate this, glass in different colours was tried, and long rectangular wedges with regularly graded tapers were ground and polished for standards, whilst correspondingly tapered glass vessels were made for the beers. These were arranged to work side by side, and perpendicularly, before two apertures of an optical instrument, which gave a simultaneous view of both. The apertures were provided with a fixed centre line, to facilitate the reading off of comparisons of thickness. There

was no difficulty in obtaining glass which approximated to the required colour when used in one thickness only. But as thickness varied, the test no longer held good for both standards, their rates of colour change being different, making the method unreliable.<sup>1</sup>

The system about to be described is one of analytical absorption, and has been published from time to time in the form of papers, read before Societies interested in the question of colour standardization; as also in two descriptive works by the present writer. The earlier works were necessarily fragmentary, but gathered system as the subject progressed.

At an early stage in the investigations it was realized that the handbooks of the period dealt largely with theoretical differences which were of little service to the technical worker. Under these circumstances the writer applied for advice to the late Mr. Browning of the Strand, who gave it as his opinion that no work existed which could be of service to the writer. All that could be done was to go on until something should be arrived at. On this, all theoretical reading was put aside, and the work proceeded on the simple lines of observing, recording, and classifying experimental facts.

In working with glass of different colours it was found that some combinations developed colour, whilst other combinations destroyed it. This sug-

<sup>1</sup> It was afterwards found that these colour changes through variations of intensities were due to a natural law to be described under the heading of "Specific colour." (See page 32.)

gested the probability of a governing natural law; and experimental work was undertaken in the hope of discovering it. The result was the construction of a mechanical scale of colour standards, which are now in use in over one thousand laboratories, and no question of their practical accuracy arises. The principal conditions for ensuring accuracy and constancy of results are embodied in the following code of nine precautions, which have been published for nearly twenty years without being disputed. They may therefore be considered as governing laws, at least for the present. The colour theory adopted for these Governing Laws has grown out of a series of experimental facts capable of demonstration, and is summed up in the following code of nine Laws.

Laws 1, 2, and 3 relate to White and Coloured Light, and are as follows :—

1. Normal white light is made up of the six colour rays, Red, Orange, Yellow, Green, Blue and Violet in equal proportions. When these rays are in unequal proportions the light is abnormal and coloured.

2. The particular colour of an abnormal beam is that of the one preponderating ray, if the colour be simple, or of the two preponderating rays if the colour be complex. The depth of colour is in proportion to the preponderance.

3. The rays of a direct light are in a different condition to the same rays after diffusion, and give rise to a different set of colour phenomena.

Laws 4, 5, 6, and 7 deal with The Limitations of the Vision to appreciate Colour.

4. The vision is not simultaneously sensitive

to more than two colours in the same beam of light. The colour of any other abnormal ray is merged in the luminosity of the beam.

5. The two colours to which the vision is simultaneously sensitive are always adjacent in their spectrum order, Red and Violet being considered adjacent for this purpose.

6. The vision is unable to appreciate colour in an abnormal beam outside certain limits, from two causes :

(a) The colour of an abnormal beam may be masked to the vision from excess of luminosity.

(b) The luminous intensity of the abnormal beam may be too low to excite definite colour sensations.

7. The vision has a varying rate of appreciation for different colours by time, the lowest being for red. The rate increases in rapidity through the spectrum, until the maximum rate is reached with violet. And since this varying rate necessitates a time limit for critical observations, five seconds has been adopted as the limit, no variations being perceptible in that time.

Laws 8 and 9 relate to Colour Constants.

8. The colour of a given substance of a given thickness is constant so long as the substance itself, and the conditions of observation, remain unaltered.

9. Every definite substance has its own specific rate of colour development for regularly increasing thicknesses.



## CHAPTER III.

### Evolution of the Unit.

THE dimensions of the light and colour unit here adopted, together with the scales of division, were in the first instance physiological, depending entirely on the skill of normal visions for exactitude. The co-relation of equal values in the different colour scales, was secured by an elaborate system of cross-checking, rendered necessary because the establishment of a perfectly colourless neutral tint unit, demanded an exact balance in values of the different colour scales. These scales have stood the test of many years' work by many observers, and in no case has any alteration been required. The original set is still in use.

The first point which required consideration after the want of standard colour scales was realized, was the basis and dimensions of the unit. So far as the writer knew there was no published information bearing on this which could be used as a guide.

Several arbitrary scales for specific purposes had already been constructed by selecting a colour depth which could easily be distinguished, calling it a unit, and scaling it by duplicating and subdividing. This course was adopted with a coloured glass

which approximately matched Ales and Malt solutions, and another which matched Nesslerized Ammonia solutions. No insuperable difficulty occurred in constructing scales available for quantitative work in these two instances.

The intensity of the colour unit for these arbitrary scales, was that which appeared to be most convenient for the purpose required, but the several scales had no common basis. The unit was physiological, and the exactitude of the scales depended entirely on the skill of the vision for discriminating small differences.

As the writer's experimental work progressed, it became evident that red, yellow, and blue were the only colours suitable for systematic work. The superimposition of any two, developed a third colour which apparently had no relation to either. The superimposition of the third glass modified or destroyed all colour and reduced the amount of light. This suggested the idea that if the three colours could be so balanced that the light transmitted was colourless, it would be evidence of equivalence of intensity in the individual colours.

The real difficulty was in obtaining this equivalence, because a balance which transmitted a neutral tint by one light developed colour by another. This necessitated the selection of a standard light. The light finally selected was that of a so-called sea fog, away from the contaminating influence of towns. The white fog of Salisbury Plain was used as being most available. It required two years' work to establish equivalence in the unit.





## PLATE II


NINE CIRCLES ILLUSTRATING THE ANALYSIS OF A BEAM OF WHITE LIGHT  
INTO THE SIX COMPOSING COLOURS BY THE ABSORPTIVE METHOD

WHITE LIGHT.


DIVIDED INTO CHROMATIC EQUIVALENTS.

WHOLLY ABSORBED

A.



B.




C.




### COLOURS OF

THE FIRST DIVISION DEVELOPED BY THE ABSORPTION OF THE THREE COMPLIMENTARIES


1



2



3



### COLOURS OF

THE SECOND DIVISION DEVELOPED BY THE ABSORPTION OF THE FIVE OTHER RAYS

4



5



6



To face page 11.]

[Luvibond, Colour Theories.

## CHAPTER IV.

### Derivation of Colour from White Light.

THE method of analysing white light into its colour constituents by means of coloured glass absorbents of known intensity and purity, is illustrated by the set of nine circles in Plate II, which demonstrate that colour is developed by the absorption of the complementary colour rays. The ratios of transmission are equal.

In this set of illustrations the circles represent light of 20 units luminous intensity, and the absorptive value of the three glass colours is each of 20 units, therefore the whole of the light and colour energies are presumed to be dealt with.

In the first set of three circles, *A* represents a beam of normal white light. *B* a similar beam as divided into the six colour rays, Red, Orange, Yellow, Green, Blue and Violet in equal proportions, *C* as wholly absorbed by Red, Yellow, and Blue glasses, each of 20 units colour intensity.

Figures 1, 2 and 3 represent the specific action of Red, Yellow, and Blue glass on the white light.

*Red* absorbs Yellow, Green and Blue, transmitting Violet, Red and Orange, developing Red only.

*Yellow* absorbs Blue, Violet, and Red, transmitting Orange, Yellow and Green, developing Yellow only.

*Blue* absorbs Red, Orange and Yellow, transmitting Green, Blue, and Violet, developing Blue only.

By this method of development, Red, Yellow or Blue, when seen alone are visually monochromatic, although composite in structure, each containing a group of three rays, the middle ray alone exciting the colour sensation.

Circles 4, 5, and 6 illustrate the development of Orange, Green and Violet from the triad groups, by intercepting the light with two glass colours.

Circle 4, Red on Yellow, develops Orange by absorbing Yellow, Green, Blue, Violet and Red.

Circle 5, Yellow on Blue, develops Green by absorbing Blue, Violet, Red, Orange and Yellow.

Circle 6, Blue on Red, develops Violet by absorbing Red, Orange, Yellow, Green and Blue.


By this method of demonstration the six colours fall naturally into two groups. The first group includes Red, Yellow, and Blue, whilst the second group includes Orange, Green, and Violet. The colours of the second group, Orange, Green, and Violet, are true monochromes, each being isolated from the light, by the absorption of the five other rays.

These illustrations deal with light and colour of 20 units intensity;<sup>1</sup> as the intensity of the light here is exactly equal to the absorptive power of the standards, no free light remains; where the absorptive power of the colour standards is less than the light, associated white light remains; for

<sup>1</sup> For description of the light and colour units, refer to chap. III, page 9.



# PLATE III



instance, if only one unit of colour was developed, 19 units associated white light would remain.

This method of colour development by analytical absorption is further illustrated by Plate III, showing the effect of superimposition of the three colours in their several combinations as intercepting a beam of white light.

Not all lights which appear white to the vision are truly normal white; colour may be masked by excess of luminosity, and only become evident when the luminosity has been reduced, by placing neutral tint standards between the light and the observer. Direct sunlight, and some artificial lights, are instances. (Law 6 (*a*) page 8.)

On the other hand, an abnormal light may be too low for the vision to discriminate colour. This may be observed in nature by the gradual loss of colour in flowers, etc., in the waning intensities of evening light. The order of their disappearance is shown in Chart I.



## CHAPTER V.

### Standard White Light.

THE colour of a substance is determined by the ray composition of the light it reflects, or transmits to the vision, the colour would therefore vary with every change in the ray proportions of the incident light ; it follows that constancy in colour measurement can only be obtained by a colourless light. Up to the present diffused daylight is the only light which complies with the condition of ray equality.

The absolute equality of the six spectrum colours may be difficult to establish in any light, and their constancy in equivalence under varying light intensities may be open to argument. But, as everyday work is carried on mainly under daylight conditions, and as the vision is the final arbiter for colour work, theoretical questions outside the discriminating power of the vision, need be no bar to the establishment of a working standard white light ; and in saying that diffused daylight is normal white, it is only intended to mean : In so far as a normal vision can determine.

Apart from any theoretical explanation it is an experimental fact, that the abnormal rays of direct

sunlight, and some artificial lights, may be so modified by diffusion as to be available for a limited range of colour work. In the case of diffused north sunlight, when taken from opposite the sun's meridian, the modification is sufficient to make it available as a standard white light. In the case of artificial lights, their use is, as yet, limited to visual matching (not recording) and arbitrary comparisons.

### THE BLACK UNIT.

Ideal black is total absence of light, and can only be realized as a sensation, in the presence of light, which may however be in contrast or in association.

The nearest approach to ideal black by contrast, is to view a hole in a box with a blackened interior, so arranged that no light entering the hole, can be reflected back to the vision: in this way associated light, if not entirely absent, is reduced to a minimum and total darkness is practically realized by the vision in contrast with the surrounding light.

Pigmentary black viewed under diffused daylight conditions is always associated with white light, as no substance, however black it may be, absorbs all the impinging light; as examples, the following measurements of three white and three black pigments were made at an angle of 45 degrees with a light intensity of 25 units.

This is a true quantitative analysis of the 25 units of white light after reflection from the black pigments. The black units represent the proportion of white light absorbed, whilst the beams reflected

from the pigments consist of the colour values developed which are associated with the unabsorbed white light.

TABLE II.

	LIME Sulphate	Blue Black	Lamp Black	Ivory Black	Zinc White	White Lead
Standard light units . .	25·0					
Black units (light absorbed)		9·0	9·2	9·2	—	·08
Violet „ (colour developed)		2·2	1·4	1·4	—	—
Blue „ „ „		1·0	1·9	·4	·01	·05
Green „ „ „		—	—	—	—	·07
Associated white light .		12·8	12·5	14·0	24·99	24·80
Totals . . . . .	25·0	25·0	25·0	25·0	25·0	25·0

The analyses demonstrate that black is not itself an active energy analogous to colour, but is a minus quantity distinguishable by contrast with the original light. The reflected beam consists of the colour developed, associated with the residue of unaltered light.

*Note.*—Suitable proportions of Violet and Blue give character and value to black, whilst Orange and Yellow are less pleasing as tending to rustiness.

## CHAPTER VI.

### Qualitative Colour Nomenclature.

#### SIMPLE COLOURS.

THE vision can separate six monochromatic colours from a beam of white light, therefore in practical work six must be dealt with, no matter how they may be theoretically accounted for. They naturally take the accepted spectrum names and symbols already in use. To these are added two other terms, Bk. to signify black, and L. for light; these terms deal with the brightness, or dinginess, of a colour.

Simple Terms.						Symbols.
Red	.	.	.	.	.	R
Orange	.	.	.	.	.	O
Yellow	.	.	.	.	.	Y
Green	.	.	.	.	.	G
Blue	.	.	.	.	.	B
Violet	.	.	.	.	.	V
Black	.	.	.	.	.	Bk
White	.	.	.	.	.	L

#### COMPLEX COLOURS.


The order of the association of simple colours to form complex, is governed by two factors. The

first is a physiological limitation of the vision, which is unable to simultaneously distinguish more than two colours, in the same beam of light, this limits the most complex colour to two colour names. The second limitation is one of association, based on the experimental fact, that the particular two must be adjacent in their spectrum order, spectrum red and violet being considered adjacent for this purpose. Under these conditions, any given colour must be either a monochrome, or a bichrome, and all complex colours must be bichromes. Therefore the only possible combinations are as follows :—

Red and Orange  
 Orange „ Yellow  
 Yellow „ Blue  
 Blue „ Green  
 Green „ Violet  
 Violet „ Red

The classified order of associating symbols for describing the components of the whole range of distinguishable colours is set out in the following tables :—

Monochromes of a Standard Brightness.	Monochromes Brighter than Standards.	Monochromes Duller than Standards.
R.	R. L.	R. Bk.
O.	O. L.	O. Bk.
Y.	Y. L.	Y. Bk.
G.	G. L.	G. Bk.
B.	B. L.	B. Bk.
V.	V. L.	V. Bk.



The separation of the six monochromatic sensations from a point of white light, and the formation of binary sensations by the combination of adjacent colours, is graphically illustrated in the above diagram.

In order to make the qualitative symbols quantitative it is only necessary to add the numerical unit value to each factor as found by direct experiment.

## CHAPTER VII.

### Quantitative Colour Nomenclature.

#### THE GLASS STANDARD SCALES.

**A**T an early stage of the investigation, it was found that coloured glass gave better results than coloured solutions, and that Red, Yellow, and Blue, were the only colours suitable for systematic work ; it was also found that any colour could be produced by their combination. As already described arbitrary scales were first used in many colours, but were superseded by these three, which, when graded into scales of equivalent value, were found to cover all daylight colours.

Upon this evidence, scales of red, yellow and blue were constructed of glass slips, each scale being all of one colour, with a regular variation of intensity from 0.01 to 20.0 units, equal units of the three scales being in equivalence with each other. The dimensions of the unit are necessarily arbitrary, but the scales comply with the essentials of a scientific standard, in that the divisions are equal, and the unit recoverable. The equality of the unit divisions in the scales, is demonstrated by a system of cross-checking. The test of colour equivalence has already been described on pages 10 and 28.



## QUANTITATIVE COLOUR NOMENCLATURE 21

The power of recovering the unit, is by co-relation to well-known physical colour constants, such as is easily obtained by definite intensities of percentage solutions, of selected pure chemical compounds in distilled water, at standard temperatures. For example, a one per cent. solution of pure crystallized copper sulphate  $\text{C}_2\text{SO}_4\cdot 5\text{H}_2\text{O}$  at  $60^\circ\text{F}$ . when viewed in the optical instrument in a 1-inch stratum, must be matched by a combination of Yellow 1.58 and Blue 1.55.

The inch of distilled water itself constitutes very little of this colour; the colour of distilled water is remarkably uniform, and might almost be taken as a colour constant, thus: A 2-foot stratum is matched by Yellow 0.1 and Blue 0.34, a 4-foot stratum by Yellow 1.0 and Blue 1.45.

A one per cent. solution of *Nickel Sulphate*  $\text{NiSO}_4\cdot 7\text{H}_2\text{O}$ , tem.  $60^\circ\text{F}$ . in a 2-inch stratum must be matched by 2.2 Blue and 2.0 Yellow units.

A one per cent. solution of *Potassium Bichromate*  $\text{K}_2\text{Cr}_2\text{O}_7$ , Tem.  $60^\circ$  and in a 2-inch stratum after being dulled by 0.5 neutral tint units must be matched by 34.0 yellow and 9.6 red units.

### METHOD OF DEVELOPING, MEASURING AND NAMING COLOUR.

The single sensation colours, Red, Yellow and Blue, are matchable by a single glass from the corresponding colour scale; the depth of colour is directly indicated by the value of the glass used.

The single sensation colours, Orange, Green and Violet, are matchable by a combination of equal units, from two of the standard scales, the depth

of colour is directly indicated by the unit value of either of the glasses, thus : 2·0 Blue + 2·0 Red develop 2·0 units Violet.

A given neutral grey is matchable by a combination of equal units from the three standard scales, the depth of grey, is directly indicated by the unit value on either of the glasses used, thus :—

3·0 Red + 3·0 yellow + 3·0 blue develop 3·0 units neutral tint.

The complex colour sensations, red and yellow oranges, yellow and blue greens, blue and red violets are matchable by unequal glasses from two of the standard scales ; the colour developed is not directly indicated by the unit value of the glasses, but is recorded by means of an equation, the first half of which contains the separate values of the glasses used, and the second half the names and the depth of the colours they transmit. For instance—

The equation of a colour matched by 17·0 red and 2·6 blue units, is as follows :—

Standard Glasses.		Colour Developed.	
Red.	Blue.	Violet.	Red.
17·0	+ 2·6	= 2·6	+ 14·4

The colour developed is a red violet in these proportions.

A colour matched by

Standard Glasses.		Colour Developed.	
Red.	Yellow.	Orange.	Red.
10·0	+ 3·0	= 3·0	+ 7·0

The colour developed is a red orange in these proportions.

A colour matched by

Standard Glasses.		Colour Developed.	
Yellow.	Blue.	Green.	Yellow.
3·0	+ 1·5	=	1·5 + 1·5

The colour developed is a yellow green in these proportions.

A colour matched by

Standard Glasses.		Colour Developed.	
Blue.	Red.	Blue.	Violet.
6·0	+ 1·8	=	4·2 + 1·8

The colour developed is a blue violet in these proportions.

The standard glass colours are necessarily of a given brightness, and colours for measurement may be either brighter, or sadder than the standards.

A given complex colour of less than glass standard brightness, is matchable by unequal numbers from the three standard scales; the smallest unit value always represents the "black," or neutral unit factor. The equation is as follows:—

A colour matched by

Standard Glasses.			Colour Developed.		
Red.	Yellow.	Blue.	Neutral Tint.	Green.	Blue.
1·0	+ 3·0	+ 9·0	=	1·0	+ 2·0 + 6·0

The colour is a blue green, in the proportion of six to two, saddened by one of neutral tint.

A given complex colour of greater brightness than the glass standards, is first dulled by the interception of neutral tint units, until measurable in the manner described above; the intercepting glasses

represent the unit value of excess of brightness, and is shown in the equation as light units, for instance—

Standard Glasses.	Colour Developed.
Neutral Tint. Yellow. Blue.	Light. Green. Yellow.
$1.5 + 7.5 + 0.5$	$= 1.5 + 0.5 + 7.0$

The colour is a yellow green in the proportions of 7.0 of yellow, to 0.5 of green, and 1.5 brighter than the standards.

Every daylight colour being thus measurable by a suitable combination of standard glasses, with or without the addition of a Light, or a Neutral Tint factor, it follows that any colour can be described both qualitatively, and quantitatively, in terms of the colour sensations yielded by the standard glasses and their combination. The distinct colour sensations are those, which, by common consent are known as Red, Yellow, Blue, Orange, Green and Violet, and they are yielded by single glasses, or by pairs as already described; all colours therefore fall into the following categories:—

A.—Single colour sensations:—

1. Transmitted by single glass standards:

Red.  
Yellow.  
Blue.

2. Transmitted by equivalent pairs of standard glasses:

Orange.  
Green.  
Violet.

B.—Double colour sensations transmitted by unequal pairs of standard glasses.

Red orange, transmitted by unequal units of red and yellow, red preponderating.

Yellow orange, transmitted by unequal units of red and yellow, yellow preponderating.

Yellow green, transmitted by unequal units of yellow and blue, yellow preponderating.

Blue green, transmitted by unequal units of yellow and blue, blue preponderating.

Blue violet, transmitted by unequal units of blue and red, blue preponderating.

Red violet, transmitted by unequal units of blue and red, red preponderating.

C.—Any of the above colours with the addition or subtraction of neutral tint.

Neutral tint itself, is transmitted by a combination of equal units of the standard glasses, thus three units red, yellow and blue, when superposed, transmit three units neutral tint.

### EXAMPLES.

Three units red, of standard brightness, completely describes a colour matched by a red glass of three units, and is denoted

$$R. 3.0$$

Three units red saddened by one neutral tint, completely describes a colour matched by a red glass standard of four units red, combined with a blue and yellow of one unit each, and is denoted

$$R. 3.0 + N.T. 1.0$$

A given red of three units, which is one unit brighter than standards, after having been saddened by

one unit each of red, yellow and blue, is matched by three units of red and is correctly described by

$$\text{Red } 3\cdot0 + \text{Light } 1\cdot0$$

Three units of violet, of standard brightness, is matched by a red and a blue glass of three units, and is correctly described by

$$\text{V. } 3\cdot0$$

Three units of orange, of standard brightness, is matched by a red and a yellow glass of three units, and is correctly described by

$$\text{O. } 3\cdot0$$

A binary red violet of standard brightness, in which red preponderates by one unit, is matched by four units red, and a blue of three units, and is correctly described by

$$\text{R. } 1\cdot0 + \text{V. } 3\cdot0$$

A binary red orange, of standard brightness, in which orange preponderates by three units, is matched by red four and yellow three units, and is correctly described by

$$\text{R. } 1\cdot0 + \text{O. } 3\cdot0$$

A red orange, of less than standard brightness by one unit, in which orange preponderates by three units, is matched by a red five, yellow four, blue one, and is correctly described by

$$\text{R. } 1\cdot9 + \text{O. } 3\cdot0 + \text{N.T. } 1\cdot0$$

A red violet, in which red preponderates by one unit, and is one unit brighter than standard, is first dulled by one unit red, yellow and blue, and then

## QUANTITATIVE COLOUR NOMENCLATURE 27

matched by four red and three blue, and is correctly described by

$$\text{R. } 1\cdot0 + \text{V. } 3\cdot0 + \text{Light } 1\cdot0$$

A red orange, in which red preponderates by one unit, and is one unit brighter than standard, is first dulled by one red, yellow and blue, and then matched by four red, and three yellow, and is correctly described by

$$\text{R. } 1\cdot0 + \text{O. } 3\cdot0 + \text{Light } 1\cdot0$$



## CHAPTER VIII.

### The Colour Scales.

**A** NORMAL vision under ordinary conditions, has no hesitation in correctly naming the sensations produced by the triad groups red, yellow and blue, or by the single rays orange, green and violet. It can also correctly describe a complex colour sensation, by naming the two associated colours, such as red orange, yellow orange, blue green, blue violet, etc. ; but when called upon to decide differences of colour depth, it can only do so by using arbitrary terms of no precise scientific value, such as light, medium, dark, etc.

This deficiency is because the vision has in itself no arrangement for the quantitative definition of colour depth. This want can only be met by co-relating colour sensations, to some physical colour constants.

This co-relation has now been effected by a series of glass standard colour scales, which are numerically graded for colour depth, the scales themselves being colour constants by co-relation to percentage solutions, of such coloured chemicals, as copper sulphate, nickel sulphate, potassium permanganate,

etc. These substances as well as many others, are always available for checking the constancy of the scales, or for recovering the unit if lost.

As already mentioned, the system of taper scales proved to be useless for the purpose, not only because the rate of colour increase was never in proportion to the rate of thickness increase, but also because no two substances are equal in this respect, each having a rate specific to itself.

The prismatic spectrum colours were not available for several reasons, first as being unsuitable for critical comparisons under daylight conditions, as being too weak except "in camera"; also they were found to be too crowded for the separation of a working area of monochromatic colour, and some corrections would have been necessary for variation in the refractions of different colour rays. This is more fully dealt with under the heading of The Spectrum in relation to Colour Standardization, page 36.

### THE EQUIVALENCE OF THE COLOUR SCALES.

The method employed for obtaining equality of the unit divisions, and colour equivalence between the different scales was as follows:—

Two slips of red glass in a light shade were made exactly equal in colour, and considered as initial units; these were then superimposed and matched by a single glass, which was then considered as of two units, this and one of the initial units were superimposed, and matched by a single glass of three colour units, and so on, until a progressive red scale

was constructed, ranging in intensity from .01 to 20 units.<sup>1</sup>

The yellow and blue scales, were similarly constructed, taking care that their similar unit values were in colour equivalence with the red units, the test of equivalence being, that when equal units of the three scales were superimposed against a normal white light, a neutral grey was transmitted, in which no trace of colour could be perceived by the common consent of the whole staff of trained observers.

The scales were then considered as in colour equivalence with each other. The system of cross-checking was so elaborate, that after the equivalence of the first unit was established, nearly four years was occupied in the work before the scales were passed as satisfactory.

It may be urged that the unit is arbitrary, but this applies also to the unit of any other standard scale; it is sufficient that the essentials of a philosophic scale are complied with, in that the divisions are equal, and the unit recoverable.


<sup>1</sup> It was found that the superimposition of two glasses did not visually disturb equivalence, therefore only two glasses were used for each observation in constructing the scales.




# PLATE IV

## COMPARISON CURVES OF HEALTHY HUMAN BLOOD WITH THE BLOOD OF LOWER ANIMALS.


1  
HEALTHY HUMAN BLOOD.  
2% Solution.




2  
PIKE'S BLOOD.  
2% Solution.




3  
BULLOCKS' BLOOD  
2% Solution.




4  
LAMBS' BLOOD.  
2% Solution.



5  
PIG'S BLOOD.  
2% Solution.



6  
FROGS' BLOOD.  
2% Solution.



## CHAPTER IX.

### Colour Charts.

A COLOUR chart is constructed by placing two colour scales at right angles to each other, with their zeros at the angle.

A measured simple colour, finds its position directly on its corresponding colour scale at the point of its measured value.

A measured complex colour, finds its position within the angle, at that point where perpendiculars drawn through the two colour values meet.

The above statements are complete only for colours of standard brightness, should the colour be brighter or duller than standards, a light factor is necessary, the value of which is furnished by the measurement itself, and must be written in numerals near the colour point.

By this method the chart position of even the most complicated colour is indicated by a single point which is determined by the analytical value of the composing factors.

#### EXAMPLES.

Simple Colour of Standard Brightness.	Complex Colour of Standard Brightness.	Simple Colour Brighter than Standards.	Complex Colour Duller than Standards.
3· Red.	6· Blue, 10· Violet.	7· Yellow, Light 2·	Red 6, Orange 5, Black 2.

The number of complex colour charts is limited to the six represented in Fig. I as lying in their order on a continuous spectrum. The red and violet mixtures having no visible spectrum position are represented in the ultra violet. The ordinates of the charts are made by erecting the overlying red, yellow and blue scales as perpendiculars.




FIG. I.

The information to be obtained by charting measured colour is more extensive than appears at first sight, as by varying the character of the co-ordinates, and charting suitable series of measurements, new fields of investigation are opened, thus throwing light on some hitherto obscure questions, of which the following are some instances.

### SPECIFIC COLOUR.

It has sometimes been assumed that colour increase was in direct ratio to intensity increase, but this is never the case, each substance has its own rate, specific to itself. It is conceivable that the colours of two substances may coincide at one point, but as their densities increase, or decrease, their rates of change vary.






The term "SPECIFIC COLOUR" is based on the experimental fact, that the colour of a given substance





# PLATE V

## ABSORPTION CURVES OF FIVE COLOUR CONSTANTS.



is constant, so long as the substance itself and the conditions of observation, remain unaltered. During experimental work a sufficient number of instances have accumulated to warrant the writer in advancing and using the term "SPECIFIC COLOUR" as describing a new natural law, as rigid in its application as that of "Specific Gravity" or "Specific Heat."

When this principle is applied to the measurement of regularly increasing thicknesses, curves of colour changes can be established, which are specific for the substance in question, and afford a certain means of identifying similar substances in future. This is effected by varying the nature of the co-ordinates, making the ordinates to represent the tintometrical scale of colour units irrespective of colour, whilst the abscissae represent the scale of increasing thicknesses. Then by plotting the separate factors of each measurement according to their unit values, a series of curves is established, specific to the substance in question, and applicable to none other.

We have now two systems of charting colour, in the first, the complete sensation is represented by a single point, as in Plate IV. In the second, each factor is represented by a separate point, and by connecting points of similar colours, a series of curves is established which represents a quantitative analysis of the progressive colour development, as in Plate V.

## CHAPTER X.

### Representations of Colour in Space of Three Dimensions.

THE relations of the different colours to one another, and to neutral tint are, perhaps, best represented to the mind by a solid model, or by reference to three co-ordinate axes, as employed in solid geometry (see Fig. 2).




FIG. 2.

Let the three adjacent edges OR, OB, OY, of the above cube be three axes, along which are measured degrees of Red, Yellow and Blue respectively, starting from the origin O. Every point in space on

the positive side of this origin will then represent a conceivable colour, the constituents of which in degrees of red, yellow and blue are measured by the three co-ordinates of the points. Pure reds lie all along the axis OR, pure yellows on the axis OY, and pure blues on the axis OB.

All normal oranges, normal greens, and normal violets lie on the diagonals of the faces of the cubes OO<sup>1</sup>, OG, OV respectively.

Pure neutral tints lie on the diagonal ON of the cube, equally inclined to the three principal axes.

Red violets will be found on the plane ROB, between OV and OR.

Blue violets on the same plane between OV and OB.

“Saddened” red violets all within the wedge or open space enclosed by the three planes, whose boundaries are OB, OV, ON.

The other colours, red and yellow oranges, blue and yellow greens, pure and saddened, are found in corresponding positions in relation to the other cases.<sup>1</sup>

<sup>1</sup> This method of illustration was suggested by Dr. Herbert Munro.

## CHAPTER XI.

### The Spectrum in relation to Colour Standardization.

THE spectrum has naturally been considered as a suitable source for colour standards, but the power of analysing has disclosed some difficulties, which have yet to be overcome.

Concerning the prismatic spectrum, there has always been a difficulty in apportioning the different colours to specific areas, and further, before this spectrum is available for colour standardization, some method of correction for the unequal distribution of colours must be devised.

Neither of these difficulties occur in the use of the diffraction spectrum, where the pure colours are apportioned by Professor Rood from A to H in the manner shown in table on next page.

Professor Rood further divides the spectrum from A to H into 100 equal divisions, allotting 20 unit divisions of 72,716 wave lengths to the space between each two colour lines. This allots a space of 3,635 W.L. to each unit division, as shown in Table III.

Having provided equal wave length positions for the six pure colours, the intermediate colours are necessarily binaries in definite proportions,

TABLE III.

	Wave Length Position.	No. of Wave Lengths from Colour between each.	Division.	W.L.K. per Division.
760,400 A.	Red . . . . 760,400			
	Orange . . . . 687,683	72,717	=20	3,635
	Yellow . . . . 614,967	72,716	=20	3,635
	Green . . . . 542,251	72,716	=20	3,635
	Blue . . . . 469,535	72,716	=20	3,635
396,819 H.	Violet . . . . 396,819	72,716	=20	3,635
363,581	Total W. L. between A. & H.	363,581	100	

accounted for by a regular overlapping of two bounding colours in opposite directions from zero to 20, as shown in the following table from Red to Orange, representing the space between these two pure colours.

Red W.L. 760,400	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0	W.L. 687,683 Orange.
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	

It follows, that apart from the six monochromes, all spectrum complex colours in a single wave length must be binaries, whose united values equal 20.

On comparing Professor Rood's scales of divisions with those of the tintometrical scales already de-



scribed, they appear to coincide in several particulars, for instance :—

The monochromes correspond both in number and in name.

Their positions in the scales correspond.

Their unit divisions are equal in number, and in dimensions.

Their colour positions correspond, when an artificial tintometrical spectrum is made by regularly overlapping monochromes.

It follows that when the two scales are superimposed as in Plate V., showing similar monochromes as lying in the same perpendicular, the same wave length numbers apply to both ; concerning the dimensions between the monochromes, the spaces occupied by 72,716 wave lengths between the spectrum monochromes, also represent similar spaces in the tintometrical scales, and one-twentieth of this 3,635 represents the space of a single unit in each case.

In connexion with these co-related dimensions, some information is obtainable bearing on the limitation of a monochromatic vision for discriminating small colour differences. Under ordinary daylight conditions, the unit in the lighter shades of the tintometrical scale is divided into 100 fractional parts, each fraction therefore represents a space occupied by thirty-six wave lengths in the spectrum scale. This may be near the limit of dimension for monochromatic vision in such a gradually changing colour scale, as that of the spectrum, and may be some guide as to suitable slit areas in the synthetic building up of complex coloured light.




# PLATE VI

SIX COLOUR CHARTS IN ONE OR ANOTHER OF WHICH ANY SIMPLE OR COMPLEX  
COLOUR FINDS A DEFINITE POSITION.


No. 1.

RED VIOLET CHART



No 2

RED ORANGE CHART




No. 3.

YELLOW ORANGE CHART



No. 4.

YELLOW GREEN CHART.




No. 5.

BLUE GREEN CHART.



No. 6.

BLUE VIOLET CHART



To face page 39.]

[Lovibond, Colour Theories.

In Plate VI. are shown the six tintometrical colour charts, as lying in their order on the tintometrical spectrum, illustrating that any measured colour factor lies in a perpendicular drawn through both spectra, and occupying the same wave length position, and may therefore be designated by that wave length number.

This explanation is not intended to convey that the colour energies do not really overlap beyond the boundaries of the dual combinations, but only that the vision is unable to distinguish as colour, such overlapping if it exists.

#### POINTS OF DIFFERENCE.

On further comparisons of the two scales there are some points of difference which have a bearing on their values as colour standards.

There is a variation in the length of the two scales, the spectrum terminating at H, whilst the tintometrical scale is extended to a sixth division in the region of the ultra violet, showing overlapping combinations of Red and Violet, strictly analogous to the overlapping binaries in the other five sections.

These red and violet combinations constitute one-sixth of the cycle of distinguishable colours, and cannot be omitted in any system of colour standardization, therefore their absence in the continuous spectrum is a drawback.

A second drawback, is the limited number of spectrum complex colours, in consequence of each colour being blended only with overlapping colour value, which lies in its own wave length, whereas in

nature each colour may be blended with any value of the overlapping colour. In the tintometrical standards, similar effects are obtained by changing the value of the graded slips.


It is true, that complex colours other than those in the same wave length, may be developed by blending two colours from different parts of the spectrum, but the ray proportions of colours so produced, are necessarily more complex than those developed by specific absorption; the first being a method of synthesis towards complexity, and the second a method of analysis towards simplicity, and although two colours so produced may be similar in name, red for instance, they must differ in character. This view may tend to reconcile some of the theoretical differences between Scientists and Artists.

#### THE ULTRA VIOLET DIVISION.

The complete range of daylight colours not being fully comprised in a continuous spectrum, may be considered as a cycle of radiant energies, sensitive to the vision as colour, which can be represented as a circle as in Plate VII. The outer and broken circle represents a bent spectrum, the unoccupied division corresponding in position with that of the red and violet mixtures in the complete cycle.

This arrangement does not alter the relative positions of the Fraunhofer lines A, B, C, D, E, F, G and H in reference to either scale, but, it theoretically breaks that sequence of the successive wave lengths in the Red Violet which holds good in the other five divisions from A to H.

# PLATE VII







In order to theoretically avoid this juxtaposition of wave length contrast, it is only necessary to imagine that the violet energy beyond H in the ultra violet, is overlapped by the infra red energy of a succeeding spectrum, filling this section with a series of overlapping binaries analogous in wave length sequence to that of the other sections.

### A RESIDUAL RED RAY.

Apart from the colours of everyday life there is, in sunlight and most direct artificial lights, an additional red energy which differs materially from the red energy in diffused daylight.

It was first noticed whilst establishing the colour equivalence of the tintometrical light unit, by developing a red sensation which disturbed constancy of reading under certain conditions of light.

So far as the writer knows, this energy has never been investigated as separate from the other spectrum red. The following observations must be considered as tentative only.

### SOME PROPERTIES.

It does not obey the laws of absorption which govern the red of diffused daylight. When the six transparent pigmentary colours are illuminated by direct sunlight, and viewed through a sufficient number of Neutral Tint units, the colours all disappear, all appearing red alike, with only differences in luminosity.

The spectrum position of this red energy is in the A. B. region, and further interception by

Neutral Tint whilst narrowing the band, intensifies the colour, until obstructed by the large number of intercepting glass surfaces.

It has no photographic action on the six sensitised papers dealt with in the photographic section.

### LIGHT INTENSITIES.

The apparatus for determining the unit values of light intensities in the following series of measurements, consisted of a conical rectangular hopper tapering from 2 feet to 2 inches square. This was adapted so that the light from the small end, commanded the stage of the optical instrument sufficiently close to cut off outside light. The wide end facing a north sky was adapted with sliding shutters, to regulate the area of incident light; of the six water-colour pigments which nearest corresponded to the standard colours, washed to their full depth on Whatman's paper, six measurements were made. These measurements are shown in Table IV, and classified in Table V.

It will be noted that the readings are constant for all the colours between 16 and 26 units, except a variation of light  $\cdot 15$  in the 24-inch opening, which is in effect as if the cone was not present, and  $\cdot 2$  in the 8-inch area of orange.

NOTE.—Experiments in this branch give some information relating to the perception of colour under daylight conditions, by limiting the range of intensities within which colour can be distinguished and differentiated, whilst their separate photographic action (page 48) suggests the impression that colour phenomena, outside these limits, may be a physiological expression of widely varying underlying energies.

TABLE IV.

Pigment.	Square Inches Aperture.	Light Intensity.	Black.	Red.	Orange.	
Carmine . . .	2	10	·5	20·2	·3	—
„ . . .	4	11	·5	19·1	·4	—
„ . . .	6	14	·46	18·95	·59	—
„ . . .	8	16	—	16·9	1·1	—
„ . . .	10	20	—	16·9	1·1	—
„ . . .	12	22	—	16·9	1·1	—
„ . . .	Open	26	—	16·9	1·1	—
Lemon Yellow .	2	10	—	Yellow. 6·9	·1	—
„ „ .	4	11	—	6·9	·1	—
„ „ .	6	14	—	6·9	·1	—
„ „ .	8	16	—	7·0	—	—
„ „ .	10	20	—	7·0	—	—
„ „ .	12	22	—	7·0	—	—
„ „ .	Open	26	—	7·0	—	—
Cobalt Blue . .	2	10	—	Blue. 11·5	Violet. —	—
„ „ . .	4	11	—	11·5	—	—
„ „ . .	6	14	—	10·7	Green. ·2	—
„ „ . .	8	16	—	10·5	Violet. ·5	—
„ „ . .	10	20	—	10·5	·5	—
„ „ . .	12	22	—	10·5	·5	—
„ „ . .	Open	26	—	10·5	·5	—
Chrome Orange .	2	10	—	Red. 3·4	Orange. 6·0	Light. —
„ „ .	4	11	—	3·4	6·0	—
„ „ .	6	14	—	3·0	6·2	—
„ „ .	8	16	—	3·0	6·0	·05
„ „ .	10	20	—	3·2	6·0	·05
„ „ .	12	22	—	3·2	6·0	·05
„ „ .	Open	26	—	3·2	6·0	—
Emerald Green .	2	10	—	Yellow. ·2	Green. 6·4	·05
„ „ .	4	11	—	—	6·4	·05
„ „ .	6	14	—	—	6·4	·05
„ „ .	8	16	—	—	6·6	2·0
„ „ .	10	20	—	—	6·6	2·0
„ „ .	12	22	—	—	6·6	2·0
„ „ .	Open	26	—	—	6·6	·05
Mauve . . .	2	10	—	Red. 3·0	Violet. 7·4	—
„ . . .	4	11	—	3·0	7·4	—
„ . . .	6	14	—	3·0	7·2	—
„ . . .	8	16	—	2·8	7·2	—
„ . . .	10	20	—	2·8	7·2	—
„ . . .	12	22	—	2·8	7·2	—
„ . . .	Open	26	—	2·8	7·2	—

TABLE V.  
COLOURED SURFACES  
TABLE OF VARYING LUMINOUS INTENSITIES

Inches Square.	Light Units.	Red.		Yellow.		Blue.			Orange.			Green.			Violet.		
		"Carmine."		"Lemon."		"Cobalt."			"Chrome."			"Emerald."				"Fr. Mauve."	
		R.	Or.	Blk.	Y.	Or.	B.	Vi.	Blk.	Or.	R.	Light.	Gr.	Y.			Light.
2	10	20.2	.3	.5	6.9	.1	11.5	—	—	6.	3.4	.05	6.4	.2	.05	7.4	3.
4	14	19.1	.4	.5	6.9	.1	11.5	—	—	6.	3.4	.05	6.4	.2	.05	7.4	3.
6	14	18.95	.59	.46	6.9	.1	10.7	Gr.	.1	6.2	3.	.05	6.4	—	.05	7.2	3.
8	16	16.9	1.1	—	7.0	—	10.5	.5	—	6.	3.	—	6.6	—	.2	7.2	2.8
10	20	16.9	1.1	—	7.0	—	10.5	.5	—	6.	3.2	—	6.6	—	.2	7.2	2.8
12	22	16.9	1.1	—	7.0	—	10.5	.5	—	6.	3.2	—	6.6	—	.2	7.2	2.8
Open																	
24	26	16.9	1.1	—	7.0	—	10.5	.5	—	6.	3.2	—	6.6	—	.05	7.2	2.8

## CHAPTER XII.

### The Physiological Light Unit.

#### DIFFUSED LIGHT.

THE physiological values of light intensities determined by the absorptive method, differ in some respects, from the intensities based on the inverse ratio of the squares of distance between the shadows of two lights.

However valuable this method of calculating light intensities may be from a mathematical point of view, it does not express the physiological appreciation of light differences.

The dimensions of the light unit used in the following experiments have already been described.

This method cannot deal exhaustively with intense direct lights, on account of the presence (activity) of the disturbing red ray which prevents total absorption. Such lights must first be modified by intercepting media of known diffusive value, or by reflection from a white surface.

One object of these experiments was to obtain more insight into the physiological conditions of light, as bearing on the question of standardization.

The first two experiments are records of intensity changes by time, in Morning and Evening light, and

are of interest, as bearing on the lowest luminosities for reading, for viewing objects at different distances, and for defining the limits at which colours visually disappear. The measurements are marked in neutral tint units and plotted in curves in Charts 1 and 2.

The numbers on the single curve in the Morning chart represent total absorption of the direct light 20 degrees above the horizon. The upper curve in the Evening chart also represents the direct light, whilst the under curve represents the light values as reflected from a lime sulphate surface; except in the case of the reading notes when it represents the printed paper surface. The difference between the two curves is the loss of light incident on reflection, but this must not be rigidly interpreted for all cases, as there is reason for supposing it varies with different lights.

#### DIRECT LIGHTS.

In measuring the physiological intensity of direct lights, the presence (activity) of the unabsorbable red ray, prevents their being dealt with directly by the absorptive method. Such lights can, however, be made measurable by a sufficient diffusion, as already explained in the case of direct sunlight, the proportion of diffusion required, being more or less according to the intensity of the light; in the following examples, one reflection from a white surface or from the ordinary grease spot arrangement, was found to be sufficient.

NOTE.—Light reflected from grease is not above suspicion, it being governed by the law of specific absorption already dealt with.



CHART I.






CHART 2.




CHART 3.




CHART 4.





CHART 5.



The experiments were carried out on a home-made twelve-foot photometer, with the usual protected lantern at each end, one being removed for present purposes. The grease spot carrier was replaced by a one-foot square diaphragm, with a standard white surface; this travelled the whole length of the photometer at right angles to the light, and the readings made at one-foot intervals at an angle of 45 degrees, 10 inches distance from the white surface.

Charts 3, 4 and 5 deal with experiments, with one, two and three standard candles of the London Gas Referees. The curves represent the physiological rate of declining luminosities by distance. Some characteristic differences from other lights are brought together in Charts 4 and 5. The slight irregularities in the curves are probably due to the readings being made at half unit intervals. These acting sometimes in opposite directions, fully account for want of symmetry in the curves.

A noticeable feature in these experiments is the small amount of physiological luminosity added by each successive candle to the first. Theoretically, if one candle equals 21 units intensity, two should equal 42, and three 63, whereas the physiological additions of luminosity are not only much less, but vary with different luminous intensities, as will be seen by the following comparisons:—

	1	2	3	
	Candle	Candles	Candles	Total.
Theoretical	21	+ 21	+ 21	= 63
Physiological	21	+ 3	+ 6	= 30

Chart 4 represents the Luminosity of gas from

a batwing burner reduced to one, two and three candle power at one foot distance.

	1	2	3	
	Candle	Candles	Candles	Total.
Theoretical	21	+ 21	+ 21	= 63
Physiological	21	+ 3	+ 7	= 31

Chart 5 represents the Luminosity of a hand Paraffin Lamp similarly reduced.

	1	2	3	
	Candle	Candles	Candles	Total.
Theoretical	21	+ 21	+ 21	= 63
Physiological	21	+ 3	+ 6	= 30

#### PHOTOGRAPHIC ENERGIES OF DIFFERENT RAYS

The following experiments are preliminary only, and were undertaken to determine the relationship of the several colours of the tintometrical scales, to their associated photographic values, under different conditions of light and times of exposure, the end in view being the hope of standardizing screens, papers and impressions.

The standardized colours act as selective light absorbents on the same principle as screens for trichromatic colour work, but differ from these in their having a definite standard of colour depth and colour purity.

Work of this character requires paper of a known degree of sensitiveness, but on inquiry it was found that no reliable standard had as yet been established. On this, six makes of "white" paper were purchased

in the open market and submitted to exposures under the following conditions:—

Six slips of the sensitized papers were covered by a thin metal plate, pierced by six rows of apertures, a complete row lying over each sample of paper. The rows contained seven apertures each, one being left uncovered to receive the full energy of the impinging light. The remaining six were covered respectively by a Red, Orange, Yellow, Green, Blue or Violet standardized screen of 15 units colour intensity; the whole was fitted into a suitable exposure frame. Many exposures were made, from which the four following were selected:—

No. 1.	20 min.	exposure to a dull sky.
„ 2.	10 „	„ „ „ bright sunlight.
„ 3.	20 „	„ „ „ „
„ 4.	30 „	„ „ „ „

The results are arranged in Tables VI and VII.

Table VII contains results of different exposures under sunlight conditions.



# TABLE VI.

DULL SOUTH LIGHT.

20 MINUTES' EXPOSURE ON WHITE SENSITIZED PAPERS.

Papers	OPEN SCREEN.			RED SCREEN.			ORANGE SCREEN.			YELLOW SCREEN.			GREEN SCREEN.			BLUE SCREEN.			VIOLET SCREEN.		
	Blk.	Or.	Red.	Blk.	Or.	Yel.	Blk.	Or.	Red.	Blk.	Or.	Red.	Blk.	Or.	Red.	Blk.	Or.	Red.	Blk.	Or.	Red.
1	7.8	4.2	6.0	2.0	4.8	3.0 Red.	—	.3	.2	2.0	3.0	1.6	—	—	—	3.9	7.6	3.5 Yel.	.2	.4	1.0
2	6.0	5.0	5.5	1.9	3.1	4.4 Yel.	—	—	—	.4	.4	1.0	—	—	—	4.3	9.2	4.5 Red.	.2	.8	.8
3	7.8	3.2	7.0	2.7	4.7	3.0 Red.	—	—	—	1.2	.5	.8	—	—	—	3.7	9.3	2.0 Yel.	.7	.6	.9
4	7.2	4.3	6.0	2.2	3.2	.2 Red.	—	—	—	1.2	.1	1.2	—	—	—	3.4	1.1	1.0	.7	.7	.9
5	5.8	7.2	4.0	1.9	2.3	.8	—	—	—	1.0	.3	.3	—	—	—	3.3	8.7	2.0 Red.	.3	.3	1.2
6	5.6	7.4	4.0	1.8	2.6	6	—	—	—	.2	.3	.4	—	—	—	3.6	8.9	1.5	.4	.2	.9

TABLE VII.

BRIGHT SUNLIGHT (South), 18—9—12.  
10 MINUTES' EXPOSURE ON WHITE SENSITIZED PAPERS.

No.	OPEN SCREEN.			RED SCREEN.			ORANGE SCREEN.		YELLOW SCREEN.		GREEN SCREEN.	BLUE SCREEN.			VIOLET SCREEN.	
	Blk.	Or.	Red.	Blk.	Or.	Yel.	Blk.	Or.	Blk.	Or.	Blk.	Or.	Red.	Blk.	Or.	Yel.
1	8.4	1.6	6.5	2.8	6.8	1.9	.34	1.41	2.3	7.1	.26	.69	.10	5.2	4.4	8.4
2	8.2	2.0	1.6.3	2.7	4.7	3.6	—	—	.8	1.9	.70	.15	.03	6.0	3.8	6.7
3	7.8	2.2	7.5	2.4	7.0	4.1	—	—	2.4	4.2	.80	.02	.04	5.6	5.9	6.5
4	7.8	1.6	8.6	2.4	5.4	3.2	—	—	1.5	2.3	.70	.05	.12	4.8	5.6	6.6
5	6.4	4.4	7.7	2.4	5.2	3.0	—	—	.9	1.8	.80	—	—	4.0	10.5	2.0
6	5.2	6.3	5.5	2.3	5.1	3.0	—	—	1.1	2.0	.80	—	—	4.0	11.5	1.0
BRIGHT SUNLIGHT (South), 18—9—12.																
20 MINUTES.																
1	10.6	1.4	5.0	7.0	2.2	8.3	1.1	3.6	10.0	—	3.1	6.1	1.8	8.0	2.0	8.5
2	10.0	—	.8	7.0	2.6	7.4	—	1.0	7.4	2.0	1.9	3.7	.8	8.8	.6	3.6
3	9.2	1.6	2.2	4.5	5.5	8.0	1.8	7.4	5.2	4.2	1.0	7.0	1.6	8.6	1.4	3.5
4	10.6	.4	3.5	6.0	4.2	8.3	.44	1.36	9.0	2.5	1.8	4.8	1.2	8.0	2.2	6.8
5	10.0	.8	5.7	6.2	4.0	8.3	—	.7	7.0	5.0	1.7	4.9	Red.	7.6	2.4	8.0
6	6.2	4.6	7.7	5.0	7.5	4.0	.2	.4	5.4	7.1	1.8	3.4	.4	6.4	4.4	8.2
BRIGHT SUNLIGHT (South), 18—9—12.																
30 MINUTES.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	5.5
BRIGHT SUNLIGHT (South), 18—9—12.																
1	10.6	.9	1.5	6.4	4.4	5.7	2.6	7.8	5.2	3.4	1.0	6.8	.2	6.4	2.6	7.5
2	9.2	1.4	2.9	6.2	5.3	5.5	.1	.7	7.8	3.0	1.8	3.4	.2	8.4	.8	3.8
3	10.8	1.2	1.5	7.2	3.4	8.4	.7	2.0	9.2	1.6	2.2	5.2	2.2	8.0	2.0	7.5
4	10.0	2.0	1.5	6.2	4.4	6.9	.5	1.0	8.2	2.0	2.5	4.7	2.0	8.0	1.6	7.4
5	9.6	4.4	4.5	5.8	5.0	7.2	.2	1.9	6.2	3.8	1.6	4.2	2.8	7.6	2.6	6.8
6	6.6	7.9	5.0	4.8	7.2	5.0	.2	.5	5.0	7.5	1.5	3.9	.2	6.4	7.6	

It would be unsafe to draw definite conclusions from a few experiments, but so far as permissible, the results show considerable differences, both in depth and in colour, of the energy of the different rays, for instance—

Compare Nos. 1 and 6 under 20 min. sunlight.

			Black.	Orange.	Red.
No. 1	.	.	10·6	+ 1·4	+ 5·0
No. 6	.	.	6·2	+ 4·6	+ 7·7

or again 3 and 6, the maximum and minimum, under 30 min. exposure.

			Black.	Orange.	Red.
No. 3	.	.	10·8	+ 1·2	+ 1·5
No. 6	.	.	6·6	+ 7·9	+ 5·0

The sensitiveness of Nos. 2, 4 and 5 appears to have been exhausted by 20 min. exposure to sunlight, further exposure showing no reaction; whilst the sensitiveness of Nos. 1, 3 and 6 do not appear to have been exhausted by 30 min. sunlight exposure.

Other noticeable points are the small action under the Orange, Green and Violet screens, and the greater, although variable proportion of colour to black under all the colour screens.

#### TRICHROMATIC COLOUR SCREENS.

Table VIII contains the colour measurements of five sets of screens for trichromatic colour work which have come from time to time under the writer's notice.

The measurements are the tintometrical colour units required to match the screens under daylight conditions, and are classified under the theoretically accepted terms of Red, Green and Violet.

TABLE VIII.

Set.	RED SCREENS.				GREEN SCREENS.				VIOLET SCREENS.		
No.	Red.	Or.	Vi.	Light.	Yel.	Green.	Or.	Light.	Blue.	Green.	Black.
1	19.0	—	—	1.6	27.0	36.0	—	9.0	32.0	1.4	6.6
2	24.2	+ .8	—	—	8.9	—	.1	—	13.0	—	3.1
3	26.4	—	.8	—	7.5	—	1.4	—	16.6	—	3.2
4	22.6	—	—	—	7.6	—	1.4	—	15.3	—	3.1
5	21.0	—	9.0	—	28.0	14.0	—	—	28.0	—	2.8

The Red screens are all practically pure except No. 5, which transmits also 30 per cent. Violet. No. 1 is distinguished by its greater colour depth and purity, the degree of which latter is recorded at 1.6 light units brighter than standard.

In the Green division, only Nos. 1 and 5 transmit any green, No. 1 transmitting also 42.8 per cent. yellow and being 9.0 units brighter than standards; No. 4 transmits 66.6 per cent. yellow to 33.3 per cent. green; Nos. 2, 3 and 4 are all yellows tinged with orange.

In the Violet division, Nos. 2, 3, 4 and 5 are all pure blues; No. 1 is tinged with green.

# Appendix I

## COLOUR EDUCATION

THE time has passed when it might have been considered necessary to preface a handbook on the teaching of colour by arguments to prove that it is a legitimate subject of instruction in schools, but it has not hitherto been sufficiently recognized that the early stages of such instruction must be on sound lines and that nothing must be taught which will afterwards have to be unlearned.

Apart from the pleasure its sensations give to all properly constituted persons, the study of colour has an intellectual value in common with other branches of science. It strengthens the judgment by constantly requiring thought and precision in definition, it also develops the faculty of colour perception even to the point of curing some forms of colour blindness. In addition to this, it forms a necessary part of the instruction in all schools in which drawing is properly taught by methods which demand from the pupils faithful representations of the appearances of actual objects in colour as they are seen.

In the past the systematic study of colour has been more or less neglected from two principal causes: first, the want of a comprehensive scheme of colour nomenclature capable of describing all colours in terms precise enough for general understanding and record; and, second, the absence of any reliable means of reproducing any specific

colour if lost or faded. Both these conditions may now be secured by the use of the standardized coloured glasses supplied with the Colour Educator, and this work is intended to bring the subject before teachers in such a way as to make each point perfectly easy of demonstration to a class in a systematic manner.

To-day the value and importance of a keen perception of colour and of an apparatus furnishing definite colour standards, though perhaps not much appreciated by the general public, are widely recognized in the industrial and scientific world ; and it is evident that in these days of keen commercial competition between nations we cannot afford to neglect any means which will enable us to maintain present industries and to develop new ones.

**General Remarks.**—It is not advisable to introduce colour theories to pupils before they know the names of the different colours, but, as the glasses used in the apparatus are graded for colour-depth according to a set of scales now generally accepted as of standard value, a short description of the derivation of the colour names will be of service when the pupils are sufficiently advanced.

The names of the six spectrum colours, Red, Orange, Yellow, Green, Blue, and Violet, are accepted by common consent as describing the principal hues into which a beam of white light can be resolved by a diffraction grating or by prismatic refraction. They are also the colours distinguishable in objects of everyday life, and the following Educational Method is based on the fact that they can be separated at will from ordinary daylight. Therefore the first educational step is to associate these six colour rays with their respective names, the pupils being made to understand that there are many degrees of depth in each colour.

**The Applications of Colour to the Work of Everyday Life** are so universal that a complete list is almost impossible, though some of the most important are mentioned below. In a general way the visual characteristics of every visible object are determined by contrasts of light and colour, outline itself being governed by differences of light intensity.

In Nature, colour is practically universal. There are few objects perfectly white. Most of them have colour of greater or less complexity ; even snow under a cloudless sky has a blue tint which is measurable against such white objects as pure lime sulphate, zinc white, etc., the blue tint being manifestly reflected from the cloudless sky, as it disappears under a cloudy overcast.

**Some of the Scientific Applications of Colour.—**

It associates colour sensations with definite names and values ; discovers and classifies cases of colour-blindness, and is a preparation for the physical study of light. It is also essential for studying the physiological structure of the organs of vision, for disclosing abnormal conditions of the blood, and for measuring the colour of the hair and skin for the anthropological classification of races. It is used in general laboratory work for analytical and original investigation ; and it furnishes standards of value for the petroleum industry, the International Tanning Association, the inter-States Cotton Seed Oil Association, etc. It is also one of the principal factors in all artistic industries ; for, besides having an important educational value in questions of harmony, contrast, and taste, it is of direct commercial value in such industries as dyeing, calico printing, all woollen industries, wall-paper printing, paint making, house decoration, etc.



**General Instructions for Using the Apparatus.—**

The apparatus consists of a frame having six little windows, fitted with sliding shutters, and a tray containing eighteen standardized glasses.

The frame must be placed on a table or stand facing the children, with a window or some other source of diffused white light behind it. Care must be taken not to have a coloured background of any kind.

The glasses are in three colours, Red, Yellow, and Blue, of different depths. The depth of colour is marked in figures on each glass, and corresponding numbers in the three colours are of equal intensity. It is of importance that the six spectrum colour terms should be the only ones used in the preliminary stages. The first step in colour teaching must be to develop and train the perceptive faculties of the children so as to enable them to express in words the colour sensations which are excited. For this purpose it is necessary to begin by demonstrating that the six spectrum colours Red, Orange, Yellow, Green, Blue, and Violet, are derived from white light.

Red, Yellow, and Blue should first be dealt with, and *for practical work* each pupil should be supplied with three water-colour pigments closely corresponding in hue to the standardized glasses, viz., Crimson Lake, Lemon Yellow, and Cobalt Blue ; also with a piece of white paper ruled into six small rectangular spaces corresponding to the little windows of the apparatus.

As each colour is demonstrated by means of the glass in the apparatus, each pupil should paint the corresponding pigment in its proper place on the paper.

The little shutters being placed in all the six little windows, remove the top left-hand shutter and insert a deep *Red* glass, thus showing

**Red.**—The pupils will name this and then paint the corresponding colour on their papers.

Next, remove the shutter below the first one, and insert a *Yellow* glass of the same numerical value as the Red one, thus showing

**Yellow.**—The pupils will name this and then paint the corresponding colour on their papers.

Now remove the shutter next below and insert a *Blue* glass of the same numerical value as the Red and Yellow ones, thus showing

**Blue.**—The pupils will name this and then paint the corresponding colour on their papers.

1  RED	
2  YELLOW	
3  BLUE	

There are now exposed to view the three colours which are by artists commonly called primaries, but it will be found convenient to term Red, Yellow, and Blue the *Dominant* colours of this system.

The second step is to show how the three secondary or subordinate colours are derived or developed.

Remove the top right-hand shutter and insert a deep Red and a deep Yellow glass of equal depth, showing the

pupils that these two colours combined in equal proportions develop

**Orange.**—The pupils will name this, and will then mix their Red and Yellow pigments to obtain a similar Orange which will be painted in its proper place on their papers.

Now remove the shutter next below and insert a deep Yellow and a deep Blue glass of equal depth, showing the pupils that these two colours combined in equal proportions develop

**Green.**—The pupils will name this, and will then mix their Blue and Yellow pigments to obtain a similar Green which will be painted in its proper place on their papers.

1 RED	4 ORANGE
2 YELLOW	5 GREEN
3 BLUE	6 VIOLET

Remove the last right-hand shutter and insert a deep Red and a deep Blue glass of equal depth, showing that these two colours combined in equal proportions develop

**Violet.**—The pupils will name this, and mix their Blue and Red pigments to obtain a similar Violet, which will also be painted in its proper place on their papers.

Now are exposed to view on the left-hand side the three primary or dominant colours, and on the right-hand side

the three secondary or subordinate colours, and the whole frame is filled with the six spectrum colours in equal colour depth. Corresponding to the colours in the frame, each pupil's paper should show a similar arrangement of colours, and the pupils can be taught their spectrum order by reading them in rows horizontally—Red, Orange, Yellow, Green, Blue, and Violet.

The teacher should now take out the coloured glasses and replace the shutters, except the two top windows, one of which is left open to show white light, and the other filled with three equally deep glasses in Red, Yellow, and Blue, showing either black or neutral grey, and demonstrating the total or partial absorption of light according to their higher or lower numerical unit value. It is of the utmost importance to bear in mind that the glasses are graded for diffused daylight, and that all artificial lights are more or less coloured and would give a different effect. The same remark applies to light taken direct from coloured objects.

In this set the six windows are in one horizontal line, and should be uncovered in the following order :

Dominants	{	No. 1	Window for Red.	
		„ 3	„	Yellow.
		„ 5	„	Blue.
Subordinates	{	„ 2	„	Orange.
		„ 4	„	Green.
		„ 6	„	Violet.

One advantage in this method is that when all the colours are in they are arranged in their spectrum order.

**Complex Colours.**—We have demonstrated that single standard glasses develop the three Dominant colours, Red, Yellow, and Blue, and that pairs of equal standard glasses

develop the three Subordinate colours, Orange, Green, and Violet. In order to produce complex colours two standard glasses of unequal value must be used. The degree of inequality does not alter the spectroscopic names of complex colours, variation in proportions being only a statement of degree.

	Complex Name.		High value.	Lower.
To develop a	Red-Orange	insert a	Red and	Yellow.
„	Yellow-Orange	„	Yellow and	Red.
„	Yellow-Green	„	Yellow and	Blue.
„	Blue-Green	„	Blue and	Yellow.
„	Blue-Violet	„	Blue and	Red.
„	Red-Violet	„	Red and	Blue.

A reference to the circles, 7, 8, and 9, on the cards supplied with the apparatus will show that all complex colours are members of the same triad group, and experiments have shown that the six combinations above are the only ones distinguishable in Nature, subject, however, to unlimited variations in brightness or dullness. It remains to be shown how these variations are effected.

Variations in brightness are produced by inserting with the two glasses forming a complex colour the third spectrum colour, always bearing in mind that it must be less in value than either of the other two. The addition of the third colour has a dulling or saddening effect, the degree of which is determined by the numerical value of the third colour. The colour produced by the addition of the third colour may be termed a saddened or dingy colour, the appearance being that of a brighter colour seen in shadow.

Reviewing the foregoing, it is demonstrated that primary or dominant colours are transmitted by a single coloured standard glass; the secondary or subordinate colours are transmitted by two equal standard glasses of different colours;

the complex colours by two unequal standard glasses of different colours. Saddened pure colours are developed either by one coloured standard glass combined with two equal standard glasses of different colours and lesser value or by two equal standard glasses of different colours and a third of lesser value. Saddened complex colours by three unequal standard glasses of different colours. Greys, which are steps towards blackness, are produced by three equal standard glasses of different colours.

It is well known that Colour Blindness is a defect in the vision often involving the confusion of such utterly distinct colour sensations as Red and Green, Orange and Violet, and many others as widely different. In the cases of Red and Green the confusions are specially disastrous should the subject be a railwayman or a sailor. It is not, however, so well known that many cases of so-called Colour Blindness are in reality cases of Colour Ignorance, and the capacity for distinguishing between colours and shades is often latent, and only waiting to be developed by Education.

When a child persistently misnames colours after having received an amount of instruction sufficient to remove colour ignorance in a normal case, the errors are probably due to some form of colour blindness.

Such cases should be registered for further examination, taking note of the miscalled colours. It would be an additional precaution to change the position of the colours in the windows of the apparatus, in order to prevent the association of colours with their positions as first given in the instructions.

*Note.*—The paints which most nearly correspond to the colour standards in the Colour Educator are tabulated below, the third column containing their measured colour propor-



tions when they are washed thickly on white paper (*Whatman's*).

Spectrum Names.	Artists' Names.	Colour Composition in Standard Units.					
		Red.	Orange.	Yellow.	Green.	Blue.	Violet.
Dominants :							
Red	Crimson Lake	18.0	0.4	—	—	—	—
Yellow	Lemon Yellow	—	—	6.6	—	—	—
Blue	Cobalt	—	—	—	—	9.0	—
Subordinates :							
Orange	Chrome Orange	—	7.2	1.6	—	—	—
Green	Emerald Green	—	—	0.40	5.4	—	—
Violet	Mauve	3.3	—	—	—	—	8.2

In mixing two dominant colours (artists' primaries) to develop subordinates (artists' secondaries), their relative colour depth must be taken into account; for instance, Crimson Lake has a natural colour depth nearly three times that of Lemon Yellow; therefore, in order to develop a normal Orange nearly three times the quantity of Yellow must be used, presuming that they were originally ground to an equal degree of fineness.

It is desirable that a record of the children's own painting should be preserved, with a view to discriminating between errors arising from Colour Blindness and Colour Ignorance, the former perpetuating itself, and the latter naturally remedying itself. For this purpose painting books containing sets of diagrams corresponding to the figures in the foregoing pamphlet can be supplied.



## Appendix II

### THE POSSIBILITIES OF A STANDARD LIGHT AND COLOUR UNIT.<sup>1</sup>

THE past attempts to standardize light and colour are mainly limited to those radiant energies which excite light and colour sensations under diffused daylight conditions, because in direct sunlight, and in most artificial lights, there are other colour energies, which, unless sufficiently modified by diffusion, disturb the colour readings. There are also latent colour energies, which only become distinguishable by special means. They do not, however, appear to influence diffused daylight colour work.

The definition of a normal vision is one which agrees with a majority of others. This definition has proved satisfactory up to the present, as the normals are many and the colour blind few.

*Light Intensities.*—There are two methods of determining light intensities by means of a graded scale of light absorbents.

First. By total absorption of the light, when the intensity is directly represented by the unit value of the absorbents required. This method is applicable for low lights, internal surfaces, such as a desk, etc., where a standard light is not available for comparison.

<sup>1</sup> Reprinted from the *Journal of the Society of Dyers and Colourists*, March, 1913. No. 3, vol. xxix.

Second. By the reduction of a standard light by absorption until it equals the light of the object. In this case the standard must be originally brighter than the object.

*Constants.*—The first requirement in establishing a scale of light and colour units is a means of co-relating visual sensations to a scale of physical colour constants, in order to secure a power of record and recovery. There is no natural scale available for quantitative colour work, but artificial scales can be constructed, and made constants by co-relation at different points with physical colour constants, and by cross-checking the intervals between these.

The scales used in the “tintometer” consist of red, yellow and blue glass, so graded in equivalents that combinations of equal units transmit colourless light. Full details of these have already been placed before the Society (see this *Jour.*, 1887, p. 186, and 1908, p. 36).

**Scale of Luminous Intensities.** *The Light Unit.*—The natural terminals in a scale of luminous intensities are black and white, and the first question which arises is what is black, and what is white? as when used in a popular sense each term covers a wide range of differences.

In the author’s sense the term black means total absence of light, and the term white means a diffused daylight of given intensity, as reflected from a lime sulphate surface. In this sense black and white are the terminals of a scale of light intensities; the scale is divided into units and fractions of units. The unit itself is physiological, and is not in progressive accord with the mathematical light unit based on the inverse squares of distance.

*The Black Unit.*—Ideal black is practically obtained under daylight conditions by viewing a hole in a box with blackened interior, so arranged that no entering light can be reflected back to the vision.

The box used for this purpose is illustrated in Fig. 3, and has one surface covered with standard white for the purpose of easy comparison with the pigments. The standard black aperture (1) is in the middle. The pigmentary blacks (2 to 10) are arranged over this, and the pigmentary whites and greys (11 to 20) underneath, each being numbered in accord with its intensity as tabulated.




FIG. 3.

The degrees of blackness are the number of absorptive units required to reduce the standard white to equal the pigments in each case.

#### LIGHT ABSORBED BY VARIOUS PIGMENTS.

No.		Absorbed Light.	Un- absorbed Light.	Initial Light.
1	Black Hole in Box . . .	36	—	36
2	Optical Black . . .	20	16	36
3	Lamp Black . . .	17	19	36
4	Vegetable Black A . .	17	19	36
5	"    "    B . .	14	22	36
6	"    "    C . .	15	21	36
7	Indian Ink on Paper . .	14	22	36
8	"    Solid . . .	12	24	36
9	Boot Black . . .	11	25	36
10	Black Lead . . .	9	27	36

This gives a working scale of colourless light intensities, the terminals being black and white, with a range of 36 units.

*The Standard White.*—White is the natural terminal of the luminous end of the scale, and it is necessary to select a physical objective white as a constant. Pure precipitated lime sulphate has been adopted, and departures from the light intensity of this are recorded in units of lessened light intensity throughout the scale, comprising all degrees of colourless whites, greys, and blacks.

Strictly speaking, white is a qualitative term only, until the degree of variation from the zero of the scale has been established. The measured variation then takes its position in the scale of luminous intensities according to its numerical unit value.

#### LIGHT ABSORBED BY VARIOUS WHITE AND GREY PIGMENTS.

No.	Pigments.	Absorbed Light.	Reflected Light.	Initial Light.
11	Grey Paint E . . . .	6'0	30'0	36
12	„ D . . . .	5'0	31'0	36
13	„ C . . . .	4'0	32'0	36
14	„ B . . . .	2'0	34'0	36
15	White Paint A . . . .	0'7	35'3	36
16	White Paper D . . . .	0'3	35'7	36
17	„ C . . . .	0'2	35'8	36
18	„ B . . . .	0'25	35'75	36
19	„ A . . . .	0'15	35'85	36
20	Chinese White . . . .	0'006	35'994	36

As the scale is differentiated into hundredths of a unit, there can be 100 variations of white pigments in a single unit, each quite easily distinguishable from the others.

Any definite mixture of black and white finds a position on the diagonal of a chart whose co-ordinates are the black and white scales ; for example, the 20 measured pigments are charted on Figs. 4 and 5, the latter being on an enlarged scale, as the whites would be too crowded to be noted on Fig. 4.




FIG. 4.

The merging of white into grey, and of grey into black is gradual, having no strict lines of demarcation.

An example of this method of determining light intensities is illustrated in Fig. 6 by the light intensities at which different objects are discernible. The points of most interest are, that colour is indistinguishable as such in lights below 15 units intensity ; and that ordinary work, such as reading a newspaper, requires for comfort a minimum of 28 units.

*The Colour Unit.*—The colour unit is physiological, and its dimensions are determined by the dimensions of the colour-

less light from which it is derived. This deduction is based on the experimental fact that colourless light is a mixture of the six colour rays—red, orange, yellow, green, blue, and violet—in equal proportion, as illustrated in Fig. 7, showing that a white light of 20 units light intensity is made up of the six colour rays, each of 20 units colour intensity. This is demonstrated by the fact that any propor-




FIG. 5.

tion of any colour can be developed at will by means of the glass standard scales already mentioned ; it follows that the smallest disturbance of equivalence between the composing rays results in the development of colour.

The above remarks apply to both simple and complex colours, and the complex colours are always dichromes, being governed by another physiological fact, which is : That the vision is unable to simultaneously distinguish

more than two colours in the same beam of light. The order of their association is definite, and may be described by saying that the combined two are always adjacent in their spectrum order, red and violet being considered




FIG. 6.

adjacent for this purpose. It follows that all complex colours are binaries, and the only possible combinations are as follows :—

Red	with	Orange.
Orange	,,	Yellow.
Yellow	,,	Green.
Green	,,	Blue.
Blue	,,	Violet.
Violet	,,	Red.

In the author's colour nomenclature, a monochrome is qualitatively described by a single term, and a complex colour by a combination of two single terms. For a quantitative description, it is only necessary to add the measured



unit value to each term. When there is excess of brightness, or a saddening factor, these also must be quantitatively estimated.

The colours developed by means of these scales are governed by the same law of selective absorption which governs the development of natural colours, any of which can be matched and reproduced by means of their established ray proportions.










FIG. 7.

The governing law is simple, and may be stated by saying that the colour developed is always complementary to the colour absorbed, not in the generally accepted sense that their mixture necessarily makes white light, but in the sense that they are opposite in the cycle of daylight colours.

The dimensions of the unit are necessarily arbitrary, it was originally selected as being a convenient depth for distinguishing differences, the scale was then constructed by equal additions and sub-divisions; the two essentials of a scientific scale being complied with, in that the divisions were equal and the unit recoverable. The power of recovery lies in the fact that different parts of the scale are co-related to physical colour constants, which can be prepared in any laboratory.

# PLATE VIII

## ABSORPTION CURVES OF SIX DYES.





*Specific Colour.*—The relationship of colour increase to intensity increase in substances has hitherto been somewhat obscure. It has been sometimes considered that they were in direct proportion, but in the absence of a means of recording colour sensations, no definite results were obtainable.

Sufficient information is now available to warrant the formulation of the following law: "That every substance has its own rate of colour development for regularly in-




FIG. 8.

creasing intensities, which, when once established, becomes a constant for identifying similar substances in future." This is the meaning of specific colour, and when a series of measurements at regularly increasing densities of a given substance have been made, the specific colour rate of that substance is established. This can be charted in curves and used as a basis for estimating quantities, properties, changes of condition, differences in value, detecting adulteration, etc.

*Applications.*—The author has permission to use the names of several gentlemen who have used the tintometrical scales for various purposes.

Sir Arthur H. Church, F.R.S., has employed the tintometrical standards for the purpose of registering the colours of certain wild flowers.

Sir Boverton Redwood has used the scales and system for petroleum investigations. At his instance the specific colour rate of petroleum was established, and the several composing colours plotted in curves, as in Fig. 8, where the ordinates represent the scale of units irrespective of colour, and the abscissæ the scale of strata thicknesses.

The measurements were made at two-inch intervals, and the four perpendicular lines are at the colour points selected for valuing the four distinguishing marks, technically known as "Water White," "Superfine," "Prime," and "Standard." Intermediate qualities find their position in the scale of curves according to their measured colour values.

This method of standardizing commercial values has also been adopted by the International Tanners' Association, the Inter-States Cotton Seed Oil Association, and other oil industries. Also for scale, solid fats, and such substances as can be easily melted and measured by transmitted light.







**Varying Effects of Different Lights.** *Pathological Applications.*—The law of specific colour development was made use of by Dr. George Oliver in determining the degrees of hæmoglobin in the blood. The method is fully explained in his Croonian Lecture before the Royal College of Physicians of London, July 11, 1896.

*Detection of Forgeries.*—The system and apparatus is used by Professor A. S. Osborne, Examiner of Questioned Documents, New York City, for determining the variety of

# PLATE IX

## SIX ANILINE DYES.

CURVES ILLUSTRATING THE RATE OF FADING BY EXPOSURE TO LIGHT.







ink, the age of the writing, and the detection of forgeries. A full description of the process will be found in his work entitled *Questioned Documents*, published by the Lawyers' Co-operative Society, Rochester, N.Y.

The application to chemical analysis is too well known to require enlargement here.




FIG. 9.

*Dyes.*—As an example of the use of the system in the valuation of dyes, Fig. 9 illustrates the specific colour curves of four samples of Methylene Blue. No. 1 was priced at 5s. 9d. and No. 2 at 5s. per lb., Nos. 3 and 4 were not priced, the solutions were measured in percentages from 0.001 to 0.048 in distilled water. To find the cost per unit of colour in the priced samples is only a question of simple arithmetic, which furnishes data for the valuation of the unpriced samples.

The yield in the dye vat may not be in direct relation to the solutions in water, the establishment of this is a question for the expert, and presents no apparent difficulty.

The use of the scheme in recording the degree of fading of dyes has been previously dealt with in the *Journal* (q.v., 1908, p. 36).

*Limitations and Precautions.*—It has been shown that we have analytical control, within certain limits, of light and colour under daylight conditions.

The general limits for colourless light range from total darkness to 28 units, when the unabsorbable red ray comes into evidence.

For colour, the general limits range from 28 to 18 units, between 18 and 15 all colours become indistinct, but at varying rates, below 15, colour is not distinguishable.

The principal disturbing conditions in making observations are *want of colour education* and *insufficient diffusion*. In the case of the latter, the first evidence is the disturbance of constancy by the penetrating red ray. A partial remedy is to interpose a white diffusion screen, such as tissue paper.







*Time of Observation.*—This should not exceed five consecutive seconds, as the keenness of perception decreases by time, but varies for different colours.

*Angle of Incidence.*—Sixty degrees is safe for most solids, but for bright or polished surfaces, such as varnishes, polished metals, etc., the angle must be lessened as the degree of smoothness increases. For very rough surfaces, such as loosely woven stuffs, etc., care must be taken that the lay of the fibre is uniform.

*Distance from the Object.*—Ten inches has been adopted for general work, but certain visions require more or less as their focus varies from normal.

# PLATE X

## COMPARISON CURVES OF HEALTHY AND DISEASED BLOOD.



To face page 80.]

[Lovibond, Colour Theories.



*Unabsorbable Colours.*—In addition to the daylight colours already dealt with, there are, in direct lights, colours which do not obey the laws of absorption governing those of diffused daylight.

The work already done on these unabsorbable rays has only been incidental, where they happened to interfere with the standardization of diffused daylight colours. The sensations excited are red and violet. They blend, producing red-violet mixtures, but in unequal proportions, the red being dominant.

The red is developed in intense lights by constant interception of neutral tint absorbents. In the case of a 4-volt incandescent light, the first absorption simply reduces the light intensity without developing colour; the light is colourless up to 14 units. At 16 units the light begins to assume a reddish hue, which rapidly becomes a brilliant intense red by further interceptions of neutral tint absorbents.

Violet is developed by constant absorption by blue standards, which grows in intensity by successive additions up to about 120 units. Beyond this point the brilliancy decreases.

Preliminary experiments point to this ray as fatal to vegetation, and presumably also to lower forms of organic life.

There remains a factor of considerable importance which has not yet received the attention it deserves, the physiological changes resulting from environment.

This aspect of the question has come under the notice of the author by measuring the vision of experts who excelled in given hues. It was generally found that their vision was sensitive to a small increment of their particular colour in harmonies where it was silent to a normal vision.

In seeking an explanation of this phenomenon there are at least three possible lines for working :

First. Is the vision naturally more sensitive to that particular energy ?


Second. Is it by careful education ?

Third. Is it an unconscious adaptation to surroundings, such as other organs undergo under changes of environment ?


# PLATE XI

## SPECIFIC COLOUR CURVES OF HEALTHY AND DISEASED HUMAN BLOOD


NORMAL HEALTHY HUMAN



PERNICIOUS ANÆMIA  
case under treatment, 1<sup>st</sup> DAY




SAME CASE, 22<sup>nd</sup> DAY



To face page 82.]

SAME CASE, 48<sup>th</sup> DAY,  
on discharge from Hospital



[Lovibond, Colour Theories.





## Appendix III

### THE APPLICATION OF THE NATURAL LAW OF SPECIFIC COLOUR RATE BY DR. DUDLEY CORBETT TO THE EXACT MEASUREMENT OF X-RAY DOSAGE.

DR. DUDLEY CORBETT.

THE gradations in the tint given by the Sabouraud-Noiré pastille when exposed to X-rays are so fine, especially in that region of the colour scale where lies the erythema dose, that many have felt the want of a more accurate means of reading these tints, as well as a series of reliable standards for comparison. Hitherto the only methods at all generally used have been Hampson's radiometer and Bordier's radio-chronometer, the former in this country, and the latter on the Continent. Hampson's instrument has two disadvantages: it can only be used with electric light, and the standards are made of tinted paper liable to get soiled, and to vary slightly with the changes in the pigment employed. Its advantage is that it may be used as a sliding scale, thus economising the pastilles. Some persons, however, have considerable difficulty in reading the tints, the scale rising only by gradations of  $\frac{1}{4}$  B.

In the construction of any such instrument, the really important point is to obtain a reliable standard for Tint B—*i.e.*, the normal epilation dose. The tints on the Sabouraud card itself are not always identical, some representing a dose which will only just epilate, others an almost dangerous dose for unfiltered rays. The Tint B, which is the standard, allows a margin of error of 20 per cent. on

either side. In other words,  $\frac{1}{5}$  B will almost always epilate, while  $1\frac{1}{5}$  B is nearly the limit of safety. This observation is in accordance with the experience of other workers on this subject. In my instrument Tint B has been obtained by measuring the pastille with Lovibond's tintometer immediately after exposure to the X-rays. The pastille was turned to a tint corresponding to an epilation dose which was known to be safe, as proved by clinical results. This tint was measured directly both by daylight and by artificial light from an 8-candle power carbon filament lamp with frosted glass shade. I am indebted to Mr. Dean for suggesting the use of Lovibond's instrument for this purpose.

The methods employed in the experimental work have been described in the *British Journal of Dermatology* for August, 1913. By using a very constant focus tube and averaging a large number of readings and correlating the results with those obtained in clinical practice, we were able to construct the curves indicating the colour developed by the pastille. In these curves, shown in Fig. 10, the ordinates are the Lovibond colour units, the abscissa the time during which the current was actually passing. When using an interrupter working at a constant speed, the actual time was taken, otherwise the number of current interruptions as measured by a dipper tachymeter was used.

As was to be expected, the daylight and electric light curves were quite different. In each case the standard yellow glasses employed were kept constant throughout the curve, that for daylight being 15 units, that for electric light 13 units. When these were combined with blue and red glasses in varying units and fractions of a unit, they gave a colour range which matched the pastille exactly in the changes it undergoes from the unexposed condition to the 2 B Tint.

The curves are plotted in accordance with Mr. Lovibond's practice—that is, not as a direct representation of the standard glasses used, but as showing the colour sensation received by the eye.

First, as to the daylight curve: In order to match the unexposed pastille we interpose between the pastille and the observer's eye a yellow and a blue glass, plus a certain amount of neutral tint (composed of three equal colour units). Thus the colour sensation received is a yellow




FIG. 10.

green, together with a certain amount of white light. As the pastille darkens under irradiation, both the green and the white light disappear, until at a point just below the  $\frac{1}{2}$  B dose, there is no other colour present but yellow. After this red glasses are required—*i.e.*, the colour sensation is a yellow orange, which gradually deepens owing to an increase in the proportion of red. The yellow curve thus rises till just below the  $\frac{1}{2}$  B point, and then falls as the orange increases.

Next, as to the electric light curve. The unexposed pastille has but a trace of green, which is soon lost. The orange begins much earlier than in daylight, and thus at Tint B has reached a higher point than in daylight. From this point the orange and yellow parts of both curves run practically parallel with one another up to 2 B. Beyond 2 B the readings become more difficult. I have not determined the point when no more colour develops, as it has no great practical value, though it might well be of interest from a physico-chemical standpoint.

In my radiometer the standards are composed of the Lovibond standard glasses in combination. The apparatus itself consists of an optical instrument or viewing box. This is divided by a central partition, so that on looking through the eyepiece one sees a white background through two small circular apertures. On one side, level with the background, is a fitting to take the pastille in its holder. On the other side is a groove in the instrument itself for the insertion of the standard glasses. A similar groove is fitted on the pastille side of the instrument to take neutral tints if required. The colour of the pastille as seen by reflected light can thus be compared with that obtained by transmitted light through the standard glasses seen against the white background. A difference of  $\frac{1}{3}$  B or 1 H is quite easily perceivable.

It is usually of no great importance to obtain extremely accurate measurement of the smaller fractions below  $\frac{1}{3}$  B. Where this is necessary, neutral tints must be used when working with daylight. With electric light these are unnecessary. When required the neutral tints are interposed between the pastille and the eye to absorb the white light reflected from the pastille. The neutral glasses required are 1.5 for the unexposed pastille, 0.6 for  $\frac{1}{4}$  B, and 0.2 for  $\frac{1}{3}$  B.

These values are subject to slight variations due to changes in the varnish of the pastille emulsion. The difficulty can always be avoided by using electric light, where a trace of neutral tint is needed only when matching the unexposed pastille—an unimportant point.

*Method of Use.*—The choice of daylight or artificial light is a personal matter, but one should practise reading the scale with both. The use of the instrument shows that the pastille fades very nearly as quickly under electric light as it does under daylight. The following precautions should be observed: In daylight work in a good white light, avoid shadows and yellow light of any kind. With electric light use an 8-candle power carbon-filament lamp with frosted glass and a suitable white shade so arranged that the pastille is 8 inches from the lamp. No other light should be allowed to reach the pastille during examination. A low power metal-filament lamp may be used, but greater accuracy will be obtained with a carbon-filament lamp which was used for the experimental work. The lamp should be discarded as soon as the light becomes yellow from prolonged use. Whether in daylight or electric light, the examination must be rapid to avoid the fading of the pastille. When it is desired to give an accurate 1 B dose, it is better to put up the  $\frac{1}{3}$  B standard first. It is then easy to calculate how much more exposure is required for the extra  $\frac{1}{3}$  B. It is important to adjust the pastille carefully so that none of the unirradiated green portion is visible through the small aperture, as this will upset the reading. In very accurate dosage new pastilles should be used, as a bleached pastille never returns exactly to its original tint. When such a bleached pastille is irradiated the colour changes start a little farther down the curve, and thus the tint for a given dose must be taken a little above the normal



tint. This increase is very slight, but is nevertheless quite appreciable, and may amount to as much as 5 and 10 per cent. Even then the margin for error is ample in the neighbourhood of the B tint, and if a pastille is not used more than three times, and is well bleached in daylight after each exposure, no serious error is likely to occur. A standard white background should always be used, and discarded for a new one when it gets dirty. The colour standards usually provided are those in common use—namely,  $\frac{1}{4}$ ,  $\frac{1}{3}$ ,  $\frac{1}{2}$ ,  $\frac{2}{3}$ , 1,  $1^1$ , and 2 B, but it is quite easy to make up standards for any point on the curve. The symbol “B,” as the erythema or epilation dose, has been retained, as it was thought inadvisable to add to the number of such symbols already existing.

To sum up :

1. The experimental work has determined the exact colour changes occurring in the Sabouraud pastille when exposed to X-rays.

2. These experiments have established a permanent standard for Tint B, which matches the pastille exactly, does not fade, is easily kept clean. These coloured glasses can be readily and accurately reproduced, as they are standardized spectroscopically by a firm who specialise in such work. The standard will therefore remain constant so long as the Sabouraud emulsion remains unaltered.

3. Glasses may be prepared of the correct tint for any fraction or multiple of this dose up to 2 B or 10 H.

4. Either daylight or electric light can be used.

5. The optical instrument itself, by cutting off extraneous light, greatly assists the colour comparisons, so that the practical error need never exceed 10 per cent.



## INDEX

- Abnormal light, 13
- Analysis of white light, 11, 13
- Arbitrary scales, 9
- Artists and scientists, 1, 2
- Beam of white light, 7, 11
- Black units, 16, 23
- Black, ideal, 15, 11
- Blood curves, 33
- Code of laws, 7
- Colour charts, 31, 39
  - education, 59
  - equivalence, 10
  - nomenclature, 17, 21
  - qualitative, 17, 19, 24
  - quantitative, 24
  - scales, 20, 29
  - standardization, 20, 69
  - theories, 2, 3
- Coloured surfaces, 44
- Colours, complex, 18
  - sadder than standards, 25
  - simple, 17
- Corbett, Dr. Dudley's, radio-  
meter, 83
- Daylight colours, 24, 84
  - measurement, 14
- Diffused light, 10, 43
- Direct lights, 46
- Dulled colour, 10, 18-26, 36
- Equivalent colour units, 7, 9, 29
- Fog, whiteness of, 10
- Glass standards, 20
- Human blood curves, 82
- Laws of colour, 7
- Light, 11, 13, 42, 45-46, 81-84
  - abnormal, 8
  - brighter than standards, 14, 27
  - direct, 46
  - for colour work, 42
  - intensities, 42, 43
  - white, 14
- Lovibond's new colour theory, 5
- Matching colours brighter than standards, 18
  - complex colours, 17
- Measuring and naming colours, 21
- Monochromes, 17, 19
- Munro, Dr., 34
- Neutral tint, 18, 24, 26
- North light, 15

- Past theories, 3  
 Photographic energies, 53  
 Physical colour constants, 8  
 Pigmentary black, 15, 71  
 Primary colours, 1  
 Prismatic spectrum colours, 29  
  
 Qualitative analysis of colour,  
     17, 19, 24  
 Quantitative analysis of colour,  
     24  
  
 Radiometer, 83  
 Rate of colour absorption, 8  
 Rays, six colour, 7  
 Red ray, 41  
  
 Scales, arbitrary colour, 9  
     coloured, 10, 20  
     cross checking of, 9  
 Scientists and artists, 1, 2  
 Sea fog, 10  
 Specific colour, 32  
 Spectrum colours, 4, 18, 36  
  
 Three colours, 10, 57  
 Time, appreciation of colour by,  
     42  
  
 Ultra violet, 32, 40  
 Unit, checking of, 9  
 Unit, neutral tint, 18, 24, 26  
  
 Wave length position, 37, 38  
 White light, 11, 13

SHORT TITLE LIST

*September, 1915*

# A SHORT LIST OF SCIENTIFIC BOOKS

PUBLISHED BY

**E. & F. N. SPON, LTD**

57, Haymarket, London, S.W.

Telephone—3450 Gerrard.

Telegrams—Fenspon, Charles, London.

	PAGE		PAGE
AGRICULTURE .. .. .	2	MANUFACTURES .. .. .	23
ARCHITECTURE .. .. .	2	MARINE ENGINEERING .. .. .	27
ARTILLERY .. .. .	4	MATERIALS .. .. .	28
AVIATION .. .. .	4	MATHEMATICS .. .. .	29
BRIDGES AND ROOFS .. .. .	5	MECHANICAL ENGINEERING .. .. .	30
BUILDING .. .. .	2	METALLURGY .. .. .	33
CEMENT AND CONCRETE .. .. .	7	METRIC TABLES .. .. .	34
CIVIL ENGINEERING .. .. .	8	MINERALOGY AND MINING .. .. .	34
CURVE TABLES .. .. .	11	MISCELLANEOUS .. .. .	49
DICTIONARIES .. .. .	11	MODEL MAKING .. .. .	36
DOMESTIC ECONOMY .. .. .	12	MOTOR BODY BUILDING .. .. .	4
DRAWING .. .. .	12	MUNICIPAL ENGINEERING .. .. .	41
EARTHWORK .. .. .	13	NAVAL ARCHITECTURE .. .. .	27
ELECTRICAL ENGINEERING .. .. .	13	ORGANIZATION .. .. .	36
FOREIGN EXCHANGE .. .. .	19	PHYSICS .. .. .	37
GAS AND OIL ENGINES .. .. .	19	PRICE BOOKS .. .. .	38
GAS LIGHTING .. .. .	20	RAILWAY ENGINEERING .. .. .	39
HISTORICAL: BIOGRAPHICAL .. .. .	21	SANITATION .. .. .	41
HOROLOGY .. .. .	21	STRUCTURAL DESIGN .. .. .	5
HYDRAULICS; PUMPS .. .. .	21	SURVEYING AND LEVELLING .. .. .	9, 10
INDUSTRIAL CHEMISTRY .. .. .	23	TELEGRAPH CODES .. .. .	43
INSTITUTIONS .. .. .	50	USEFUL TABLES .. .. .	47
INTEREST TABLES .. .. .	25	VALUATION .. .. .	41
IRRIGATION .. .. .	25	WARMING: VENTILATION .. .. .	43
LOGARITHM TABLES .. .. .	26	WATER SUPPLY .. .. .	44
		WORKSHOP PRACTICE .. .. .	45

SOLE ENGLISH AGENTS FOR THE PUBLICATIONS OF  
**MYRON C. CLARK, NEW YORK**  
**SPON AND CHAMBERLAIN, NEW YORK**  
**BUSINESS CODE COY., NEW YORK**

Established 1830.

## AGRICULTURE

- Hemp.** A Practical Treatise on the Culture for Seed and Fibre. By **S. S. Boyce.** 13 illus., 112 pp., crown 8vo. (*New York, 1912.*) 2s. 6d. net.
- Farm Drainage.** By **H. F. French.** 100 illus., 284 pp., crown 8vo. (*New York, 1913.*) 4s. 6d. net.
- Talks on Manures.** By **J. Harris.** New edition, 366 pp., crown 8vo. (*New York, 1902.*) 6s. 6d. net.
- Coffee, its Culture and Commerce in all Countries.** By **C. G. W. Lock.** 11 plates, 274 pp., crown 8vo. (1888.) 12s. 6d.
- Sugar, a Handbook for Planters and Refiners.** By the late **J. A. R. Newlands** and **B. E. R. Newlands.** 236 illus., 876 pp., 8vo. (1909.) £1 5s. net.
- Hops, their Cultivation, Commerce and Uses.** By **P. L. Simmonds.** 143 pp., crown 8vo. (1877.) 4s. 6d.
- Estate Fences, their Choice, Construction and Cost.** By **A. Vernon.** Re-issue, 150 illus., 420 pp., 8vo. (1909.) 8s. 6d. net.

## ARCHITECTURE AND BUILDING

- The Hydropathic Establishment and its Baths.** By **R. O. Allsop.** 8 plates, 107 pp., demy 8vo. (1891.) 5s.
- The Turkish Bath, its Design and Construction.** By **R. O. Allsop.** 27 illus., 152 pp., demy 8vo. (1890.) 6s.
- The Builder's Clerk.** By **T. Bales.** Second edition, 92 pp., fcap. 8vo. (1904.) 1s. 6d.
- Glossary of Technical Terms used in Architecture and the Building Trades.** By **G. J. Burns.** 136 pp., crown 8vo. (1895.) 3s. 6d.
- Chimney Design and Theory.** By **W. W. Christie.** Second edition, 54 illus., 200 pp., crown 8vo. (*New York, 1902.*) 12s. 6d. net.
- Approximate Estimates.** By **T. E. Coleman.** Fourth edition, 407 pp., 32mo. (1914.) 5s. net.

- Stable Sanitation and Construction.** By **T. E. Coleman.** 183 illus., 226 pp., crown 8vo. (1897.) 3s. net.
- House Plans and Building Construction for General Contractors and House Builders.** By **M. M. Dustman.** 511 illus., 239 pp., oblong folio. (*New York, 1912.*) 8s. 6d. net.
- Building Construction Drawing.** By **Richard B. Eaton.** In Two Parts. Imperial 8vo, limp. (1914.)  
 Part I. 26 plates, 59 pp. 1s. 6d. net.  
 Part II. 26 plates, 64 pp. 1s. 6d. net.  
 Parts I and II in one volume. 3s. net.
- Architectural Examples in Brick, Stone, Wood and Iron.** By **W. Fullerton.** Third edition, 245 plates, 254 pp., demy 4to. (1914.) 15s. net.
- Building Supervision.** By **Geo. W. Grey.** x + 146 pp., crown 8vo. (1913.) 2s. 6d. net.
- The Clerk of Works' Vade Mecum.** By **G. G. Hoskins.** Eighth edition. (1914.) 1s. 6d. net.
- A Handbook of Formulæ, Tables, and Memoranda for Architectural Surveyors.** By **J. T. Hurst.** Fifteenth edition, new impression, 112 illus., viii + 512 pp., royal 32mo, roan. (1915.) 5s. net.
- Paint and Colour Mixing.** By **A. S. Jennings.** Fifth edition, 14 col. plates, 190 pp., 8vo. (1915.) 5s. net.
- Quantity Surveying.** By **J. Leaning.** Fifth edition, new impression, 936 pp., 8vo. (1912.) £1 5s. net.
- Builders' Quantities.** By **H. M. Lewis.** 6 illus., 44 pp., crown 8vo. (S. & C. SERIES, No. 40.) (1911.) 1s. 6d. net.
- Obstruction to Light.** A Graphic Method of determining Problems of Ancient Lights. By **H. B. Molesworth.** 9 folding plates, 4to. (1902.) 6s. net.
- Suburban Houses.** A series of practical plans. By **J. H. Pearson.** 46 plates and 12 pp. text, crown 4to. (1905.) 5s. net.
- Solid Bitumens, their Physical and Chemical Properties.** By **S. F. Peckham.** 23 illus., 324 pp., 8vo. (*New York, 1909.*) £1 1s.
- Roman Architecture, Sculpture and Ornament.** By **G. B. Piranesi.** 200 plates, reproduced in facsimile from the original. 2 vols., imperial folio, in wrappers. (1900.) £2 2s. net.



**The Seven Periods of English Architecture**, defined and illustrated. By **E. Sharpe**. Third edition, 20 steel plates, royal 8vo. (1888.) 12s. 6d.

**Our Factories, Workshops and Warehouses**, their Sanitary and Fire-Resisting Arrangements. By **B. H. Thwaite**. 183 illus., 282 pp., crown 8vo. (1882.) 9s.

**Elementary Principles of Carpentry**. By **T. Tredgold** and **J. T. Hurst**. Eleventh edition, 48 plates, 517 pp., crown 8vo. (1914.) 7s. 6d. net.

- **Motor Body Building** in all its branches. By **C. W. Terry**. With additional matter by **Arthur Hall**. Medium 8vo, 256 pp., 15 illus., 50 plates. (1914.) 10s. 6d. net. Postage: inland, 5d.; abroad, 10d.

**Practical Stair Building and Handrailing**. By **W. H. Wood**. 32 plates, 91 pp., crown 4to. (1894.) 10s. 6d.

**Spons' Architects' and Builders' Pocket Price-Book**. Edited by **Clyde Young**. Revised by **Stanford M. Brooks**. 16mo, green leather cloth (size  $6\frac{1}{2}$  in. by  $3\frac{3}{4}$  in. by  $\frac{1}{2}$  in. thick). 2s. 6d. net. *Revised and issued annually.*

**Spons' Practical Builders' Pocket Book**. Edited by **Clyde Young** and **Stanford M. Brooks**. 74 illus., viii + 456 pp., 16mo, maroon leather cloth (1915). 5s. net.

## ARTILLERY

**Guns and Gun Making Material**. By **G. Ede**. xii + 74 pp. crown 8vo. (1889.) 6s.

**Treatise on Application of Wire to Construction of Ordnance**. By **J. A. Longridge**. 180 pp., 8vo. (1884.) £1 5s.

## AVIATION

**The Atmosphere, its Characteristics and Dynamics**. By **F. J. B. Cordeiro**. 35 illus., 129 pp., small 4to. (*New York, 1910.*) 10s. 6d. net.

**Theory and Practice of Model Aeroplaning**. By **V. E. Johnson**. 61 illus., xvi + 148 pp., crown 8vo. (1910.) 3s. 6d. net.

**Natural Stability and the Parachute Principle in Aeroplanes.** By W. Le Maitre. 34 illus., 48 pp., crown 8vo. (S. & C. SERIES, No. 39.) (1911.) 1s. 6d. net.

**How to Build a 20-ft. Bi-plane Glider.** By A. P. Morgan. 31 illus., 60 pp., crown 8vo. (S. & C. SERIES, No. 14.) (New York, 1909.) 1s. 6d. net.

**Flight-Velocity.** By A. Samuelson. 4 plates, 42 pp., 8vo, sewed. (1906.) 2s. net.

**Resistance of Air and the Question of Flying.** By A. Samuelson. 23 illus., 36 pp., 8vo, sewed. (1905.) 2s. net.

**The Laws of Avanzini.** Laws of Planes moving at an angle in air and water. By Lieut.-Col. R. de Villamil. 2 folding plates, 3 illus., 23 pp., super royal 8vo, sewed. (1912.) 2s. net.

**Aeroplanes in Gusts, Soaring Flight and Aeroplane Stability.** By S. L. Walkden. Second Edition. 4 plates, 47 illus., xvi + 188 pp., 8vo. (1913.) 12s. 6d. net.

## BRIDGES, ARCHES, ROOFS, AND STRUCTURAL DESIGN

**Strains in Ironwork.** By Henry Adams. Fourth edition, 8 plates, 65 pp., crown 8vo. (1904.) 5s.

**Designing Ironwork.** By Henry Adams. Second series. 8vo, sewed.

Part I. A Steel Box Girder. (1894.) 9d. net.

„ II. Built-up Steel Stanchions. (1901.) 1s. 3d. net.

„ III. Cisterns and Tanks. (1902.) 1s. net.

„ IV. A Fireproof Floor. (1903.) 1s. net.

**Columns and Struts.** Theory and Design. By Wm. Alexander. 101 illus., xii + 265 pp., demy 8vo. (1912.) 10s. 6d. net.

**A Practical Treatise on Segmental and Elliptical Oblique or Skew Arches.** By G. J. Bell. Second edition, 17 plates, 125 pp., royal 8vo. (1906.) £1 1s. net.

**Economics of Construction** in relation to Framed Structures. By R. H. Bow. Third thousand, 16 plates, 88 pp., 8vo. (1873.) 5s.

**Theory of Voussoir Arches.** By Prof. W. Cain. Third edition, 201 pp., 18mo, boards. (New York, 1905.) 2s. net.



**Theory of Arches and Suspension Bridges.** By J. Melan and D. B. Steinman, C.E., Ph.D. Demy 8vo, 303 pp., 118 illus. (*New York, 1913.*) 15s. net. Postage: inland, 5d.; abroad, 10d.

**New Formulæ for the Loads and Deflections of Solid Beams and Girders.** By W. Donaldson. Second edition, 11 illus., viii + 56 pp., 8vo. (1872.) 4s. 6d.

**Plate Girder Railway Bridges.** By M. Fitzmaurice. 4 plates, 104 pp., 8vo. (1895.) 6s.

**Pocket Book of Calculations in Stresses.** By E. M. George. 66 illus., 140 pp., royal 32mo, half roan. (1895.) 3s. 6d.

**Tables for Roof Framing.** By G. D. Inskip. Second edition, 451 pp., 8vo, leather. (*New York, 1905.*) 12s. 6d. net.

**Stresses in Girder and Roof Frames,** for both dead and live loads, by simple Multiplication, etc. By F. R. Johnson. 28 plates, 215 pp., crown 8vo. (1894.) 6s.

**A Graphical Method for Swing Bridges.** By B. F. La Rue. 4 plates, 104 pp., 18mo, boards. Second Edition. (*New York, 1904.*) 2s. net.

**Notes on Cylinder Bridge Piers and the Well System of Foundations.** By J. Newman. 144 pp., 8vo. (1893.) 6s.

**Calculation of Columns.** By T. Nielsen. 4 plates, 36 pp., 8vo. (1911.) 4s. 6d. net.

**A New Method of Graphic Statics** applied in the Construction of Wrought Iron Girders. By E. Olander. 16 plates, small folio. (1887.) 10s. 6d.

**Steel Bar and Plate Tables.** Giving Weight of a Lineal Foot of all sizes of L and T Bars, Flat Bars, Plates, Square and Round Bars. By E. Read. On large folding card. 1s. net.

**Reference Book for Statical Calculations.** By F. Ruff. With diagrams, 140 pp., crown 8vo. (1906.) 5s. net.

**Suspension Bridges and Cantilevers.** By D. B. Steinmann. vii + 185 pp., 18mo, boards. (VAN NOSTRAND SERIES, No. 127.) (*New York, 1911.*) 2s. net.

**The Anatomy of Bridgework.** By W. H. Thorpe. 103 illus., 190 pp., crown 8vo. (1914.) 6s. net.

## CEMENT AND CONCRETE

**Portland Cement**, its Manufacture, Testing and Use. By **D. B. Butler**. Third edition, 135 illus., including 17 plates, xii + 450 pp., 8vo. (1913.) 16s. net.

**Theory of Steel-Concrete Arches** and of Vaulted Structures. By **W. Cain**. Fifth ed., 27 illus., 212 pp., 18mo, boards. (New York, 1909.) 2s. net.

**Reinforced Concrete Construction. Elementary Course.** By **M. T. Cantell**. 65 illus., 135 pp., crown 8vo. (1911.) 4s. 6d. net.

**Reinforced Concrete Construction. Advanced Course.** By **M. T. Cantell**. 242 illus., xvi + 240 pp., super royal 8vo. (1912.) 12s. 6d. net.

**Graphical Reinforced Concrete Design.** A series of Diagrams on sheets (measuring  $17\frac{1}{2}$  in. by  $22\frac{1}{2}$  in.) for Designing and Checking. With 48-page pamphlet. By **J. A. Davenport**. Complete in roll. (1911.) 5s. net.

**Cement Users' and Buyers' Guide.** By **Calcare**. 115 pp., 32mo, cloth. (1901.) 1s. 6d. net.

**Diagrams for Designing Reinforced Concrete Structures.** By **G. F. Dodge**. 31 illus., 104 pp., oblong folio. (New York, 1910.) 17s. net.

**Cements, Mortars, and Concretes ; their Physical properties.** By **M. S. Falk**. 78 illus., 176 pp., 8vo. (New York, 1904.) 10s. 6d. net.

**Concrete Construction, Methods and Cost.** By **H. P. Gillette** and **C. S. Hill**. 310 illus., 690 pp., 8vo. (New York, 1908.) £1 1s. net.

### Works by A. A. HOUGHTON.

**Practical Silo Construction.** 18 illus., 69 pp., cr. 8vo. (S. & C. SERIES, No. 27.) (New York, 1911.) 1s. 6d. net.

**Moulding Concrete Chimneys, Slate and Roof Tiles.** 15 illus., 61 pp., cr. 8vo. (S. & C. SERIES, No. 28.) (New York, 1911.) 1s. 6d. net.

**Moulding and Curing Ornamental Concrete.** 5 illus., 58 pp., cr. 8vo. (S. & C. SERIES, No. 29.) (New York, 1911.) 1s. 6d. net.

**Concrete Wall Forms.** 16 illus., 62 pp., cr. 8vo. (S. & C. SERIES, No. 30.) (*New York, 1912.*) 1s. 6d. net.

**Concrete Monuments, Mausoleums and Burial Vaults.** 18 illus., 65 pp., cr. 8vo. (S. & C. SERIES, No. 31.) (*New York, 1911.*) 1s. 6d. net.

**Concrete Floors and Sidewalks.** 8 illus., 63 pp., cr. 8vo. (S. & C. SERIES, No. 32.) (*New York, 1911.*) 1s. 6d. net.

**Moulding Concrete Baths, Tubs, Aquariums and Natatoriums.** 16 illus., 64 pp., cr. 8vo. (S. & C. SERIES, No. 33.) (*New York, 1911.*) 1s. 6d. net.

**Concrete Bridges, Culverts, and Sewers.** 14 illus., 58 pp., cr. 8vo. (S. & C. SERIES, No. 34.) (*New York, 1912.*) 1s. 6d. net.

**Constructing Concrete Porches.** 18 illus., 62 pp., cr. 8vo. (S. & C. SERIES, No. 35.) 1s. 6d. net.

**Moulding Concrete Flower-Pots, Boxes, Jardinières, etc.** 8 illus., 52 pp., cr. 8vo. (S. & C. SERIES, No. 36.) (*New York, 1912.*) 1s. 6d. net.

**Moulding Concrete Fountains and Lawn Ornaments.** 14 illus., 56 pp., crown 8vo. (S. & C. SERIES, No. 37.) (*New York, 1912.*) 1s. 6d. net.

---

**Concrete and Reinforced Concrete.** By H. A. Reid. 715 illus., 884 pp., royal 8vo. (*New York, 1907.*) £1 1s. net.

**Specification for Concrete Flags.** Issued by the Institution of Municipal and County Engineers. Folio, sewed. (*1911.*) 2s. 6d. net.

## CIVIL ENGINEERING

### Canals, Surveying.

(See also *Irrigation and Water Supply.*)

**Practical Hints to Young Engineers Employed on Indian Railways.** By A. W. C. Addis. 14 illus., 154 pp., 12mo. (*1910.*) 3s. 6d. net.

**Levelling, Barometric, Trigonometric and Spirit.** By I. O. Baker. Third edition, 15 illus., 145 pp., 18mo, boards. (*New York, 1910.*) 2s. net.

**River and Canal Engineering.** By E. S. Bellasis. 72 illus., x + 220 pp., 8vo. (*1913.*) 8s. 6d. net.

- Punjab Rivers and Works.** By E. S. Bellasis. Second edition, 47 illus., viii + 64 pp., folio. (1912.) 8s. net.
- Notes on Instruments** best suited for Engineering Field Work in India and the Colonies. By W. G. Bligh. 65 illus., 218 pp., 8vo. (1914.) 5s. 6d.
- The Civil Engineers' Cost Book.** By Major T. E. Coleman, R.E. xii + 289 pp., Pocket size ( $6\frac{1}{2} \times 3\frac{5}{8}$  in.), leather cloth. Second edition. (1915.) 5s. net.
- Retaining Walls in Theory and Practice.** By T. E. Coleman. 104 illus., 160 pp., crown 8vo. (1914.) 5s. net.
- On Curved Masonry Dams.** By W. B. Coventry. 8vo, sewed. (1894.) 2s.
- A Practical Method of Determining the Profile of a Masonry Dam.** By W. B. Coventry. 8vo, sewed. (1894.) 2s. 6d.
- The Stresses on Masonry Dams** (oblique sections). By W. B. Coventry. 8vo, sewed. (1894.) 2s.
- Handbook of Cost Data for Contractors and Engineers.** By H. P. Gillette. 1,854 pp., crown 8vo, leather, gilt edges. Second ed. (New York, 1914.) £1 1s. net.
- High Masonry Dams.** By E. S. Gould. 2nd edit. With illus., 88 pp., 18mo, boards. (New York, 1905.) 2s. net.
- Railway Tunnelling in Heavy Ground.** By C. Gripper. 3 plates, 66 pp., royal 8vo. (1879.) 7s. 6d.
- Levelling and its General Application.** By Thomas Holloway. Revised by H. T. Tallack. 8vo, 71 illus., 149 pp. Third ed. (1914.) 2s. 6d. net. Postage: inland, 4d.; abroad, 6d.
- Waterways and Water Transport.** By J. S. Jeans. 55 illus., 520 pp., 8vo. (1890.) 9s. net.
- Table of Barometrical Heights to 20,000 Feet.** By Lieut.-Col. W. H. Mackesy. 1 plate, 24 pp., royal 32mo. 3s.
- Aid Book to Engineering Enterprise.** By E. Matheson. Third edition, illustrated, 916 pp., medium 8vo, buckram. (1898.) £1 4s.
- A Treatise on Surveying.** By R. E. Middleton and O. Chadwick. Third edition, royal 8vo. (1911.)  
     Part I. 11 plates, 162 illus., 285 pp. 10s. 6d.  
     ,, II. 152 illus. and 2 plates, 340 pp. 10s. 6d.



**A Pocket Book of Useful Formulæ and Memoranda**, for Civil and Mechanical Engineers. By Sir **G. L. Molesworth** and **H. B. Molesworth**. With an Electrical Supplement by **W. H. Molesworth**. Twenty-seventh edition, 800 illus., viii + 936 pp., oblong 32mo, leather. (1913.) 5s. net.

**The Pocket Books of Sir G. L. Molesworth and J. T. Hurst**, printed on India paper and bound in one vol. Royal 32mo, russia, gilt edges. 10s. 6d. net.

**Metallic Structures : Corrosion and Fouling and their Prevention**. By **J. Newman**. 38 Illus., xii + 374 pp., crown 8vo. (1896.) 9s.

**Scamping Tricks and Odd Knowledge** occasionally practised upon Public Works. By **J. Newman**. New imp., 129 pp., crown 8vo. (1908.) 2s. net.

**Compensation Discharge in the Rivers and Streams of the West Riding** (Yorkshire, England). By **M. M. Pater-son**. 55 pp., 8vo. (1896.) 2s. net.

**Co-ordinate Geometry** applied to Land Surveying. By **W. Pilkington**. 5 illus., 44 pp., 12mo. (1909.) 1s. 6d. net.

**Pioneering**. By **F. Shelford**. 14 Illus., 88 pp., crown 8vo. (1909.) 3s. net.

**Topographical Surveying**. By **G. J. Specht**. 4th edition, 2 plates and 28 illus., 210 pp., 18mo, boards. (*New York, 1910.*) 2s. net.

**Spons' Dictionary of Engineering**, Civil, Mechanical, Military and Naval. 10,000 illus., 4,300 pp., super royal 8vo. (1874, Supplement issued in 1881.) Complete, in 4 vols. £3 3s. net.

**Surveying and Levelling Instruments**. Theoretically and practically described. By **W. F. Stanley**. Revised by **H. T. Tallack**. For Construction, Qualities, Selection, Preservation, Adjustments and Uses ; with other apparatus and appliances used by Civil Engineers and Surveyors in the field. Fourth ed. 433 illus., 606 pp. (1914.) 7s. 6d. net. Postage: inland, 5d. ; abroad, 10d.

**Surveyor's Handbook**. By **T. U. Taylor**. 116 illus., 310 pp., crown 8vo, leather, gilt edges. (*New York, 1908.*) 8s. 6d. net.

**Logarithmic Land Measurement**. By **J. Wallace**. 32 pp., royal 8vo. (1910.) 5s. net.

- Land Drainage.** A Treatise on the Design and Construction of Open and Closed Drains. By **J. L. Parsons**, Assoc. M. W. Socy. of Engineers. Demy 8vo, 36 illus., 22 tables, 165 pp. (*New York, 1915.*) 7s. 6d. net. Postage: inland, 4d.; abroad, 6d.
- The Drainage of Fens and Low Lands** by Gravitation and Steam Power. By **W. H. Wheeler**. 8 plates, 175 pp., 8vo. (1888.) 12s. 6d.
- Stadia Surveying**, the theory of Stadia Measurements. By **A. Winslow**. Ninth ed, 148 pp., 18mo, boards. (*New York, 1913.*) 2s. net.
- Handbook on Tacheometrical Surveying.** By **C. Xydis**. 55 illus., 3 plates, 63 pp., 8vo. (1909.) 6s. net.

## CURVE TABLES

- Grace's Tables for Curves**, with hints to young engineers. 8 figures, 43 pp., oblong 8vo. (1908.) 5s. net.
- Data relating to Railway Curves and Super-elevations**, shown graphically. By **J. H. Haiste**. On folding card for pocket use. 6d. net.
- Tables for setting-out Railway Curves.** By **C. P. Hogg**. A series of cards in neat cloth case. 4s. 6d.
- Tables for setting out Curves** for Railways, Roads, Canals, etc. By **A. Kennedy** and **R. W. Hackwood**. 32mo. 2s. net.
- Spiral Tables.** By **J. G. Sullivan**. 47 pp., 12mo, leather. (*New York.*) 6s. 6d. net.
- Tables for Setting out Curves** from 101 to 5,000 feet radius. By **H. A. Cutler** and **F. J. Edge**. Royal 32mo. 2s. net.
- Tables of Parabolic Curves** for the use of Railway Engineers, and others. By **G. T. Allen**. Fcap. 16mo. 4s.
- Transition Curves.** By **W. G. Fox**. Second edition, 80 pp., 18mo, boards. (*New York.*) 2s. net.

## DICTIONARIES

- Technological Dictionary in the English, Spanish, German and French Languages.** By **D. Carlos Huelin Y Arssu**. Crown 8vo.  
Vol. I. ENGLISH-SPANISH-GERMAN-FRENCH. 609 pp. (1906.) 10s. 6d. net.

- Vol. II. GERMAN-ENGLISH-FRENCH-SPANISH. 720 pp.  
(1908.) 10s. 6d. net.
- Vol. III. FRENCH-GERMAN-SPANISH-ENGLISH. *In preparation.*
- Vol. IV. SPANISH-FRENCH-ENGLISH-GERMAN. 750 pp.  
(1910.) 10s. 6d. net.
- Dictionary of English and Spanish Technical and Commercial Terms.** By W. Jackson. 164 pp., fcap. 8vo.  
(1911.) 2s. 6d. net.
- English-French and French-English Dictionary of the Motor-Car, Cycle and Boat.** By F. Lucas. 171 pp., crown 8vo. (1915.) 2s. net.
- Spanish-English Dictionary of Mining Terms.** By F. Lucas. 78 pp., 8vo. (1905.) 5s. net.
- English-Russian and Russian-English Engineering Dictionary.** By L. Meycliar. 100 pp., 16mo. (1909.) 2s. 6d. net.

## DOMESTIC ECONOMY

- Food Adulteration and its Detection.** By J. P. Battershall. 12 plates, 328 pp., demy 8vo. (*New York, 1887.*) 15s.
- The Cooking Range, its Failings and Remedies.** By F. Dye. 52 pp., fcap. 8vo, sewed. (1888.) 6d.
- Spices and How to Know Them.** By W. M. Gibbs. With 47 plates, including 14 in colours, 179 pp., 8vo. (*New York, 1909.*) 15s. net.
- The Kitchen Boiler and Water Pipes.** By H. Grimshaw. 8vo, sewed. (1887.) 1s. net.
- Spons' Household Manual.** 250 illus., 1,043 pp., demy 8vo. (1902.) 7s. 6d.
- Ditto ditto half-bound French morocco. 9s.

## DRAWING

- The Ornamental Penman's, Engraver's and Sign Writer's Pocket Book of Alphabets.** By B. Alexander. New Impression. Oblong 12mo, sewed. 6d. net.
- Slide Valve Diagrams :** a French Method for their Construction. By L. Bankson. 18mo, boards. (*New York, 1892.*) 2s. net.



- A System of Easy Lettering.** By **J. H. Cromwell**. Twelfth edition, 39 plates, oblong 8vo. (*New York, 1912.*) 2s. 6d. net.
- Key to the Theory and Methods of Linear Perspective.** By **C. W. Dymond**, F.S.A. 6 plates, 32 pp., crown 8vo. (*S. & C. SERIES, No. 20.*) (*1910.*) 1s. 6d. net.
- Plane Geometrical Drawing.** By **R. C. Fawdry**. Illustrated, 185 pp., crown 8vo. (*1901.*) 3s. net.
- Hints on Architectural Draughtsmanship.** By **G. W. T. Hallatt**. Fourth ed., 80 pp., 18mo. (*1906.*) 1s. 6d. net.
- A First Course of Mechanical Drawing (Tracing).** By **G. Halliday**. Oblong 4to, sewed. 2s.
- A Text-Book of Graphic Statics.** By **C. W. Malcolm**. 155 illus., 316 pp., 8vo. (*New York, 1909.*) 12s. 6d. net.
- Drawings for Medium-sized Repetition Work.** By **R. D. Spinney**. 47 illus., 130 pp., 8vo. (*1909.*) 3s. 6d. net.
- Mathematical Drawing Instruments.** By **W. F. Stanley**. Seventh ed., 265 illus., 370 pp., cr. 8vo. (*1900.*) 5s.

## EARTHWORK

- Tables for Computing the Contents of Earthwork in the Cuttings and Embankments of Railways.** By **W. Macgregor**. 1 plate, 59 pp., royal 8vo. 6s.
- Tables for facilitating the Calculation of Earthworks.** By **D. Cunningham**. 120 pp., royal 8vo. 10s. 6d.
- Grace's Earthwork Tables.** 36 double-page tables, 4to. 12s. 6d. net.
- Earthwork Slips and Subsidences on Public Works.** By **J. Newman**. 240 pp., crown 8vo. (*1890.*) 7s. 6d.

## ELECTRICAL ENGINEERING

- Journal of the Institution of Electrical Engineers.** Edited by **P. F. Rowell**, Secretary. Issued in quarto parts. The number of parts are from 12 to 16 annually. Annual Subscription, 46s. post free, payable in advance. Single copies, 3s. 9d. post free.

- Practical Electric Bell Fitting.** By F. C. Allsop. Tenth edition, 186 illus., including 8 folding plates, 185 pp., cr. 8vo. (1914.) 2s. 6d. net.
- Telephones :** their Construction and Fitting. By F. C. Allsop. Eighth edition, new imp., 184 illus., 222 pp., cr. 8vo. (1914.) 2s. 6d. net.
- Electric Bell Construction.** By F. C. Allsop. New imp., 177 illus., xii + 131 pp., cr. 8vo. (1914.) 2s. 6d. net.
- Induction Coils and Coil Making.** By F. C. Allsop. Second edition, new imp., 125 illus., xii + 172 pp., cr. 8vo. (1914.) 2s. 6d. net.
- Auto-Transformer Design.** By A. H. Avery. 25 illus., 60 pp., 8vo. (1909.) 2s. 6d. net.
- Principles of Electric Power** (Continuous Current) for Mechanical Engineers. By A. H. Bate. 63 illus., 204 pp., crown 8vo. (1914.) (FINSBURY TECHNICAL MANUAL.) 4s. 6d. net.
- Practical Construction of Electric Tramways.** By W. R. Bowker. 93 illus., 119 pp., 8vo. (1914.) 6s. net.
- Dynamo Lighting for Motor Cars.** By M. A. Codd. Second edition, 140 illus., vi + 107 pp., 8vo. (1914.) 2s. 6d. net.
- Design and Construction of Induction Coils.** By A. F. Collins. 155 illus., 272 pp., demy 8vo. (New York, 1909.) 12s. 6d. net.
- Switchboard Measuring Instruments** for Continuous and Polyphase Currents. By J. C. Connan. 117 illus., 150 pp., 8vo. (1914.) 3s. 6d. net.
- Electric Cables, their Construction and Cost.** By D. Coyle and F. J. O. Howe. With many diagrams and 216 tables, 466 pp., crown 8vo, leather. (1909.) 15s. net.
- Management of Electrical Machinery.** By F. B. Crocker and S. S. Wheeler. Eighth edition, 131 illus., 223 pp., crown 8vo. (New York, 1909.) 4s. 6d. net.
- Electric Lighting :** A Practical Exposition of the Art. By F. B. Crocker. Royal 8vo. (New York.)  
Vol. I. **The Generating Plant.** Sixth edition, 213 illus., 470 pp. (1904.) 12s. 6d. net.  
Vol. II. *New edition in preparation.*

**The Care and Management of Ignition Accumulators.**

By **H. H. U. Cross.** 12 illus., 74 pp., crown 8vo. (S. & C. SERIES, No. 19.) (1910.) 1s. 6d. net.

**Elements of Telephony.** By **A. Crotch.** 51 illus., 90 pp., crown 8vo. (S. & C. SERIES, No. 21.) (1911.) 1s. 6d. net.

**Elementary Telegraphy and Telephony.** By **Arthur Crotch.** New impression, 238 illus., viii + 223 pp., 8vo. (FINSBURY TECHNICAL MANUAL.) (1912.) 4s. 6d. net.

**Electricity and Magnetism in Telephone Maintenance.**

By **G. W. Cummings.** 45 illus., 137 pp., 8vo. *New York, 1908.*) 6s. 6d. net.

**Grouping of Electric Cells.** By **W. F. Dunton.** 4 illus., 50 pp., fcap. 8vo. (1914.) 1s. 6d. net.

**Wireless Telegraphy for Intending Operators.** By **C. K. P. Eden.** 16 illus., 80 pp., cr. 8vo. (S. & C. SERIES, No. 24.) (1913.) 1s. 6d. net.

**Magnets and Electric Currents.** By **J. A. Fleming, M.A., D.Sc., F.R.S.** An elementary treatise for the use of Electrical Artisans and Science Teachers. Cr. 8vo, 136 illus., 408 pp. Third ed. (1914.) 3s. 6d. net. Postage: inland, 4d.; abroad, 8d.

**Notes on Design of Small Dynamo.** By **George Halliday.** Second edition, 8 plates, 8vo. (1895.) 2s. 6d.

**Practical Alternating Currents and Power Transmission.**

By **N. Harrison.** 172 illus., 375 pp., crown 8vo. (*New York, 1906.*) 10s. 6d. net.

**Plans and Specification for Wireless Telegraph Sets.** By **A. F. Collins.** Crown 8vo. (S. & C. SERIES, Nos. 41 and 42.) (*New York, 1912.*) 1s. 6d. each net.

PART I. An Experimental Set and a One to Five Miles Set. 37 illus., viii + 45 pp.

PART II. A Five to Ten Mile Set and a Ten to Twenty Mile Set. 63 illus., viii + 72 pp.

**Practical and Experimental Wireless Telegraphy.** A Handbook for Operators, Students and Amateurs. By **W. J. Shaw**, Member of the Wireless Society of London. 42 illus., 102 pp., cr. 8vo. (1914.) 3s. 6d. net. Post free, 3s. 10d.

- Making Wireless Outfits.** By N. Harrison. 27 illus., 61 pp., crown 8vo. (S. & C. SERIES, No. 11.) Second ed. (*New York, 1914.*) 1s. 6d. net.
- Wireless Telephone Construction.** By N. Harrison. 43 illus., 73 pp., crown 8vo. (S. & C. SERIES, No. 12.) (*New York, 1913.*) 1s. 6d. net.
- Wireless Time Signals,** Radio-Telegraphic Time and Weather Signals transmitted from the Eiffel Tower and their Receipt. Authorised Translation of the Report of the Bureau of Longitudes with additional Tables and Data. Cr. 8vo, 133 pp., 1 folding plate, 30 illus. (1915.) 3s. 6d. net. Postage 4d.
- Testing Telegraph Cables.** By Colonel V. Hoskier. Third edition, 11 illus., viii + 75 pp., crown 8vo. (1889.) 4s. 6d.
- Long Distance Electric Power Transmission.** By R. W. Hutchinson. 136 illus., 345 pp., crown 8vo. (*New York, 1907.*) 12s. 6d. net.
- Theory and Practice of Electric Wiring.** By W. S. Ibbetson. 119 illus., 366 pp., crown 8vo. (1914.) 3s. 6d. net.
- Practical Electrical Engineering for Elementary Students.** By W. S. Ibbetson. 61 illus., 155 pp., crown 8vo. (1914.) 2s. 6d. net.
- Form of Model General Conditions,** recommended for use in connection with Contracts for Electrical Works. Issued by the **Institution of Electrical Engineers.** F'cap, 19 pp. Revised April, 1914. 6d. net. Postage 1d.
- Telegraphy for Beginners.** By W. H. Jones. 19 illus., 58 pp., crown 8vo. Second ed. (*New York, 1913.*) 2s. net.
- A Handbook of Electrical Testing.** By H. R. Kempe. Seventh ed., 285 illus., 706 pp., 8vo. (1908.) 18s. net.
- Electromagnets, their Design and Construction.** By A. N. Mansfield. 36 illus., 155 pp., 18mo, boards. Second ed. (*New York, 1908.*) 2s. net.
- Telephone Construction, Methods and Cost.** By C. Mayer. With Appendices on the cost of materials and labour by J. C. Slippy. 103 illus., 284 pp., crown 8vo. (*New York, 1908.*) 12s. 6d. net.
- Practical Electrics :** a Universal Handybook on Every Day Electrical Matters. Ninth ed., 126 illus., 135 pp., 8vo. (S. & C. SERIES, No. 13.) (*New York, 1909.*) 1s. 6d. net.



**Wiring Houses for the Electric Light.** By N. H. Schneider. 40 illus., 85 pp., crown 8vo. (S. & C. SERIES, No. 25.) (*New York, 1911.*) 1s. 6d. net.

**Induction Coils.** By N. H. Schneider. 79 illus., 285 pp., crown 8vo. Second ed. (*New York, 1909.*) 4s. 6d. net.

**How to Install Electric Bells, Annunciators and Alarms.** By N. H. Schneider. Second edition. (1913.) 70 illus., 83 pp., crown 8vo. (S. & C. SERIES, No. 2.)

**Modern Primary Batteries,** their construction, use and maintenance. By N. H. Schneider. 54 illus., 94 pp., crown 8vo. (S. & C. SERIES, No. 1.) (*New York, 1910.*) 1s. 6d. net.

**Practical Engineers' Handbook on the Care and Management of Electric Power Plants.** By N. H. Schneider. 203 illus., 274 pp., crown 8vo. (*New York, 1906.*) 5s. net.

**Electrical Circuits and Diagrams,** illustrated and explained. By N. H. Schneider. 8vo. (S. & C. SERIES, Nos. 3 and 4.) (*New York.*)

No. 3, Part 1. Second edition. 217 illus., 72 pp. (*New York, 1914.*) 1s. 6d. net.

No. 4, Part 2. 73 pp. Second ed. (1911.) 1s. 6d. net.

**Electrical Instruments and Testing.** By N. H. Schneider and J. Hargrave. Fourth edition, 133 illus., xxiv + 256 pp., cr. 8vo. (*New York, 1913.*) 4s. 6d. net.

**Experimenting with Induction Coils.** By N. H. Schneider. 26 illus., 73 pp., crown 8vo. (S. & C. SERIES, No. 5.) (*New York, 1911.*) 1s. 6d. net.

**Study of Electricity for Beginners.** By N. H. Schneider. 54 illus., 88 pp., crown 8vo. (S. & C. SERIES, No. 6.) (*New York, 1910.*) 1s. 6d. net.

**Wiring Houses for the Electric Light : Low Voltage Battery Systems.** 44 illus., 86 pp., crown 8vo. (S. & C. SERIES, No. 25.) (*New York, 1911.*) 1s. 6d. net.

**Low Voltage Electric Lighting with the Storage Battery.** By N. H. Schneider. 23 illus., 85 pp., crown 8vo. (S. & C. SERIES, No. 26.) (*New York, 1911.*) 1s. 6d. net.

**Dry Batteries : how to Make and Use them.** By a Dry Battery Expert. With additional notes by N. H. Schneider. 30 illus., 59 pp., crown 8vo. (S. & C. SERIES, No. 7.) (*New York, 1910.*) 1s. 6d. net.

**The Diseases of Electrical Machinery.** By **E. Schulz.**  
Edited, with a Preface, by Prof. **S. P. Thompson.** 42  
illus., 84 pp., cr. 8vo. (1904.) 2s. net.

**Electricity Simplified.** By **T. O. Sloane.** Thirteenth edition,  
29 illus., 158 pp., crown 8vo. (New York, 1905.) 4s. 6d. net.

**How to become a Successful Electrician.** By **T. O. Sloane.**  
Fifteenth edition, 4 illus., 202 pp., crown 8vo. (New York,  
1906.) 4s. 6d. net.

**Electricity : its Theory, Sources and Applications.** By **J. T. Sprague.** Third edition, 109 illus., 658 pp., crown 8vo.  
(1892.) 7s. 6d. net.

**Telegraphic Connections.** By **C. Thom** and **W. H. Jones.**  
20 plates, 59 pp., oblong 8vo. (New York, 1892.) 3s. 6d.  
net.

**Dynamo Electric Machinery.** By Prof. **S. P. Thompson.**  
Seventh edition, demy 8vo. (FINSBURY TECHNICAL MANUAL.)

Vol. I. CONTINUOUS-CURRENT MACHINERY. With 4  
coloured and 30 folding plates, 573 illus.,  
984 pp. (1904.) £1 10s. net.

Vol. II. ALTERNATING CURRENT MACHINERY. 15  
coloured and 24 folding plates, 546 illus.,  
900 pp. (1905.) £1 10s. net.

**Design of Dynamos (Continuous Currents).** By Prof. **S. P. Thompson.** 4 coloured and 8 folding plates, 243 pp.,  
demy 8vo. (1903.) 12s. net.

**Schedule for Dynamo Design,** issued with the above. 6d.  
each, 4s. per doz., or 18s. per 100, net.

**Curves of Magnetic Data for Various Materials.** A reprint  
on transparent paper for office use of Plate I from Dynamo  
Electric Machinery, and measuring 25 in. by 16 in. 7d. net.

**Electrical Tables and Memoranda.** By Prof. **S. P. Thompson.** Second ed., 15 illus. viii. + 136 pp., oblong  
64mo (waistcoat-pocket size), leather. (1913.) 1s. net.  
Do., do., in celluloid case. 1s. 6d. net.

**Elements of Electro-Plating.** By **J. T. Sprague.** Cr. 8vo,  
72 pp., 2 illus. (1914.) (S. & C. Series, No. 44.) 1s. 6d.  
net. Postage 2d.

**The Electromagnet.** By **C. R. Underhill.** 67 illus., 159 pp.,  
crown 8vo. (New York, 1903.) 6s. 6d. net.



**Practical Guide to the Testing of Insulated Wires and Cables.** By **H. L. Webb**. Fifth edition, 38 illus., 118 pp., crown 8vo. (*New York, 1902.*) 4s. 6d. net.

**Wiring Rules.** With Extracts from the Board of Trade Regulations and the Home Office Regulations for Factories and Workshops. Issued by **The Institution of Electrical Engineers**. Sixth edition, 42 pp., 8vo, sewed. (*1911.*) 6d. net.

## FOREIGN EXCHANGE

**English Prices with Russian Equivalents** (at Fourteen Rates of Exchange). English prices per lb., with equivalents in roubles and kopecks per pood. By **A. Adiassewich**. 182 pp., fcap. 32mo. 1s. net.

**English Prices with German Equivalents** (at Seven Rates of Exchange). English Prices per lb., with equivalents in marks per kilogramme. By **St. Koczorowski**. 95 pp., fcap. 32mo. 1s. net.

**English Prices with Spanish Equivalents.** At Seven Rates of Exchange. English prices per lb., with equivalents in pesetas per kilogramme. By **S. Lambert**. 95 pp., 32mo. 1s. net.

**English Prices with French Equivalents** (at Seven Rates of Exchange). English prices per lb. to francs per kilogramme. By **H. P. McCartney**. 97 pp., 32mo. 1s. net.

**Principles of Foreign Exchange.** By **E. Matheson**. Fourth edition, 54 pp., 8vo, sewed. (*1905.*) 3d. net.

## GAS AND OIL ENGINES

**The Theory of the Gas Engine.** By **D. Clerk**. Edited by **F. E. Idell**. Third edition, 19 illus., 180 pp., 18mo, boards. (*New York, 1903.*) 2s. net.

**Electrical Ignition for Internal Combustion Engines.** By **M. A. Codd**. 109 illus., 163 pp., crown 8vo. (*1911.*) 3s. net.

**Design and Construction of Oil Engines**, with full directions for Erecting, Testing, Installing, Running and Repairing, including descriptions of American and English Kerosene Oil Engines, with an appendix on Marine Oil Engines. By **A. H. Goldingham**, M.E., M.Am.S.M.E. Fourth edition, 137 illus., 299 pp. (*New York, 1914.*) 8s. 6d. net. Postage: inland, 5d.; abroad, 10d.

**Gas Engine in Principle and Practice.** By **A. H. Goldingham.** New impression, 107 illus., 195 pp., 8vo. (*New York, 1912.*) 6s. 6d. net.

**Practical Handbook on the Care and Management of Gas Engines.** By **G. Lieckfeld.** Third edition, square 16mo. (*New York, 1906.*) 3s. 6d.

**Elements of Gas Engine Design.** By **S. A. Moss.** 197 pp., 18mo, boards. Second ed. (*New York, 1907.*) 2s. net.

**Gas and Petroleum Engines.** A Manual for Students and Engineers. By **Prof. W. Robinson.** (FINSBURY TECHNICAL MANUAL.) *Third edition in preparation.*

## GAS LIGHTING

**Transactions of the Institution of Gas Engineers.** Edited by **Walter T. Dunn, Secretary.** Published annually. 8vo. 10s. 6d. net.

**Gas Analyst's Manual.** By **J. Abady.** 102 illus., 576 pp., demy 8vo. (*1902.*) 18s. net.

**Gas Works :** their Arrangement, Construction, Plant and Machinery. By **F. Colyer.** 31 folding plates, 134 pp., 8vo. (*1884.*) 8s. 6d. net.

**Lighting by Acetylene.** By **F. Dye.** 75 illus., 200 pp., crown 8vo. (*1902.*) 6s. net.

**A Comparison of the English and French Methods of Ascertaining the Illuminating Power of Coal Gas.** By **A. J. Van Eijndhoven.** Illustrated, crown 8vo. (*1897.*) 4s.

**Gas Lighting and Gas Fitting.** By **W. P. Gerhard.** Third edition, 190 pp., 18mo, boards. (*New York, 1904.*) 2s. net.

**A Treatise on the Comparative Commercial Values of Gas Coals and Cannels.** By **D. A. Graham.** 3 plates, 100 pp., 8vo. (*1882.*) 4s. 6d.

**The Gas Engineer's Laboratory Handbook.** By **J. Hornby.** Third edition, revised, 70 illus., 330 pp., crown 8vo. (*1911.*) 6s. net.

**Electric Gas Lighting.** By **N. H. Schneider.** 57 illus., 101 pp., crown 8vo. (S. & C. SERIES, No. 8.) (*New York, 1901.*) 1s. 6d. net.

## HISTORICAL AND BIOGRAPHICAL

**Extracts from the Private Letters of the late Sir William Fothergill Cooke**, 1836-9, relating to the Invention and Development of the Electric Telegraph ; also a Memoir by **Latimer Clark**. Edited by **F. H. Webb**, Sec.Inst.E.E. 8vo. (1895.) 3s.

**A Chronology of Inland Navigation in Great Britain**. By **H. R. De Salis**. Crown 8vo. (1897.) 4s. 6d.

**A History of Electric Telegraphy to the year 1837**. By **J. J. Fahie**. 35 illus., 542 pp., crown 8vo. (1889.) 2s. net.

**Life as an Engineer : its Lights, Shades, and Prospects**. By **J. W. C. Haldane**. New edition, 23 plates, 390 pp., crown 8vo. (1910.) 5s. net.

**A Cornish Giant**. Richard Trevethick, the father of the Locomotive Engine. By **E. K. Harper**. 12 illus., including 2 plates, 60 pp., 8vo. sewed. (1913.) 1s. net.

**Philipp Reis**, Inventor of the Telephone : a Biographical Sketch. By Prof. **S. P. Thompson**. 8vo, cloth. (1883.) 7s. 6d.

**The Development of the Mercurial Air Pump**. By Prof. **S. P. Thompson**. 43 illus., 37 pp., royal 8vo, sewed. (1888.) 1s. 6d.

## HOROLOGY

**Watch and Clock Maker's Handbook**, Dictionary and Guide. By **F. J. Britten**. Eleventh edition, 450 illus., 492 pp., crown 8vo. (1915.) 5s. net.

**Prize Essay on the Balance Spring and its Isochronal Adjustments**. By **M. Immisch**. 7 illus., 50 pp., crown 8vo. (1872.) 2s. 6d.

## HYDRAULICS AND HYDRAULIC MACHINERY

(See also *Irrigation and Water Supply*.)

**Hydraulics with Working Tables**. By **E. S. Bellasis**. Second edition, 160 illus., xii+311 pp., 8vo. (1911.) 12s. net.

**Pumps : Historically, Theoretically and Practically Considered**. By **P. R. Björling**. Second edition, 156 illus., 234 pp., crown 8vo. (1895.) 7s. 6d.

**Pump Details.** By P. R. Björling. 278 illus., 211 pp., crown 8vo. (1892.) 7s. 6d.

**Pumps and Pump Motors : A Manual for the use of Hydraulic Engineers.** By P. R. Björling. Two vols., 261 plates, 369 pp., royal 4to. (1895.) £1 10s. net.

**Practical Handbook on Pump Construction.** By P. R. Björling. Second ed., new imp., 9 plates, viii + 86 pp., cr. 8vo. (1912.) 3s. 6d. net.

**Water or Hydraulic Motors.** By P. R. Björling. 206 illus., 287 pp., crown 8vo. (1903.) 9s.

**Hydraulic Machinery, with an Introduction to Hydraulics.** By R. G. Blaine. Third edition, 307 illus., 468 pp., 8vo. (FINSBURY TECHNICAL MANUAL.) (1913.) 10s. 6d. net.

**Practical Hydraulics.** By T. Box. Fifteenth edition, 8 plates, 88 pp., crown 8vo. (1913.) 5s. net.

**Pumping and Water Power.** By F. A. Bradley. 51 illus., vii + 118 pp., demy 8vo. (1912.) 4s. 6d. net.

**Hydraulic, Steam, and Hand Power Lifting and Pressing Machinery.** By F. Colyer. Second edition, 88 plates, 211 pp., imperial 8vo. (1892.) 10s. 6d. net.

**Pumps and Pumping Machinery.** By F. Colyer.

Vol. I. Second edition, 53 plates, 212 pp., 8vo. (1892.) 10s. 6d. net.

Vol. II. Second edition, 48 plates, 169 pp., 8vo. (1900.) 10s. 6d. net.

**Construction of Horizontal and Vertical Water-wheels.** By W. Cullen. Second edition, 12 plates, 4to. (1871.) 5s.

**Donaldson's Poncelet Turbine and Water Pressure Engine and Pump.** By W. Donaldson. 2 plates, viii + 32 pp., demy 4to. (1883.) 5s.

**Practical Hydrostatics and Hydrostatic Formulæ.** By E. S. Gould. 27 illus., 114 pp., 18mo, boards. (New York, 1903.) 2s. net.

**Hydraulic and Other Tables for purposes of Sewerage and Water Supply.** By T. Hennell. Third edition, 70 pp., crown 8vo. (1908.) 4s. 6d. net.

**Tables for Calculating the Discharge of Water in Pipes for Water and Power Supplies.** Indexed at side for ready reference. By A. E. Silk. 63 pp., crown 8vo. (1914.) 3s. 6d. net.



- Simple Hydraulic Formulæ.** By T. W. Stone. 9 plates, 98 pp., crown 8vo. (1881.) 4s.
- A B C of Hydrodynamics.** By Lieut.-Col. R. de Villamil. 48 illus., xi + 135 pp., demy 8vo. (1912.) 6s. net.
- Motion of Liquids.** By Lieut.-Col. R. De Villamil, R. Eng. (Ret.). 8vo, xiv + 210 pp., 86 illus., 30 tables. (1914.) 7s. 6d. net. Postage: inland, 4d.; abroad, 8d.

## INDUSTRIAL CHEMISTRY AND MANUFACTURES

- Transactions of the American Institute of Chemical Engineers.** Issued annually. 30s. net. per volume.
- Perfumes and Cosmetics, their Preparation and Manufacture, including the use of Synthetics.** By G. W. Atkinson, Dr. Chem. Demy 8vo, 32 illus., 344 pp. Fourth ed. (*New York, 1915.*) 21s. net. Postage: Inland, 5d.; Abroad, 10d.
- Brewing Calculations, Gauging and Tabulation.** By C. H. Bater. 340 pp., 64mo, roan, gilt edges. (1914.) 1s. 6d. net.
- A Pocket Book for Chemists, Chemical Manufacturers, Metallurgists, Dyers, Distillers, etc.** By T. Bayley. Seventh edition, new impression, 550 pp., royal 32mo, roan, gilt edges. (1912.) 5s. net.
- Practical Receipts for the Manufacturer, the Mechanic, and for Home use.** By Dr. H. R. Berkeley and W. M. Walker. New impression, 250 pp., demy 8vo. (1912.) 5s. net.
- A Treatise on the Manufacture of Soap and Candles, Lubricants and Glycerine.** By W. L. Carpenter and H. Leask. Second edition, 104 illus., 456 pp., crown 8vo. (1895.) 12s. 6d.
- A Text Book of Paper Making.** By C. F. Cross and E. J. Bevan. *New edition in preparation.*
- C.B.S. Standard Units and Standard Paper Tests.** By C. F. Cross, E. J. Bevan, C. Beadle and R. W. Sindall. 25 pp., crown 4to. (1903.) 2s. 6d. net.
- Pyrometry.** By C. R. Darling. 60 illus., 200 pp., crown 8vo. (1911.) 5s. net.
- Soda Fountain Requisites.** A Practical Receipt Book for Druggists, Chemists, etc. By G. H. Dubelle. Fourth ed., 157 pp., crown 8vo. (*New York, 1911.*) 4s. 6d. net.

- Salt in Cheshire.** By **Albert F. Calvert**, F.C.S., etc. Author of "Salt Deposits of the World," "History of the Salt Union," etc. 200 illus., maps and plans, 992 pp., demy 8vo. (1914.) £1 1s. net. Postage: inland, 6d.; abroad, 2s. 6d.
- Spices and How to Know Them.** By **W. M. Gibbs**. 47 plates, including 14 in colours, 176 pp., 8vo. (New York, 1909.) 15s. net.
- The Chemistry of Fire and Fire Prevention.** By **H. and H. Ingle**. 45 illus., 290 pp., crown 8vo. (1900.) 9s.
- Ice-making Machines.** By **M. Ledoux** and others. Sixth edition, 190 pp., 18mo, boards. (New York, 1906.) 2s. net.
- Brewing with Raw Grain.** By **T. W. Lovibond**. 75 pp., crown 8vo. (1883.) 5s.
- The Chemistry, Properties, and Tests of Precious Stones.** By **J. Mastin**. 114 pp., fcap. 16mo, limp leather, gilt top. (1911.) 2s. 6d. net.
- Sugar, a Handbook for Planters and Refiners.** By the late **J. A. R. Newlands** and **B. E. R. Newlands**. 236 illus., 876 pp., 8vo. (1909.) £1 5s. net.
- Principles of Leather Manufacture.** By **Prof. H. R. Procter**. *Second edition in preparation.*
- Leather Industries Laboratory Handbook** of Analytical and Experimental Methods. By **H. R. Procter**. Second edition, 4 plates, 46 illus., 450 pp., 8vo. (1908.) 18s. net.
- Leather Chemists' Pocket Book.** A short compendium of Analytical Methods. By **Prof. H. R. Procter**. Assisted by **Dr. E. Stiasny** and **H. Brumwell**. 4 illus., xiv + 223 pp., 16mo, leather. (1912.) 5s. net.
- Theoretical and Practical Ammonia Refrigeration.** By **I. I. Redwood**. Third edition, 15 illus., 146 pp., square 16mo. (New York, 1914.) 4s. 6d. net.
- Breweries and Maltings.** By **G. Scammell** and **F. Colyer**. Second edition, 20 plates, 178 pp., 8vo. (1880.) 6s. net.
- Factory Glazes for Ceramic Engineers.** By **H. Rumbellow**. Folio. Series A, Leadless Sanitary Glazes. (1908.) £2 2s. net.
- Spens' Encyclopædia of the Industrial Arts, Manufactures and Commercial Products.** 2 vols. 1,500 illus., 2,100 pp., super royal 8vo. (1882.) £2 2s. net.



**Tables for the Quantitative Estimation of the Sugars.** By E. Wein and W. Frew. Crown 8vo. (1896.) 6s.

**The Puering, Bating and Drenching of Skins.** By J. T. Wood. 33 illus., xv + 300 pp., 8vo. (1912.) 12s. 6d. net.

**Workshop Receipts.** For the use of Manufacturers, Mechanics and Scientific Amateurs. NEW AND THOROUGHLY REVISED EDITION, crown 8vo. (1909.) 3s. each net.

Vol. I. ACETYLENE LIGHTING to DRYING. 223 illus., 532 pp.

Vol. II. DYEING to JAPANING. 259 illus., 540 pp.

Vol. III. JOINTING PIPES to PUMPS. 256 illus., 528 pp.

Vol. IV. RAINWATER SEPARATORS to WIRE ROPE SPlicing. 321 illus., 540 pp.

**Practical Handbook on the Distillation of Alcohol from Farm Products.** By F. B. Wright. Second edition, 60 illus., 271 pp., crown 8vo. (New York, 1913.) 4s. 6d. net.

## INTEREST TABLES

**The Wide Range Dividend and Interest Calculator**, showing at a glance the Percentage on any sum from One Pound to Ten Thousand Pounds, at any Interest, from 1 per cent. to  $12\frac{1}{2}$  per cent., proceeding by  $\frac{1}{4}$  per cent. By A. Stevens. 100 pp., super royal 8vo. 6s. net.

Quarter morocco, cloth sides, 7s. 6d. net.

**The Wide Range Income Tax Calculator**, showing at a glance the Tax on any sum from One Shilling to Ten Thousand Pounds, at the Rate of 9d., 1s., and 1s. 2d. in the Pound. By A. Stevens. On folding card, imperial 8vo. 1s. net.

## IRRIGATION

**Irrigation Works.** By E. S. Bellasis. 37 illus., viii + 174 pp., 8vo. (1913.) 8s. net.

**Punjab Rivers and Works.** By E. S. Bellasis. Second edition, 47 illus., 65 pp., folio. (1912.) 8s. net.

**Irrigation Pocket Book.** By R. B. Buckley. Second ed., 80 illus., viii + 475 pp., cr. 8vo, leather, gilt edges. (1914.) 15s. net.

**The Design of Channels for Irrigation and Drainage.** By R. B. Buckley. 22 diagrams, 56 pp., crown 8vo. (1911.) 2s. net.

- The Irrigation Works of India.** By R. B. Buckley. Second edition, with coloured maps and plans. 336 pp., 4to, cloth. (1905.) £2 2s. net.
- Irrigated India.** By Hon. Alfred Deakin. With Map, 322 pp., 8vo. (1893.) 8s. 6d.
- Indian Storage Reservoirs, with Earthen Dams.** By W. L. Strange. Second ed., 16 plates, 59 illus., xxiv + 442 pp., 8vo. (1913.) 21s. net.
- The Irrigation of Mesopotamia.** By Sir W. Willcocks. 2 vols., 46 plates, 136 pp. (Text super royal 8vo, plates folio.) (1911.) £1 net.
- Egyptian Irrigation.** By Sir W. Willcocks and J. I. Craig. In 2 Vols. Third edition, 81 plates, 183 illus., 900 pp., sup. roy. 8vo. (1913.) 42s. net.
- The Nile Reservoir Dam at Assuân, and After.** By Sir W. Willcocks. Second edition, 13 plates, 35 pp., super royal 8vo. (1903.) 3s. net.
- The Assuân Reservoir and Lake Moeris.** By Sir W. Willcocks. With text in English, French and Arabic. 5 plates, 116 pp., super royal 8vo. (1904.) 3s. net.
- The Nile in 1904.** By Sir W. Willcocks. 30 plates, 200 pp., super royal 8vo. (1904.) 5s. net.

## LOGARITHM TABLES

- Aldum's Pocket Folding Mathematical Tables.** Four-figure Logarithms, and Anti-logarithms, Natural Sines, Tangents, Cotangents, Cosines, Chords and Radians for all angles from 1 to 90 degrees. And Decimalizer Table for Weights and Money. On folding card. 4d. net. 20 copies, 6s. net.
- Tables of Seven-figure Logarithms of the Natural Numbers from 1 to 108,000.** By C. Babbage. Stereotype edition, 224 pp., medium 8vo. 5s. net.
- Four-Place Tables of Logarithms and Trigonometric Functions.** By E. V. Huntington. Ninth thousand, 34 pp., square 8vo, limp buckram, with cut lateral index. (New York, 1911.) 3s. net.
- Short Logarithmic and other Tables.** By W. C. Unwin. Fourth edition, small 4to. 3s.

**Logarithmic Land Measurement.** By J. Wallace. 32 pp., royal 8vo. (1910.) 5s. net.

**A B C Five-figure Logarithms with Tables, for Chemists.** By C. J. Woodward. Crown 8vo. 2s. 6d. net.

**A B C Five-figure Logarithms** for general use, with lateral index for ready reference. By C. J. Woodward. Second edition, with cut lateral Index, 116 pp., 12mo, limp leather. 3s. net.

## MARINE ENGINEERING AND NAVAL ARCHITECTURE

**Marine Propellers.** By S. W. Barnaby. Fifth edition, 5 plates, 56 illus., 185 pp., demy 8vo. (1908.) 10s. 6d. net.

**The Suction Caused by Ships and the Olympic-Hawke Collision.** By E. S. Bellasis. 1 chart and 5 illus. in text, 26 pp., 8vo, sewed. (1912.) 1s. net.

**Yachting Hints, Tables and Memoranda.** By A. C. Franklin. Waistcoat pocket size, 103 pp., 64mo, roan, gilt edges. 1s. net.

**Steamship Coefficients, Speeds and Powers.** By C. F. A. Fyfe. 31 plates, 280 pp., fcap. 8vo, leather. (1907.) 10s. 6d. net.

**How to Build a Speed Launch.** By E. W. Graef. 14 plates, 32 pp., quarto. (New York, 1903.) 4s. 6d. net.

**Steamships and Their Machinery,** from first to last. By J. W. C. Haldane. 120 illus., 532 pp., 8vo. (1893.) 15s.

**Structural Design of Warships.** By William Hovgaard. Professor Naval Design, Mass. Inst. of Technology; M. Inst., N.A.; M. Socy. N.A. & M.E. Super Roy. 8vo. With 23 tables, 6 plates, and 186 illus. 384 pp. (1915). 21s. net. Postage: Inland, 6d.; Abroad, 1s. 2d.

**Tables for Constructing Ships' Lines.** By A. Hogg. Third edition, 3 plates, 20 pp., 8vo, sewed. (1911.) 3s. net.

**Tabulated Weights of Angle, Tee, Bulb, Round, Square, and Flat Iron and Steel** for the use of Naval Architects, Ship-builders, etc. By C. H. Jordan. Sixth edition, 640 pp., royal 32mo, leather, gilt edges. (1909.) 7s. 6d. net.

**Particulars of Dry Docks, Wet Docks, Wharves, etc., on the River Thames.** Compiled by **C. H. Jordan**. Second edition, 7 coloured charts, 103 pp., oblong 8vo. (1904.) 2s. 6d. net.

**Marine Transport of Petroleum.** By **H. Little**. 66 illus., 263 pp., crown 8vo. (1890.) 10s. 6d.

**Questions and Answers for Marine Engineers,** with a Practical Treatise on Breakdowns at Sea. By **T. Lucas**. 12 folding plates, 515 pp., gilt edges, crown 8vo. (New York, 1902.) 8s. net.

**How to Build a Motor Launch.** By **C. D. Mower**. 49 illus., 42 pp., 4to. (New York, 1904.) 4s. 6d. net.

**Reed's Engineers' Handbook to the Board of Trade Examinations** for certificates of Competency as First and Second Class Engineers. Nineteenth edition, 37 plates, 358 illus., 696 pp., 8vo. 14s. net.

**Key to Reed's Handbook.** 7s. 6d. net.

**Reed's Marine Boilers.** Third edition, 79 illus., 258 pp., crown 8vo. (1905.) 4s. 6d. net.

**Reed's Useful Hints to Sea-going Engineers.** Fourth edition, 8 plates, 50 illus., 312 pp., crown 8vo. (1903.) 3s. 6d. net.

**How to Build a Three-horse Power Launch Engine.** By **E. W. Roberts**. 14 plates, 66 pp., folio. (New York, 1901.) 10s. 6d. net.

## MATERIALS

**Practical Treatise on the Strength of Materials.** By **T. Box**. Fourth edition, 27 plates, 536 pp., 8vo. (1902.) 12s. 6d. net.

**Solid Bitumens.** By **S. F. Peckham**. 23 illus., 324 pp., 8vo. (New York, 1909.) £1 1s. net.

**Lubricants, Oils and Greases.** By **I. I. Redwood**. 3 plates, ix + 54 pp., 8vo. (1898.) 6s. 6d. net.

**Practical Treatise on Mineral Oils and their By-Products.** By **I. I. Redwood**. 76 illus., 336 pp., 8vo. (1914.) 10s. 6d. net.

**Silico-Calcareous Sandstones, or Building Stones from Quartz, Sand and Lime.** By **E. Stoffler**. 5 plates, 8vo, sewed. (1901.) 4s. net.



**Proceedings of the Fifth Congress, International Association for Testing Materials.** English edition. 189 illus., 549 pp., 8vo. (1910.) 18s. net.

**Proceedings of the Sixth Congress.** (1913.) 30s. net.

## MATHEMATICS

**Imaginary Quantities.** By M. Argand. Translated by Prof. Hardy. 18mo, boards. (New York.) 1881. 2s. net.

**Text-book of Practical Solid Geometry.** By E. H. de V. Atkinson. Revised by Major B. R. Ward, R.E. Second edition, 17 plates, 134 pp., 8vo. (1913.) 7s. 6d.

**Quick and Easy Methods of Calculating,** and the Theory and Use of the Slide Rule. By R. G. Blaine. Fourth edition, 6 illus., xii + 152 pp., 16mo. (1912.) 2s. 6d. net.

**Symbolic Algebra,** or the Algebra of Algebraic Numbers. By W. Cain. 12 illus., 131 pp., 18mo, boards. (New York, 1884.) 2s. net.

**Nautical Astronomy.** By J. H. Colvin. 127 pp., crown 8vo. (1901.) 2s. 6d. net.

**Chemical Problems.** By J. C. Foye. Fourth edition, 141 pp., 18mo, boards. (New York, 1898.) 2s. net.

**Primer of the Calculus.** By E. S. Gould. Fifth ed., 24 illus., 122 pp., 18mo, boards. (New York, 1912.) 2s. net.

**Elementary Treatise on the Calculus** for Engineering Students. By J. Graham. Fourth edition, 116 illus., xii + 355 pp., cr. 8vo. (1914.) 5s. net.

**Manual of the Slide Rule.** By F. A. Halsey. Fourth edition, 31 illus., 84 pp., 18mo, boards. (New York, 1907.) 2s. net.

**Reform in Chemical and Physical Calculations.** By C. J. T. Hanssen. 4to. (1897.) 6s. 6d. net.

**Algebra Self-Taught.** By P. Higgs. Third edition, 104 pp., crown 8vo. (1903.) 2s. 6d.

**A Text-book on Graphic Statics.** By C. W. Malcolm. 155 illus., 316 pp., 8vo. (New York, 1909.) 12s. 6d. net.

**Galvanic Circuit Investigated Mathematically.** By G. S. Ohm. Translated by William Francis. 269 pp., 18mo. boards. Second ed. (New York, 1905.) 2s. net.

- Elementary Practical Mathematics.** By M. T. Ormsby. Second edition, 128 illus., xii + 410 pp., medium 8vo, (1911.) 5s. net.
- Elements of Graphic Statics.** By K. Von Ott. Translated by G. S. Clarke. 95 illus., 128 pp., crown 8vo. (1901.) 5s.
- Figure of the Earth.** By F. C. Roberts. 2 illus., 95 pp., 18mo, boards. (*New York, 1885.*) 2s. net.
- Arithmetic of Electricity.** By T. O'C. Sloane. Twentieth ed., 5 illus., 162 pp., crown 8vo. (*New York, 1909.*) 4s. 6d. net.
- Graphic Method for Solving certain Questions in Arithmetic or Algebra.** By G. L. Vose. Second edition, 28 illus., 62 pp., 18mo, boards. (*New York, 1902.*) 2s. net.
- Problems in Electricity.** A Graduated Collection comprising all branches of Electrical Science. By R. Weber. Translated from the French by E. A. O'Keefe. 34 illus., 366 pp., crown 8vo. Third ed. (1902.) 7s. 6d. net.

## MECHANICAL ENGINEERING

### Steam Engines and Boilers, etc.

- Engineers' Sketch Book of Mechanical Movements.** By T. W. Barber. Fifth edition, 3,000 illus., 355 pp., 8vo. (1906.) 10s. 6d. net.
- The Repair and Maintenance of Machinery.** By T. W. Barber. 417 illus., 476 pp., 8vo. (1895.) 10s. 6d.
- The Science of Burning Liquid Fuel.** By William Newton Best. 100 illus., 159 pp. 8vo. (1913.) 9s. net.
- Practical Treatise on Mill Gearing.** By T. Box. Fifth edition, 11 plates, 128 pp., crown 8vo. (1892.) 7s. 6d.
- The Mechanical Engineer's Price Book.** Edited by Geoffrey Brooks, A.M.I.Mech.E. 182 pp., pocket size ( $6\frac{1}{2}$  by  $3\frac{1}{4}$  by  $\frac{1}{2}$  inch). Leather cloth with rounded corners. Second ed. (1914.) 4s. net. Postage 3d.
- Safety Valves.** By R. H. Buell. Third edition, 20 illus., 100 pp., 18mo, boards. (*New York, 1898.*) 2s. net.
- Machine Design.** By Prof. W. L. Cathcart.  
Part I. FASTENINGS. 123 illus., 291 pp., demy 8vo. (*New York, 1903.*) 12s. 6d. net.



- Chimney Design and Theory.** By **W. W. Christie.** Second edition, 54 illus., 192 pp., crown 8vo. (*New York, 1902.*) 12s. 6d. net.
- Furnace Draft : its Production by Mechanical Methods.** By **W. W. Christie.** 5 illus., 80 pp., 18mo, boards. Second edition. (*New York, 1906.*) 2s. net.
- The Stokers' Catechism.** By **W. J. Connor.** 63 pp., limp. (*1914.*) 1s. net.
- Treatise on the use of Belting for the Transmission of Power.** By **J. H. Cooper.** Fifth edition, 94 illus., 399 pp., demy 8vo. (*New York, 1901.*) 12s. 6d. net.
- The Steam Engine considered as a Thermo-dynamic Machine.** By **J. H. Cotterill.** Third edition, 39 diagrams, 444 pp., 8vo. (*1896.*) 15s.
- Fireman's Guide, a Handbook on the Care of Boilers.** By **K. P. Dahlstrom.** Eleventh edition, fcap. 8vo. (S. & C. SERIES, No. 16.) (*New York, 1906.*) 1s. 6d. net.
- Belt Driving.** By **G. Halliday.** 3 folding plates, 100 pp., 8vo. (*1894.*) 3s. 6d.
- Worm and Spiral Gearing.** By **F. A. Halsey.** 13 plates, 85 pp., 18mo, boards. Second ed. (*New York, 1911.*) 2s. net.
- Commercial Efficiency of Steam Boilers.** By **A. Hanssen.** Large 8vo, sewed. (*1898.*) 6d.
- Corliss Engine.** By **J. T. Henthorn.** Third edition, 23 illus., 95 pp., crown 8vo. (S. & C. SERIES, No. 23.) (*New York, 1910.*) 1s. 6d. net.
- Liquid Fuel for Mechanical and Industrial Purposes.** By **E. A. Brayley Hodgetts.** 106 illus., 129 pp., 8vo. (*1890.*) 5s.
- Elementary Text-book on Steam Engines and Boilers.** By **J. H. Kinealy.** Fourth edition, 106 illus., 259 pp., 8vo. (*New York, 1903.*) 8s. 6d. net.
- Centrifugal Fans.** By **J. H. Kinealy.** 33 illus., 206 pp., fcap. 8vo, leather. (*New York, 1905.*) 12s. 6d. net.
- Mechanical Draft.** By **J. H. Kinealy.** 27 original tables and 13 plates, 142 pp., crown 8vo. (*New York, 1906.*) 8s. 6d. net.
- The A B C of the Steam Engine, with a description of the Automatic Governor.** By **J. P. Lisk.** 6 plates, 8vo. (S. & C. SERIES, No. 17.) (*New York, 1910.*) 1s. 6d. net.

**Valve Setting Record Book.** By P. A. Low. 8vo, boards.  
1s. 6d.

**The Lay-out of Corliss Valve Gears.** By S. A. Moss.  
Second edition, 3 plates, 108 pp., 18mo, boards. (*New York, 1906.*) 2s. net.

**Steam Boilers, their Management and Working.** By J. Peattie. Fifth edition, 35 illus., 230 pp., crown 8vo.  
(1906.) 4s. 6d. net.

**Treatise on the Richards Steam Engine Indicator.** By C. T. Porter. Sixth edition, 3 plates and 73 diagrams, 285 pp., 8vo. (1902.) 9s.

**Practical Treatise on the Steam Engine.** By A. Rigg. Second edition, 103 plates, 378 pp., demy 4to. (1894.)  
£1 5s.

**Power and its Transmission.** A Practical Handbook for the Factory and Works Manager. By T. A. Smith. 76 pp., fcap. 8vo. (1910.) 2s. net.

**Slide Valve Simply Explained.** By W. J. Tennant. Revised by J. H. Kinealy. 41 illus., 83 pp., crown 8vo. (*New York, 1899.*) 2s. net.

**Shaft Governors.** By W. Trinks and C. Hoosum. 27 illus., 97 pp., 18mo, boards. (*New York, 1906.*) 2s. net.

**Treatise on the Design and Construction of Mill Buildings.** By H. G. Tyrrell. 652 illus., 490 pp., 8vo. (*New York, 1911.*) 17s. net.

**Slide and Piston Valve Geared Steam Engines.** By W. H. Uhland. 47 plates and 314 illus., 155 pp. Two vols., folio, half morocco. (1882.) £1 16s.

**How to run Engines and Boilers.** By E. P. Watson. Sixth ed., 31 illus., 160 pp., 8vo. (*New York, 1913.*) 4s. 6d. net.

**Position Diagram of Cylinder with Meyer Cut-off.** By W. H. Weightman. On card. (*New York.*) 1s. net.

**Practical Method of Designing Slide Valve Gearing.** By E. J. Welch. 69 illus., 283 pp., crown 8vo. (1890.) 6s.

**Elements of Mechanics.** By T. W. Wright. Eighth edition, 215 illus., 382 pp., 8vo. (*New York, 1909.*) 10s. 6d. net.

## METALLURGY

### Iron and Steel Manufacture

- Life of Railway Axles.** By T. Andrews. 8vo, sewed (1895.) 1s.
- Microscopic Internal Flaws in Steel Rails and Propeller Shafts.** By T. Andrews. 8vo, sewed. (1896.) 1s.
- Microscopic Internal Flaws, Inducing Fracture in Steel.** By T. Andrews. 8vo, sewed. (1896.) 2s.
- Practical Alloying.** A compendium of Alloys and Processes for Brassfounders, Metal Workers, and Engineers. By John F. Buchanan. 41 illus., 205 pp., 8vo. (*New York, 1911.*) 10s. 6d. net.
- Brassfounders' Alloys.** By J. F. Buchanan. 23 illus., viii + 129 pp., crown 8vo. (1905.) 4s. 6d. net.
- The Moulder's Dictionary (Foundry Nomenclature).** By J. F. Buchanan. New impression, 26 illus., viii + 225 pp., crown 8vo. (1912.) 3s. net.
- American Standard Specifications for Steel.** By A. L. Colby. Second edition, revised, 103 pp., crown 8vo. (*New York, 1902.*) 5s. net.
- Galvanized Iron : its Manufacture and Uses.** By J. Davies. 139 pp., 8vo. (1914.) 5s. net.
- Management of Steel.** By G. Ede. Seventh edition, 216 pp., crown 8vo. (1903.) 5s.
- The Frodair Handbook for Ironfounders.** 160 pp., 12mo. (1910.) 2s. net.
- Manufacture of Iron and Steel.** By H. R. Hearson. 21 illus., xii + 103 pp., 8vo. (1912.) 4s. 6d. net.
- Cupola Furnace.** By E. Kirk. Third edition, 106 illus., 484 pp., 8vo. (*New York, 1910.*) 15s. net.
- Practical Notes on Pipe Founding.** By J. W. Macfarlane. 15 plates, 148 pp., 8vo. (1888.) 12s. 6d.
- Atlas of Designs concerning Blast Furnace Practice.** By M. A. Pavloff. 127 plates, 14 in. by 10½ in. oblong, sewed. (1902.) £1 1s. net.
- Album of Drawings relating to the Manufacture of Open Hearth Steel.** By M. A. Pavloff.  
Part I. OPEN HEARTH FURNACES. 52 plates, 14 in. by 10½ in. oblong folio, in portfolio. (1904.) 12s. net.

**Metallography Applied to Siderurgic Products.** By H. Savoia. Translated by R. G. Corbet. 94 illus., 180 pp., crown 8vo. (1910.) 4s. 6d. net.

**Modern Foundry Practice.** By J. Sharp. Second edition, new impression, 272 illus., 759 pp., 8vo. (1911.) £1 1s. net.

**Roll Turning for Sections in Steel and Iron.** By A. Spencer. Second edition, 78 plates, 4to. (1894.) £1 10s.

## METRIC TABLES

**French Measure and English Equivalents.** By J. Brook. Second edition, 80 pp., fcap. 32mo, roan. 1s. net.

**A Dictionary of Metric and other useful Measures.** By L. Clark. 113 pp., 8vo. 6s.

**English Weights, with their Equivalents in kilogrammes.** By F. W. A. Logan. 96 pp., fcap. 32mo, roan. 1s. net.

**Metric Weights with English Equivalents.** By H. P. McCartney. 84 pp., fcap. 32mo, roan. 1s. net.

**Metric Tables.** By Sir G. L. Molesworth. Fourth edition, 95 pp., royal 32mo. (1909.) 2s. net.

**Metric-English and English-Metric Lengths.** By G. A. Rossetti. xii + 80 pp., ob. 32mo. 1s. net. Giving equivalents in millimetres (to five significant figures) of all English lengths from  $\frac{1}{64}$ th of an inch to 10 ft., advancing by 64ths of an inch; and equivalents to the nearest 64th of an inch of all Metric lengths from 1 to 3,200 millimetres, advancing by millimetres.

**Tables for Setting out Curves** from 200 metres to 4,000 metres by tangential angles. By H. Williamson. 4 illus., 60 pp., 18mo. 2s. net.

## MINERALOGY AND MINING

**Rock Blasting.** By G. G. Andre. 12 plates and 56 illus. in text, 202 pp., 8vo. (1878.) 5s.

**Practical Treatise on Hydraulic Mining in California.** By A. J. Bowie, Junr. Eleventh ed., 73 illus., 313 pp., royal 8vo. (New York, 1910.) £1 1s. net.



- Tables for the Determination of Common Rocks.** By O. Bowles. 64 pp., 18mo, boards. (*New York, 1910.*) 2s. net.
- Fire Assaying.** By E. W. Buskett. 69 illus., 105 pp., crown 8vo. (*New York, 1907.*) 4s. 6d. net.
- Tin :** Describing the Chief Methods of Mining, Dressing, etc. By A. G. Charleton. 15 plates, 83 pp., crown 8vo. (*1884.*) 12s. 6d.
- Gold Mining and Milling** in Western Australia, with Notes upon Telluride Treatment, Costs and Mining Practice in other Fields. By A. G. Charleton. 82 illus. and numerous plans and tables, 648 pp., super royal 8vo. (*1903.*) 12s. 6d. net.
- Miners' Geology and Prospectors' Guide.** By G. A. Corder. 29 plates, 224 pp., crown 8vo. (*1914.*) 5s. net.
- Blasting of Rock in Mines, Quarries, Tunnels, etc.** By A. W. and Z. W. Daw. Second edition, 90 illus., 316 pp., demy 8vo. (*1909.*) 15s. net.
- Gold Dredging.** By C. T. Earl. 17 maps, 78 illus., xvi + 208 pp., 8vo. (*1913.*) 20s. net.
- Handbook of Mineralogy ;** determination and description of Minerals found in the United States. By J. C. Foye. 180 pp., 18mo, boards. Fifth ed. (*New York, 1907.*) 2s. net.
- Our Coal Resources** at the End of the Nineteenth Century. By Prof. E. Hull. 157 pp., demy 8vo. (*1897.*) 6s.
- Hydraulic Gold Miners' Manual.** By T. S. G. Kirkpatrick. Second edition, 12 illus., 46 pp., crown 8vo. (*1897.*) 4s.
- Economic Mining.** By C. G. W. Lock. 175 illus., 680 pp., 8vo. (*1895.*) 10s. 6d. net.
- Gold Milling :** Principles and Practice. By C. G. W. Lock. 200 illus., 850 pp., demy 8vo. (*1901.*) £1 1s. net.
- Mining and Ore-Dressing Machinery.** By C. G. W. Lock. 639 illus., 466 pp., super royal 4to. (*1890.*) £1 5s.
- Miners' Pocket Book.** By C. G. W. Lock. Fifth edition, 233 illus., 624 pp., fcap. 8vo, leather, gilt edges. (*1908.*) 10s. 6d. net.
- Chemistry, Properties and Tests of Precious Stones.** By J. Mastin. 114 pp., fcap. 16mo, limp leather, gilt top. (*1911.*) 2s. 6d. net.

**Tests for Ores, Minerals and Metals of Commercial Value.**

By **R. L. McMechen.** 152 pp., 12mo. (*New York, 1907.*) 5s. 6d. net.

**Practical Handbook for the Working Miner and Prospector, and the Mining Investor.** By **J. A. Miller.** 34 illus., 234 pp., crown 8vo. (1897.) 7s. 6d.

**Theory and Practice of Centrifugal Ventilating Machines.**

By **D. Murgue.** 7 illus., 81 pp., 8vo. (1883.) 5s.

**Examples of Coal Mining Plant.** By **J. Povey-Harper.**

Second edition, 40 plates, 26 in. by 20 in. (1895.) £4 4s. net.

**Examples of Coal Mining Plant, Second Series.** By **J.**

**Povey-Harper.** 10 plates, 26 in. by 20 in. (1902.) £1 12s. 6d. net.

## MODELS AND MODEL MAKING

**How to Build a Model Yacht.** By **H. Fisher.** 45 illus., 50 pp., 4to. (*New York, 1902.*) 4s. 6d. net.

**Model Engines and Small Boats.** By **N. M. Hopkins.** 50 illus., viii+74 pp., crown 8vo. (*New York, 1898.*) 5s. 6d. net.

**Theory and Practice of Model Aeroplaning.** By **V. E. Johnson.** 61 illus., xvi + 148 pp., crown 8vo. (1910.) 3s. 6d. net.

**The Model Vaudeville Theatre.** By **N. H. Schneider.** 34 illus., 90 pp., crown 8vo. (S. & C. SERIES, No. 15.) (*New York, 1910.*) 1s. 6d. net.

**Electric Toy-Making.** By **T. O. Sloane.** Twentieth ed., 70 illus., 183 pp., crown 8vo. (*New York, 1914.*) 4s. 6d. net.

**Model Steam Engine Design.** By **R. M. De Vignier.** 34 illus., 94 pp., crown 8vo, limp. (S. & C. SERIES, No. 9.) (*New York, 1907.*) 1s. 6d. net.

**Small Engines and Boilers.** By **E. P. Watson.** 33 illus., viii + 108 pp., crown 8vo. (*New York, 1899.*) 5s. 6d. net.

## ORGANIZATION

### Accounts, Contracts and Management

**Organization of Gold Mining Business, with Specimens of the Departmental Report Books and the Account Books.** By **Nicol Brown.** Second edition, 220 pp., fcap. folio. (1903.) £1 5s. net.



- Cost Keeping and Management Engineering.** A Treatise for those engaged in Engineering Construction. By **H. P. Gillette** and **R. T. Dana.** 184 illus., 346 pp., 8vo. (*New York, 1909.*) 15s. net.
- Handbook on Railway Stores Management.** By **W. O. Kempthorne.** 268 pp., demy 8vo. (1907.) 10s. 6d. net.
- Depreciation of Factories, Municipal, and Industrial Undertakings, and their Valuation.** By **E. Matheson.** Fourth edition, 230 pp., 8vo. (1910.) 10s. 6d. net.
- Aid Book to Engineering Enterprise.** By **E. Matheson.** Third edition, 916 pp., 8vo, buckram. (1898.) £1 4s.
- Office Management.** A handbook for Architects and Civil Engineers. By **W. Kaye Parry.** *New Edition in preparation.*
- Commercial Organization of Engineering Factories.** By **H. Spencer.** 92 illus., 221 pp., 8vo. (1914.) 10s. 6d. net.

## PHYSICS

### Colour, Heat and Experimental Science

- The Entropy Diagram and its Applications.** By **M. J. Boulvin.** 38 illus., 82 pp., demy 8vo. (1914.) 5s.
- Physical Problems and their Solution.** By **A. Bourgougnon.** 224 pp., 18mo, boards. Second ed. (*New York, 1904.*) 2s. net.
- Heat for Engineers.** By **C. R. Darling.** Second edition, 110 illus., 430 pp., 8vo. (FINSBURY TECHNICAL MANUAL.) (1912.) 12s. 6d. net.
- Beaumé and Specific Gravity Tables for liquids lighter than water.** By **Nat H. Freeman.** 27 pp., cr. 8vo. (1914.) 2s. 6d. net. Post free, 2s. 8d.
- Engineering Thermodynamics.** By **C. F. Hirschfeld.** 22 illus., 157 pp., 18mo, boards. Second ed. (*New York, 1910.*) 2s. net.
- Liquid Drops and Globules, their Formation and Movements.** By **Chas. R. Darling.** Assoc.R.C.S., Ireland; F.I.C.; F.Ph. Socy. Lecturer at the City and Guilds Technical College, Finsbury. Being three Lectures delivered to Popular Audiences. Cr. 8vo, x + 84 pp., 43 Illus. (1914.) 2s. 6d. net, postage 3d.

- The Dynamics of Surfaces :** An introduction to the study of Biological Surface Phenomena. By **Prof. Dr. Med. Leonor Michaelis**. Privatdozent in the University of Berlin. Translated by W. H. Perkins, M.Sc. Demy 8vo, 118 pp., 8 illus. (1914.) 4s. net. Postage : inland, 3d. ; abroad, 6d.
- Experimental Science :** Elementary, Practical and Experimental Physics. By **G. M. Hopkins**. Twenty-seventh ed., 920 illus., 1,100 pp., 8vo. (*New York, 1911.*) £1 1s. net.
- Reform in Chemical and Physical Calculations.** By **C. J. T. Hanssen**. Demy 4to. (1897.) 6s. 6d. net.
- The Gyroscope, an Experimental Study.** By **V. E. Johnson**. 34 illus., 40 pp., cr. 8vo. (S. & C. SERIES, No. 22.) (1911.) 1s. 6d. net.
- The Gyroscope.** By **F. J. B. Cordeiro**, Author of "The Atmosphere," etc., etc. 19 illus., viii + 105 pp., cr. 8vo. (*New York, 1913.*) 6s. 6d. net.
- Introduction to the Study of Colour Phenomena.** By **J. W. Lovibond**. 10 coloured plates, 48 pp., 8vo. (1905.) 5s. net.
- The Energy Chart.** Practical application to reciprocating steam-engines. By Captain **H. R. Sankey**. 157 illus., 170 pp., 8vo. (1907.) 7s. 6d. net.

## PRICE BOOKS

- The Mechanical Engineers' Price Book.** By **G. Brooks**. 200 pp., pocket size ( $6\frac{1}{2}$  in. by  $3\frac{3}{4}$  in. by  $\frac{1}{2}$  in. thick), leather cloth, with rounded corners. 4s. net.
- Approximate Estimates.** By **T. E. Coleman**. Fourth edition, 481 pp., oblong 32mo, leather. (1914.) 5s. net.
- The Civil Engineers' Cost Book.** By Major **T. E. Coleman**. xii + 289 pp., pocket size ( $6\frac{1}{2}$  in. by  $3\frac{3}{4}$  in.), leather cloth. (1912.) 5s. net.
- Railway Stores Price Book.** By **W. O. Kempthorne**. 490 pp., demy 8vo. (1909.) 10s. 6d. net.
- Spons' Architects' and Builders' Pocket Price-Book.** Edited by **Clyde Young**. Revised by **Stanford M. Brooks**. Forty-first ed., viii + 308 pp., green leather cloth. Published annually. (Size  $6\frac{1}{2}$  in. by  $3\frac{3}{4}$  in. by  $\frac{1}{2}$  in. thick.) 2s. 6d. net.

**Handbook of Cost Data for Contractors and Engineers.**  
By **H. P. Gillette.** 1,854 pp., crown 8vo, leather, gilt edges. Second ed. (*New York, 1914.*) £1 1s. net.

## RAILWAY ENGINEERING AND MANAGEMENT

**Practical Hints to Young Engineers Employed on Indian Railways.** By **A. W. C. Addis.** 14 illus., 154 pp., 12mo. (*1910.*) 3s. 6d. net.

**Up-to-date Air Brake Catechism.** By **R. H. Blackall.** Twenty-sixth edition, 5 coloured plates, 96 illus., 305 pp., crown 8vo. (*New York, 1914.*) 8s. 6d. net.

**Prevention of Railroad Accidents, or Safety in Railroading.** By **Geo. Bradshaw.** 64 illus., 173 pp., square crown 8vo. (*New York, 1912.*) 2s. 6d. net.

**Simple and Automatic Vacuum Brakes.** By **C. Briggs,** G.N.R. 11 plates, 8vo. (*1892.*) 4s.

**Permanent-Way Material, Platelaying and Points and Crossings,** with a few Remarks on Signalling and Interlocking. By **W. H. Cole,** M.Inst.C.E., Late Deputy-Manager, E. Bengal and N.W. State Railways, P.W.D., India. Cr. 8vo, 288 pp., 44 illus., 7th ed. (*1915.*) 7s. 6d. net. Postage: inland, 3d.; abroad, 6d.

**Railway Engineers' Field Book.** By **Major G. R. Hearn,** R.E., Assoc. Inst. Civil Engrs., and **A. G. Watson,** C.E. 12mo, leather, 230 pp., 33 illus. (*1914.*) 21s. net. Postage: inland, 3d.; abroad, 6d.

**Statistical Tables of the Working of Railways** in various countries up to the year 1904. By **J. D. Diacomidis.** Second edition, 84 pp., small folio, sewed. (*1906.*) 16s. net.

**Locomotive Breakdowns, Emergencies and their Remedies.** By **Geo. L. Fowler,** M.E., and **W. W. Wood.** Seventh ed., 92 illus., 266 pp., 12mo. (*New York, 1911.*) 4s. 6d. net.

**Permanent-way Diagrams.** By **F. H. Frere.** Mounted on linen in cloth covers. (*1908.*) 3s. net.

**Formulæ for Railway Crossings and Switches.** By **J. Glover.** 9 illus., 28 pp., royal 32mo. 2s. 6d.

- Setting out of Tube Railways.** By G. M. Halden. 9 plates, 46 illus., 68 pp., crown 4to. (1914.) 10s. 6d. net.
- Railway Engineering, Mechanical and Electrical.** By J. W. C. Haldane. New edition, 141 illus., xx + 583 pp., 8vo. (1908.) 15s.
- The Construction of the Modern Locomotive.** By G. Hughes. 300 illus., 261 pp., 8vo. (1894.) 9s.
- Practical Hints for Light Railways at Home and Abroad.** By F. R. Johnson. 6 plates, 31 pp., crown 8vo. (1896.) 2s. 6d.
- Handbook on Railway Stores Management.** By W. O. Kempthorne. 268 pp., demy 8vo. (1907.) 10s. 6d. net.
- Railway Stores Price Book.** By W. O. Kempthorne. 490 pp., demy 8vo. (1909.) 10s. 6d. net.
- Railroad Location Surveys and Estimates.** By F. Lavis. 68 illus., 270 pp., 8vo. (New York, 1906.) 12s. 6d. net.
- Pioneering.** By F. Shelford. 14 illus., 88 pp., crown 8vo. (1909.) 3s. net.
- Handbook on Railway Surveying for Students and Junior Engineers.** By B. Stewart. 55 illus., 98 pp., crown 8vo. (1914.) 2s. 6d. net.
- Modern British Locomotives.** By A. T. Taylor. 100 diagrams of principal dimensions, 118 pp., oblong 8vo. Second ed. (1914.) 4s. 6d. net.
- Locomotive Slide Valve Setting.** By C. E. Tully. Illustrated, 18mo. 1s. net.
- The Railway Goods Station.** By F. W. West. 23 illus., xv + 192 pp., crown 8vo. (1912.) 4s. 6d. net.
- The Walschaert Locomotive Valve Gear.** By W. W. Wood. 4 plates and set of movable cardboard working models of the valves, 193 pp., crown 8vo. Third ed. (New York, 1913.) 6s. 6d. net.
- The Westinghouse E.T. Air-Brake Instruction Pocket Book.** By W. W. Wood. 48 illus., including many coloured plates, 242 pp., crown 8vo. (New York, 1909.) 8s. 6d. net.

## SANITATION, PUBLIC HEALTH AND MUNICIPAL ENGINEERING

- Valuations.** By **Samuel Skrimshire, F.S.I.** A Textbook on Valuation applied to the Sale and Purchase of Freehold, Lifehold, Copyhold and Leasehold Property, Assessments to Duties under the Finance (1909-10) Act, 1910, the Enfranchisement of Copyhold Estate, Assessments for Rating Purposes, Compensation on Compulsory Purchase, and Valuations for Advances on Mortgage. Demy 8vo, 200 fully worked examples, 460 pp. (1915). 10s. 6d. net. Postage: inland, 5d.; abroad, 1cd.
- Engineering Work in Public Buildings.** By **R. O. Allsop.** 77 illus., ix + 158 pp., demy 4to. (1912.) 12s. 6d. net.
- Public Abattoirs, their Planning, Design and Equipment.** By **R. S. Ayling.** 33 plates, 100 pp., demy 4to. (1908.) 8s. 6d. net.
- Sewage Purification.** By **E. Bailey-Denton.** 8 plates, 44 pp., 8vo. (1896.) 5s.
- Water Supply and Sewerage of Country Mansions and Estates.** By **E. Bailey-Denton.** 76 pp., crown 8vo. (1901.) 2s. 6d. net.
- Sewerage and Sewage Purification.** By **M. N. Baker.** Second edition, 144 pp., 18mo, boards. (New York, 1905.) 2s. net.
- Bacteriology of Surface Waters in the Tropics.** By **W. W. Clemesha.** viii + 161 pp., 8vo. (Calcutta, 1912.) 7s. 6d. net.
- Housing and Town-Planning Conference, 1913.** Being a Report of a Conference held by the **Institution of Municipal and County Engineers** at Great Yarmouth. Edited by **T. Cole.** 42 folding plates, 227 pp., 8vo. 10s. 6d. net.
- Housing and Town Planning Conference, 1911.** Report of Conference held by the **Institution of Municipal and County Engineers** at West Bromwich. Edited by **T. Cole**, Secretary. 30 plates, 240 pp., 8vo. 10s. 6d. net.
- Sanitary House Drainage, its Principles and Practice.** By **T. E. Coleman.** 98 illus., 206 pp., crown 8vo. (1896.) 3s. 6d. net.



**Stable Sanitation and Construction.** By T. E. Coleman.  
183 illus., 226 pp., crown 8vo. (1897.) 3s. net.

**Discharge of Pipes and Culverts.** By P. M. Crosthwaite.  
Large folding sheet in case. 2s. 6d. net.

**A Complete and Practical Treatise on Plumbing and Sanitation.** By G. B. Davis and F. Dye. 2 vols., 637 illus. and 21 folding plates, 830 pp., 4to, cloth. (1899.)  
£1 10s. net.

**Standard Practical Plumbing.** By P. J. Davies.

Vol. I. Fourth edition, 768 illus., 355 pp., royal 8vo. (1905.) 7s. 6d. net.

Vol. II. Second edition, 953 illus., 805 pp. (1905.)  
10s. 6d. net.

Vol. III. 313 illus., 204 pp. (1905.) 5s. net.

**Conservancy, or Dry Sanitation versus Water Carriage.**  
By J. Donkin. 7 plates, 33 pp., 8vo, sewed. (1906.) 1s. net.

**Sewage Disposal Works.** By W. C. Easdale. 160 illus.,  
264 pp., 8vo. (1910.) 10s. 6d. net.

**House Drainage and Sanitary Plumbing.** By W. P. Gerhard. Eleventh ed., 6 illus., 231 pp., 18mo, boards.  
(New York, 1905.) 2s. net.

**The Treatment of Septic Sewage.** By G. W. Rafter.  
137 pp., 18mo, boards. Third ed. (New York, 1913.)  
2s. net.

**Reports and Investigations on Sewer Air and Sewer Ventilation.** By R. H. Reeves. 8vo, sewed. (1894.) 1s.

**Sewage Drainage Systems.** By Isaac Shone. 27 folding  
plates, 47 illus., 440 pp., 8vo. (1914.) 25s. net.

**Drainage and Drainage Ventilation Methods.** By Isaac Shone, C.E. 7 folding plates, 36 pp., 8vo, leather.  
(1913.) 6s. net.

**The Law and Practice of Paving Private Street Works.**  
By W. Spinks. Fourth edition, 256 pp., 8vo. (1904.)  
12s. 6d. net.

## STRUCTURAL DESIGN

(See Bridges and Roofs)



## TELEGRAPH CODES

**New Business Code.** 320 pp., narrow 8vo. (Size  $4\frac{3}{4}$  in. by  $7\frac{3}{4}$  in. and  $\frac{1}{2}$  in. thick, and weight 10 oz.) (*New York, 1909.*) £1 is. net.

**Miners' and Smelters' Code** (formerly issued as the **Master Telegraph Code**). 448 pp., 8vo, limp leather, weight 14 oz. (*New York, 1899.*) £2 10s. net.

**General Telegraph Code.** Compiled by the **Business Code Co.** 1,023 pp., small 4to, with cut side index for ready reference. (*New York, 1912.*) 63s. net. Postage: inland, 6d.; abroad, 1s. 4d.

**Billionaire Phrase Code**, containing over two million sentences coded in single words. 56 pp., 8vo, leather. (*New York, 1908.*) 6s. 6d. net.

## WARMING AND VENTILATION

**Hot Water Supply.** By **F. Dye.** Fifth edition, new impression, 48 illus., viii + 86 pp., 8vo. (*1912.*) 3s. net.

**A Practical Treatise upon Steam Heating.** By **F. Dye.** 129 illus., 246 pp., 8vo. (*1901.*) 10s. net.

**Practical Treatise on Warming Buildings by Hot Water.** By **F. Dye.** 192 illus., 319 pp., 8vo. (*1905.*) 8s. 6d. net.

**Charts for Low Pressure Steam Heating.** By **J. H. Kinealy.** Small folio. (*New York.*) 4s. 6d.

**Formulæ and Tables for Heating.** By **J. H. Kinealy.** 18 illus., 53 pp., 8vo. (*New York, 1899.*) 3s. 6d.

**Centrifugal Fans.** By **J. H. Kinealy.** 33 illus., 206 pp., fcap. 8vo, leather. (*New York, 1905.*) 12s. 6d. net.

**Mechanical Draft.** By **J. H. Kinealy.** 27 original tables and 13 plates, 142 pp., crown 8vo. (*New York, 1906.*) 8s. 6d. net.

**Theory and Practice of Centrifugal Ventilating Machines.** By **D. Murgue.** 7 illus., 81 pp., 8vo. (*1883.*) 5s.

**Mechanics of Ventilation.** By **G. W. Rafter.** Third ed., 143 pp., 18mo, boards. (*New York, 1912.*) 2s. net.

**Principles of Heating.** By **W. G. Snow.** New edition, 59 illus., xii + 224 pp., 8vo. (*New York, 1912.*) 9s. net.

**Furnace Heating.** By W. G. Snow. Fourth edition, 52 illus., 216 pp., 8vo. (*New York, 1909.*) 6s. 6d. net.

**Ventilation of Buildings.** By W. G. Snow and T. Nolan. 83 pp., 18mo, boards. (*New York, 1906.*) 2s. net.

**Heating Engineers' Quantities.** By W. L. White and G. M. White. 4 plates, 33 pp., folio. (*1910.*) 10s. 6d. net.

## WATER SUPPLY

(See also *Hydraulics*)

**Potable Water and Methods of Testing Impurities.** By M. N. Baker. 97 pp., 18mo, boards. Second ed. (*New York, 1905.*) 2s. net.

**Manual of Hydrology.** By N. Beardmore. New impression, 18 plates, 384 pp., 8vo. (*1914.*) 10s. 6d. net.

**Boiler Waters, Scale, Corrosion and Fouling.** By W. W. Christie. 77 illus., 235 pp., 8vo. (*New York, 1907.*) 12s. 6d. net.

**Bacteriology of Surface Waters in the Tropics.** By W. W. Clemesha. 12 tables, viii + 161 pp., 8vo. (*Calcutta, 1912.*) 7s. 6d. net.

**Water Softening and Purification.** By H. Collet. Second edition, 6 illus., 170 pp., crown 8vo. (*1908.*) 5s. net.

**Treatise on Water Supply, Drainage and Sanitary Appliances of Residences.** By F. Colyer. 100 pp., crown 8vo. (*1899.*) 1s. 6d. net.

**Purification of Public Water Supplies.** By J. W. Hill. 314 pp., 8vo. (*New York, 1898.*) 10s. 6d.

**Well Boring for Water, Brine and Oil.** By C. Isler. Second edition, 105 illus., 296 pp., 8vo. (*1911.*) 10s. 6d. net.

**Method of Measuring Liquids Flowing through Pipes by means of Meters of Small Calibre.** By Prof. G. Lange. 1 plate, 16 pp., 8vo, sewed. (*1907.*) 6d. net.

**On Artificial Underground Water.** By G. Richert. 16 illus., 33 pp., 8vo, sewed. (*1900.*) 1s. 6d. net.

**Notes on Water Supply in new Countries.** By F. W. Stone. 18 plates, 42 pp., crown 8vo. (*1888.*) 5s.

**The Principles of Waterworks Engineering.** By J. H. T. Tudsbery and A. W. Brightmore. Third edition, 13 folding plates, 130 illus., 447 pp., demy 8vo. (1905.) £1 1s. net.

## WORKSHOP PRACTICE

For Art Workers and Mechanics

**Alphabet of Screw Cutting.** By L. Arnaudon. Fifth edition, 92 pp., cr. 8vo., sewed. (1913.) 4s. net.

**A Handbook for Apprenticed Machinists.** By O. J. Beale. Third ed., 89 illus., 141 pp., 16mo. (*New York, 1901.*) 2s. 6d. net.

**Practice of Hand Turning.** By F. Campin. Third edition, 99 illus., 307 pp., crown 8vo. (1883.) 3s. 6d.

**Artistic Leather Work.** By E. Ellin Carter. 6 plates and 21 illus., xii + 51 pp., crown 8vo. (1912.) 2s. 6d. net.

**Calculation of Change Wheels for Screw Cutting on Lathes.** By D. de Vries. 46 illus., 83 pp., 8vo. (1914.) 3s. net.

**Milling Machines and Milling Practice.** By D. de Vries. 536 illus., 464 pp., medium 8vo. (1910.) 14s. net.

**French-Polishers' Manual.** By a French-Polisher. New impression, 31 pp., royal 32mo, sewed. (1912.) 6d. net.

**Art of Copper-Smithing.** By J. Fuller. Fourth edition, 483 illus., 319 pp., royal 8vo. (*New York, 1911.*) 12s. 6d. net.

**Saw Filing and Management of Saws.** By R. Grimshaw. Third ed., 81 illus., 16mo. (*New York, 1912.*) 4s. 6d. net.

**Cycle Building and Repairing.** By P. Henry. 55 illus., 96 pp., cr. 8vo. (S. & C. SERIES, No. 43.) 1s. 6d. net.

**Paint and Colour Mixing.** By A. S. Jennings. Fourth edition, 14 coloured plates, 190 pp., 8vo. (1910.) 5s. net.

**The Mechanician : a Treatise on the Construction and Manipulation of Tools.** By C. Knight. Fifth edition, 96 plates, 397 pp., 4to. (1897.) 18s.

**Turner's and Fitter's Pocket Book.** By J. La Nicca. 18mo, sewed. 6d.

**Tables for Engineers and Mechanics**, giving the values of the different trains of wheels required to produce Screws of any pitch. By **Lord Lindsay**. Second edition, royal 8vo, oblong. 2s.

**Screw-cutting Tables**. By **W. A. Martin**. Seventh edition. New imp., oblong 8vo. 1s. net.

**Metal Plate Work**, its Patterns and their Geometry, for the use of Tin, Iron and Zinc Plate Workers. By **C. T. Millis**. Fourth Ed., New imp., 280 illus., xvi + 456 pp., cr. 8vo. (1912.) 9s.

**The Practical Handbook of Smithing and Forging**. Engineers' and General Smiths' Work. By **T. Moore**. New impression, 401 illus., 248 pp., crown 8vo. (1912.) 5s. net.

**Modern Machine Shop Construction**, equipment and management. By **O. E. Perrigo**. 208 illus., 343 pp., crown 4to. (*New York, 1906.*) £1 1s. net.

**Turner's Handbook on Screw-cutting**, Coning, etc. By **W. Price**. New impression, 56 pp., fcap. 8vo. (1912.) 6d. net.

**Introduction to Eccentric Spiral Turning**. By **H. C. Robinson**. 12 plates, 23 illus., 48 pp., 8vo. (1906.) 4s. 6d. net.

**Manual of Instruction in Hard Soldering**. By **H. Rowell**. Sixth edition, 7 illus., 66 pp., crown 8vo. (*New York, 1910.*) 3s. net.

**Forging, Stamping, and General Smithing**. By **B. Saunders**. 728 illus., ix + 428 pp., demy 8vo. (1912.) £1 1s. net.

**Pocket Book on Boilermaking, Shipbuilding**, and the Steel and Iron Trades in General. By **M. J. Sexton**. Sixth edition, new impression, 85 illus., 319 pp., royal 32mo, roan, gilt edges. (1912.) 5s. net.

**Power and its Transmission**. A Practical Handbook for the Factory and Works Manager. By **T. A. Smith**. 76 pp., fcap. 8vo. (1910.) 2s. net.

**Spons' Mechanics' Own Book**: A Manual for Handicraftsmen and Amateurs. Sixth edition, New impression, 1,430 illus., 720 pp., demy 8vo. (1914.) 6s.

Ditto ditto half French morocco, 7s. 6d.



**Spons' Workshop Receipts for Manufacturers, Mechanics and Scientific Amateurs.** New and thoroughly revised edition, crown 8vo. (1909.) 3s. each net.

Vol. I. ACETYLENE LIGHTING to DRYING. 223 illus., 532 pp.

Vol. II. DYEING to JAPANING. 259 illus., 540 pp.

Vol. III. JOINTING PIPES to PUMPS. 257 illus., 528 pp.

Vol. IV. RAINWATER SEPARATORS to WIRE ROPES. 321 illus., 540 pp.

**Gauges at a Glance.** By T. Taylor. Second edition, post 8vo, oblong, with tape converter. (1900.) 5s. net.

**Simple Soldering**, both Hard and Soft. By E. Thatcher. 52 illus., 76 pp., crown 8vo. (S. & C. Series, No. 18.) (*New York, 1910.*) 1s. 6d. net.

**The Modern Machinist.** By J. T. Usher. Fifth edition, 257 illus., 322 pp., 8vo. (*New York, 1904.*) 10s. 6d. net.

**Practical Wood Carving.** By C. J. Woodsend. 108 illus., 86 pp., 8vo. Second ed. (*New York, 1908.*) 4s. 6d. net.

**American Tool Making and Interchangeable Manufacturing.** By J. W. Woodworth. Second Ed. 600 illus., 535 pp., 8vo. (*New York, 1911.*) 18s. net.

## USEFUL TABLES

See also CURVE TABLES, EARTHWORK, FOREIGN EXCHANGE, INTEREST TABLES, LOGARITHMS, AND METRIC TABLES.

**Weights and Measurements of Sheet Lead.** By J. Alexander. 32mo, roan. 1s. 6d. net.

**Barlow's Tables of Squares, Cubes, Square Roots, Cube Roots and Reciprocals**, of all Integer Numbers from 1 to 10,000. 200 pp., crown 8vo, leather cloth. 4s. net.

**Tables of Squares.** Of every foot, inch and  $\frac{1}{16}$  of an inch from  $\frac{1}{16}$  of an inch to 50 feet. By E. E. Buchanan. Eleventh edition, 102 pp., 16mo. 4s. 6d. net.

**Land Area Tables.** By W. Codd. For use with Amsler's Planimeter. On sheet in envelope with explanatory pamphlet, 1s. 6d. net. Or separately : tables on sheet 1s. net. Pamphlet, 6d. net.

**Calculating Scale.** A Substitute for the Slide Rule. By **W. Knowles.** Crown 8vo, leather. 1s. net.

**Planimeter Areas.** Multipliers for various scales. By **H. B. Molesworth.** Folding sheet in cloth case. 1s. net.

**Tables of Seamless Copper Tubes.** By **I. O'Toole.** 69 pp., oblong fcap. 8vo. 3s. 6d. net.

**Steel Bar and Plate Tables.** Giving Weight per Lineal Foot of all sizes of L and T Bars, Flat Bars, Plates, Square, and Round Bars. By **E. Read.** On large folding card. 1s. net.

**Rownson's Iron Merchants' Tables and Memoranda.** Weight and Measures. 86 pp., 32mo, leather. 3s. 6d.

**Spons' Tables and Memoranda for Engineers.** By **J. T. Hurst, C.E.** Twelfth edition, 278 pp., 64mo, roan, gilt edges. (1915.) 1s. net.  
Ditto ditto in celluloid case, 1s. 6d. net.

**Optical Tables and Data,** for the use of Opticians. By Prof. **S. P. Thompson.** Second edition, 130 pp., oblong 8vo. (1907.) 6s. net.

**Traverse Table,** showing Latitudes and Departure for each Quarter degree of the Quadrant, and for distances from 1 to 100, etc. 18mo, boards. 2s. net.

**The Wide Range Dividend and Interest Calculator,** showing at a glance the percentage on any sum from £1 to £10,000, at any Interest from 1% to 12½%, proceeding by ¼%; also Table of Income Tax deductions on any sum from £1 to £10,000, at 9d., 1s., and 1s. 2d. in the £. By **Alfred Stevens.** 100 pp., super royal 8vo. 6s. net. Quarter Morocco, cloth sides. 7s. 6d. net.

**The Wide Range Income Tax Calculator,** showing at a glance the tax on any sum from One Shilling to Ten Thousand Pounds at the Rates of 9d., 1s., and 1s. 2d. in the £. By **Alfred Stevens.** 8 pp., printed on stiff card, royal 8vo. 1s. net.

**Fifty-four Hours' Wages Calculator.** By **H. N. Whitelaw.** Second edition, 79 pp., 8vo. 2s. 6d. net.



**Wheel Gearing.** Tables of Pitch Line Diameters, etc. By **A. Wildgoose** and **A. J. Orr.** 175 pp., fcap. 32mo. 2s. net.

## MISCELLANEOUS

**The Atmosphere:** Its Characteristics and Dynamics. By **F. J. B. Cordeiro.** 35 illus., 129 pp., crown 4to. (*New York, 1910.*) 10s. 6d. net.

**Popular Engineering.** By **F. Dye.** 704 illus., 477 pp., crown 4to. (*1895.*) 5s. net.

**The Phonograph,** and how to construct it. By **W. Gillett.** 6 folding plates, 87 pp., crown 8vo. (*1892.*) 5s.

**Engineering Law.** By **A. Haring.** Demy 8vo, cloth. (*New York.*)

Vol. I. THE LAW OF CONTRACT. 518 pp. (*1911.*) 17s. net.

**Particulars of Dry Docks, Wet Docks, Wharves, etc., on the River Thames.** By **C. H. Jordan.** Second edition, 7 coloured charts, 103 pp., oblong 8vo. (*1904.*) 2s. 6d. net.

**New Theories in Astronomy.** By **W. Stirling.** 335 pp., demy 8vo. (*1906.*) 8s. 6d. net.

**Inventions, How to Protect, Sell and Buy Them.** By **F. Wright.** 118 pp., crown 8vo. (S. & C. SERIES, No. 10.) Second edition. (*New York, 1911.*) 1s. 6d. net.

**The Journal of the Iron and Steel Institute.**

Edited by G. C. LLOYD, *Secretary*.  
Published Half-yearly, 8vo. 16s. net

---

**Carnegie Scholarship Memoirs.**

Published Annually, 8vo. 10s. net.

---

**The Journal of the Institution of Electrical Engineers.**

Edited by P. F. ROWELL, *Secretary*.  
Issued in quarto parts. The number of parts are from  
12 to 16 annually. Annual Subscription, 46s., payable  
in advance. Single numbers, 3s. 9d. post free.

---

**The Proceedings of the Institution of Municipal  
and County Engineers.**

Edited by THOMAS COLE, Assoc.M.Inst.C.E., *Secretary*.  
Issued in monthly parts (fortnightly during April, May, June  
and July). Price 1s. 9d., post free, each part.

---

**Transactions of the Institution of Gas  
Engineers.**

Edited by WALTER T. DUNN, *Secretary*.  
Published Annually, 8vo. 10s. 6d. net.

---

**Proceedings of the International Association  
for Testing Materials.**

(English Edition.)  
Proceedings of 5th Congress, 18s. net. Proceedings of 6th  
Congress, 30s. net.

---

**Transactions of the American Institute of  
Chemical Engineers.**

Published Annually, 8vo. 30s. net.

---


**Transactions of the Paint and Varnish Society.**

Annual Subscription, Inland, 5s. 4d.; Abroad, 5s. 8d., post free.  
Bound Volumes, each, 5s. net. Issued Annually.

---







GETTY RESEARCH INSTITUTE



3 3125 01147 3523



